

Accurate Display. Ultimate Victory.

The MAG series was born through rigorous quality testing and designed to be a symbol of sturdiness and durability. Focused on providing the best user experience, the MAG series has a simple installation process coupled with a friendly user interface making it the best choice for entry level gamers.



Selling Points

- Rapid IPS - poskytuje rychlou odezvu 1 ms (šedá na šedou), optimalizuje barvy a jas obrazovky.
- 2560 x 1080 rozlišení - hry budou vypadat ještě lépe a budou zobrazovat více detailů.
- 200Hz frekvence - pro rychlejší a plynulejší reakce.
- Odezva 1ms GTG - eliminuje trhání obrazovky a umožňuje plynulejší přechod snímků.
- Kompatibilní s NVIDIA G-Sync - zajišťuje ultra plynulé hraní bez prodlevy a sekání.
- Herní OSD aplikace - detailní nastavení zobrazení konkrétních her.
- Výškově nastavitelný - vlastní nastavení pozice monitoru pro maximální ergonomii.
- HDR Ready - pro poutavé detaily úpravou kontrastu a stínů.
- Noční vidění - inteligentní nástroj pro zvýraznění jemných detailů v tmavých oblastech.
- Mystic Light - nastavení LED podsvícení ...



Picture and logos



1. 5-way joystick navigator
2. 1x Display Port (1.2a)
3. 2x HDMI (2.0b)
4. 1x Type C (DP alt.)
5. 1x Earphone out
6. 1x USB 2.0 Type B
7. 2x USB 2.0 Type A
8. 1x DC jack
9. 1x Kensington lock

Specification

Screen Size	29.5" (75 cm)
Active Display Area (mm)	690.432 (H) x 291.276 (V)
Curvature	Flat
Panel Type	Rapid IPS
Resolution	2560x1080 (WFHD)
Aspect Ratio	21:9
Dynamic Refresh Rate technology	G-SYNC Compatible
HDR (High dynamic range)	HDR ready
SDR Brightness (nits)	300
HDR Brightness (Peak nits)	N/A
Contrast Ratio	1000:1
DCR (Dynamic Contrast Ratio)	100000000:1
Signal Frequency	60~250.7 KHz(H) / 48~200 Hz(V)
Refresh Rate	200HZ
Response Time (MPRT)	1ms(MPRT)
Response Time (GTG)	1ms
Response Time (Tr + Tf)	5ms
View Angles	178°(H)/178°(V)
Surface Treatment	Anti-glare
NTSC (CIE1976 area percentageoverlap)	93%/81%
NTSC (CIE1931 area percentageoverlap)	77%/ 75%
sRGB (CIE1976 area percentageoverlap)	105%/99%
sRGB (CIE1931 area percentageoverlap)	109%/ 99%
Adobe RGB (CIE1976 area percentageoverlap)	92%/87%
Adobe RGB (CIE1931 area percentageoverlap)	81%/77%
DCI-P3 (CIE1976 area percentageoverlap)	85%/ 85%
DCI-P3 (CIE1931 area percentageoverlap)	80%/ 80%
Rec.709 (CIE1976 area percentageoverlap)	105%/99%
Rec.709 (CIE1931 area percentageoverlap)	109%/99%
Rec.2020 (CIE1976 area percentageoverlap)	N/A
Rec.2020 (CIE1931 area percentageoverlap)	N/A
Display Colors	1.07B
Color bit	10 bits (8 bits + FRC)
Note_DP	2560 x1080 (Up to 200Hz)
Note_HDMI	2560 x 1080 (Up to 180Hz)
Note_DVI	N/A
HDMI	2
HDMI version	2.0b
HDMI HDCP version	2.3
DisplayPort	1
DisplayPort version	1.2a
DisplayPort HDCP version	2.3
Thunderbolt version	NA
Thunderbolt HDCP version	NA
USB Type C (DisplayPort Alternate)	NA
DVI	NA
D-Sub	NA
Mic-in	NA
Mic-in upstream	NA
Headphone-out	1
Audio Combo	NA
Lock type	Kensington Lock
Speaker	NA
USB 2.0 Type B	1
USB 3.2 Gen 1 Type B	NA
Thunderbolt	NA
USB 2.0 Type A	2
USB 2.0 Type C	NA
USB 3.2 Gen 1 Type A	NA
USB 3.2 Gen 1 Type C	NA
USB 3.2 Gen 2x2 Type C	NA
USB 3.2 Gen 2x2 Type A	NA
Card Reader	NA



MONITOR

Optix MAG301RF

OPTIX MAG301RF

WebCam	NA
Power Type	External Adaptor 19V 3.42A
Power Input	100~240V, 50/60Hz
Adapter's KC safety Number	N/A
Power Cord Type	C5
QC Output	NA
QC Output Power	N/A
PD Output	NA
PD Output Power	N/A
Adjustment (Tilt)	-5° ~ 20°
Adjustment (Swivel)	-45° ~ 45°
Adjustment (Height)	0 ~ 130 mm
Adjustment (Pivot)	NA
VESA Mounting	100x100mm
Frameless Design	Yes
Outer Carton Dimension (WxDxH) (mm)	N/A
Outer Carton Dimension (WxDxH) (inch)	N/A
Product Dimension with Stand (WxDxH) (mm)	709.4 x 234 x 399.2
Product Dimension with Stand (WxDxH) (inch)	27.93 x 9.21 x 15.72
Product Dimension without Stand (WxDxH) (mm)	709.4 x 60 x 326
Product Dimension without Stand (WxDxH) (inch)	27.93 x 2.36 x 12.83
Stand Dimension (WxDxH) (mm)	N/A
Stand Dimension (WxDxH) (inch)	N/A
Inside Carton Dimension (WxDxH) (mm)	940 x 165 x 485
Inside Carton Dimension (WxDxH) (inch)	37.01 x 6.5 x 19.09
Weight (Net kg)	7.25
Weight (Gross kg)	10.12
Weight Without Stand (kg)	N/A
DisplayPort Cable	1
HDMI Cable	1
DVI Cable	0
USB Type A to Type B Cable	1
USB Type C to Type A Cable	0
USB Type C to Type C Cable	0
Thunderbolt Cable	0
VGA Cable	0
3.5mm audio Cable	0
3.5mm combo audio Cable	0
Mouse Bungee Unit	N/A
VESA Screw	N/A
Power Cord	1
AC Adaptor	1
Warranty Card	1
Quick Guide	1
Warranty	36M
Entity MKT Name	Optix MAG301RF
Color	ID1/Black-Black
EAN	4719072780661