


PATH TO THE FUTURE



Picture and logos

SELLING POINTS

- Windows 11 HomeMSI empfiehlt Windows 11 Pro für Unternehmen
- 0,83 Liter mit VESA-montierbarem Design
- Bis zu Intel® Core™ 7 Prozessor 150U
- Dual-Channel-DDR5-SO-DIMM-Speicher
- Thunderbolt™ 4 und Dual-LAN (2,5G und 1G)
- Unterstützung für drei Displays und einfach zu aktualisierendes Design
- MSI Power Link: Der Cubi 5 1M kann über die MSI Power Link-Technik über einen Monitor mit Strom versorgt werden.
- MSI AI Engine: Optimieren Sie die Benutzererfahrung ohne manuelle Konfiguration.
- Der Power Meter ermöglicht mit einem Klick Energiesparen, die Berechnung der CO2-Emissionen und die Schätzung der Stromkosten.
- Ausgestattet mit FSC™-zertifiziertem Karton; Abfallreduzierung durch recycelte Formmasse (100 % recycelbar); Hergestellt mit 99 % erneuerbarer Energie im Werk



1. 1x Mikrofon/Kopfhörer Kombo
2. 2x USB 10Gbps Typ A
3. 1x Thunderbolt 4 (USB Typ C)
4. 1x Power button
5. 1x Kensington Lock & Externer Power Knopf Pin Anschluss
6. 1x HDMI™ Ausgang
7. 1x DP Ausgang (1.4)
8. 2x RJ45
9. 2x USB 10Gbps Typ A
10. 1x Stromanschluss

SPECIFICATION

Betriebssystem	Betriebssystem	Windows 11 Home
	Operating Systems	Windows 11 Home
Prozessor	CPU Number	Intel Core 5 Processor 120U
	CPU Clock	1.4GHz
	CPU Cores	10
	TDP	15W
	Cache	12 MB Intel® Smart Cache
	Threads	12
	Max Turbo Frequency	up to 5.00 GHz
	CPU Cooler	Air cooling
	Platform TOPS	N/A
	NPU TOPS	N/A
Model	MKT Name	Cubi 5 1MA
	MKT Spec	Cubi 5 1MA-661AT
	Color	ID1/Black-Black-Black
	SKU Number	00B0A831-661
	Part No	9S6-B0A831-661
	Model	B0A8
Chipsatz	Chipsets	Soc
Arbeitsspeicher	Memory Size	8GB(8GB*1)
	Memory Type	DDR4 SDRAM
	Memory Speed	1600(3200)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	1
	Max Capacity	Max 64GB
	Memory Slot (Total/Free)	2/1
Grafik	GPU1 VRAM Size	N/A
	VGA I/O Port	N/A
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	N/A
Speicher	SSD Interface	PCIe GEN4x4 NVMe
	SSD Form Factor	M.2 2280 M-KEY
	SSD Config	500GB*1
	SSD Size	500GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots (Total/Free)	1/0
	2.5" Drive Bays (Total/Free)	1/1
	3.5" Drive Bays (Total/Free)	0/
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
	3.5" Drive Bays(Free)	0
Audio	Audio Chipset	Realtek ALC256
	Audio Type	N/A
	D-MIC	N/A
Kommunikation	LAN	1x Realtek RTL8111H+1x Realtek RTL8125BG-CG
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
	WLAN	INTEL/AX211.NGWWG.NV

Schnittstellen (Vorne)	Thunderbolt	1x (ThunderBolt 4)
	Mic-in/Headphone-out combo	1
	USB 3.2 Gen 2 (10G) Type A	2
	USB 4 (40G) Type C	N/A
	Copilot Button	N/A
Schnittstellen (Rückseite)	RJ45	2
	HDMI out	1x (v2.1)
	DP out	1x (v1.4)
	Mic-in/Headphone-out combo (R)	N/A
	USB 3.2 Gen 2 (10G) Type A (R)	2
	Lock type	Kensington Lock
Schnittstellen (Seite)	Mic-in/Headphone-out combo	1
	Thunderbolt	1x (ThunderBolt 4)
	USB 3.2 Gen 2 (10G) Type A	2
Power	Power	65W
	Power Certification	N/A
	Formfactor	N/A
	Type	ADAPTOR
VESA	VESA size	100 x 100 mm
Garantie	Warranty	24months
Abmessungen & Gewicht	Product Dimension (WxDxH) (mm)	124 x 124 x 53.7
	Product Dimension (WxDxH) (inch)	4.88 x 4.88 x 2.11
	Inside Carton Dimension (WxDxH) (mm)	205 x 220 x 94
	Inside Carton Dimension (WxDxH) (inch)	8.07 x 8.66 x 3.7
	Outer Carton Dimension Standard (WxDxH) (mm)	221 x 506 x 469
	Outer Carton Dimension Standard (WxDxH) (inch)	8.7 x 19.92 x 18.46
	Weight (Net kg)	0.59
	Net Weight (lbs)	1.3
	Weight (Gross kg)	1.33
	Gross Weight (lbs)	2.93
	Liter	0.83L
	Pint	0.83L
Lagerung & Zertifikationen	Regulatory Compliance	BSMI, CB/CE, FCC(Class B), RCM(C-Tick), UL(CUL), VCCI
	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
Zubehör	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	3
	User Manual	N/A
	VESA Mount kit	1
	Keyboard	N/A
	Keyboard Interface	N/A
	Mouse	N/A
	Mouse Interface	N/A
	Power Switch	N/A
Barcode Info	EAN	4711377464970
Security	TPM module	fTPM
	Chassis Lock	Kensington Lock