

## Be Your Window To The World


Der MSI Cubi N ADL ist ein energiesparender Desktop-PC im Handformat. Er eignet sich für jegliche Multimediaanwendungen als auch für den klassischen Office Bereich. Im Gegensatz zu einem großen Desktop-PC benötigt der Cubi N keinen großen Stauraum und kann mittels VESA-Halterung direkt an einem Monitor oder unter dem Tisch befestigt werden. Mittels USB 3.2 bietet der Cubi N eine vielfältige Schnittstelle für die aktuellsten Endgeräte. Durch die ausgezeichnete Wärmeregulierung ist das Gerät auch im vollen Betrieb kaum hörbar und sorgt für eine angenehme Arbeitsumgebung.



Picture and logos

### SELLING POINTS

- Windows 11 Home – MSI empfiehlt Windows 11 Pro für Unternehmen
- Mit Intel Alder Lake Prozessoren
- Lüfterloses Design: Geräuscharm, energieeffizient und staubdicht, was zu geringeren Ausfallzeiten und einer längeren Lebensdauer führt (optional in Modellvariante Cubi N ADL S)
- Unterstützt 4K-UHD-Displays
- Unterstützt bis zu drei Displays, sodass du mehr sehen und mehr tun kannst
- Duale Netzwerklösung für Internet und Intranet
- Erhalte die gesamte Leistung von USB 3.2 Gen 2
- dTPM 2.0-Design sichert deine vertraulichen Daten mit Verschlüsselung
- 24/7-Zuverlässigkeitstest
- Unterstützt standardmäßige VESA-Halterung und externen Netzschalter (optional)
- Unterstützt MSI Cloud Center und MSI Center-App



1. 1x Mic-in/ Headphone-out combo
2. 2x USB 3.2 Gen 2 Type A
3. 1x USB 3.2 Gen 2 Type C (DP Alternate)
4. 1x Power Button
5. 1x Kensington Lock
6. 1x HDMI™ (2.1)
7. 1x DP-out (1.4)
8. 2x RJ45 (LAN)
9. 2x USB 2.0 Type A
10. DC Jack

## SPECIFICATION

|                       |                              |                       |
|-----------------------|------------------------------|-----------------------|
| Betriebssystem        | Betriebssystem               | N/A                   |
|                       | Operating Systems            | N/A                   |
| Prozessor             | CPU Number                   | Intel Processor N100  |
|                       | CPU Clock                    | 0.8GHz                |
|                       | CPU Cores                    | 4                     |
|                       | TDP                          | 6W                    |
|                       | Cache                        | 6 MB                  |
|                       | Threads                      | 4                     |
|                       | Max Turbo Frequency          | up to 3.40 GHz        |
|                       | CPU Cooler                   | Air cooling           |
|                       | Platform TOPS                | N/A                   |
|                       | NPU TOPS                     | N/A                   |
| Model                 | MKT Name                     | Cubi N ADL            |
|                       | MKT Spec                     | Cubi N ADL-038XDE     |
|                       | Color                        | ID1/Black-Black-Black |
|                       | SKU Number                   | 00B0A911-038          |
|                       | Part No                      | 9S6-B0A911-278        |
|                       | Model                        | B0A9                  |
|                       | Entity MKT Name              | Cubi N ADL-038XDE     |
| Chipsatz              | Chipsets                     | Soc                   |
| Arbeitsspeicher       | Memory Size                  | 4GB(4GB*1)            |
|                       | Memory Type                  | DDR4 SDRAM            |
|                       | Memory Speed                 | 1600(3200)MHz         |
|                       | Module Type                  | SO-DIMM               |
|                       | Memory Slot(Total)           | 1                     |
|                       | Memory Slot(Free)            | 0                     |
|                       | Max Capacity                 | Max 16GB              |
|                       | Memory Slot (Total/Free)     | 1/0                   |
| Grafik                | GPU1 VRAM Size               | N/A                   |
|                       | VGA I/O Port                 | N/A                   |
|                       | GPU1 Vendor                  | N/A                   |
|                       | GPU1 MKT Name                | N/A                   |
|                       | GPU1 Number                  | N/A                   |
| Speicher              | SSD Interface                | PCIe GEN3x4           |
|                       | SSD Form Factor              | M.2-2280 M-KEY        |
|                       | SSD Config                   | 128GB*1               |
|                       | SSD Size                     | 128GB                 |
|                       | HDD1 Interface               | N/A                   |
|                       | HDD1 Form Factor             | N/A                   |
|                       | HDD1 Size                    | N/A                   |
|                       | HDD1 RPM                     | N/A                   |
|                       | ODD(Type)                    | N/A                   |
|                       | ODD Height                   | N/A                   |
|                       | ODD Type                     | N/A                   |
|                       | M.2 slots (Total/Free)       | 1/0                   |
|                       | 2.5" Drive Bays (Total/Free) | 1/1                   |
|                       | 3.5" Drive Bays (Total/Free) | 0/                    |
|                       | M.2 slots(Total)             | 1                     |
|                       | M.2 slots(Free)              | 0                     |
|                       | 2.5" Drive Bays(Total)       | 1                     |
|                       | 2.5" Drive Bays (Free)       | 1                     |
| 3.5" Drive Bays(Free) | 0                            |                       |
| Audio                 | Audio Chipset                | Realtek ALC256        |
|                       | Audio Type                   | 2.1 Channel HD Audio  |
|                       | D-MIC                        | N/A                   |
| Kommunikation         | LAN                          | 2x Realtek RTL8111H   |
|                       | WLAN Version                 | Wi-Fi 5+BT            |
|                       | BT Version                   | 5                     |
|                       | WLAN                         | AzureWave/AW-CB515NF  |

|                            |  |  |
|----------------------------|--|--|
| Schnittstellen (Vorne)     | Mic-in/Headphone-out combo                     | 1  |
|                            | USB 3.2 Gen 2 (10G) Type C                     | 1x USB 3.2 Gen 2 Type C (DisplayPort Alternate)  |
|                            | USB 3.2 Gen 2 (10G) Type A                     | 2  |
|                            | USB 4 (40G) Type C                             | N/A  |
|                            | Copilot Button                                 | N/A  |
| Schnittstellen (Rückseite) | USB 2.0 Type A (R)                             | 2  |
|                            | RJ45   | 2  |
|                            | HDMI out                                       | 1x (v2.1)  |
|                            | DP out   | 1x (v1.4)  |
|                            | Lock type                                      | Kensington Lock  |
|                            | USB 4 (40G) Type C (R)                         | N/A  |
|                            | Configurable port                              | N/A  |
|                            |  |  |
| Schnittstellen (Seite)     | Mic-in/Headphone-out combo                     | 1  |
|                            | USB 3.2 Gen 2 (10G) Type C                     | 1x USB 3.2 Gen 2 Type C (DisplayPort Alternate)  |
|                            | USB 3.2 Gen 2 (10G) Type A                     | 2  |
| Power                      | Power  | 65W  |
|                            | Power Certification                            | N/A  |
|                            | Formfactor                                     | N/A  |
|                            | Type   | ADAPTOR  |
| VESA                       | VESA size                                      | 100 x 100 mm   |
| Garantie                   | Warranty                                       | 24months   |
| Abmessungen & Gewicht      | Product Dimension (WxDxH) (mm)                 | 124 x 124 x 53.7   |
|                            | Product Dimension (WxDxH) (inch)               | 4.88 x 4.88 x 2.11   |
|                            | Inside Carton Dimension (WxDxH) (mm)           | 205 x 220 x 94   |
|                            | Inside Carton Dimension (WxDxH) (inch)         | 8.07 x 8.66 x 3.7  |
|                            | Outer Carton Dimension Standard (WxDxH) (mm)   | 221 x 506 x 469  |
|                            | Outer Carton Dimension Standard (WxDxH) (inch) | 8.7 x 19.92 x 18.46  |
|                            | Weight (Net kg)                                | 0.54   |
|                            | Net Weight (lbs)                               | 1.19   |
|                            | Weight (Gross kg)                              | 1.39   |
|                            | Gross Weight (lbs)                             | 3.06   |
|                            | Liter  | 0.7L   |
|                            | Pint   | 0.7L   |
| Lagerung & Zertifikationen | Regulatory Compliance                          | FCC(Class B)<br>CB/CE<br>UL(CUL)<br>BSMI<br>VCCI<br>RCM(C-Tick)<br>Energy Star<br>ERP lot 3<br>CEC<br>RH |
|                            | Operating, Storage Temperature                 | 0° C ~ 35° C ; -20° C ~ 60° C  |
|                            | Operating, Storage Humidity                    | 0% ~ 85%;0% ~ 90%  |
| Zubehör                    | AC Adaptor                                     | 1  |
|                            | Power Cord                                     | 1  |
|                            | Warranty Card                                  | N/A  |
|                            | Quick Guide                                    | 3  |
|                            | User Manual                                    | N/A  |
|                            | VESA Mount kit                                 | 1  |
|                            | Keyboard                                       | N/A  |
|                            | Keyboard Interface                             | N/A  |
|                            | Mouse  | N/A  |
|                            | Mouse Interface                                | N/A  |
| Power Switch               | N/A  |  |
| Barcode Info               | EAN  | 4711377128445  |
| Security                   | TPM module                                     | dTPM   |
|                            | Chassis Lock                                   | Kensington Lock  |