

PATH TO THE FUTURE

Der MAG 275UPD E14 Gaming-Monitor mit 27 Zoll IPS-Panel bietet Dual Mode für UHD bei 144 Hz und FHD bei 288 Hz für ultraflüssige Bildarstellung.



Picture and logos

SELLING POINTS

- Dual Mode - Einfaches Umschalten zwischen verschiedenen Auflösungen und Bildwiederholraten zur optimalen Anpassung an das jeweilige Spiel.
- Konsolenmodus - Optimierte nahtlose Kompatibilität mit Spielkonsolen wie PS5 und Xbox Series X|S.
- Seitenverhältnis-Optionen - Auswahl zwischen mehreren Seitenverhältnissen für ein individuell abgestimmtes Gaming-Erlebnis.



1. 5-Wege Joystick Navigation
2. Stromanschluss
3. 2x HDMI™ 2.1 (UHD@144Hz)
4. DisplayPort 1.4a (HBR3)
5. Kopfhörerausgang
6. Kensington Lock

SPECIFICATION

| | | |
|-----------------|---|---|
| Model | Part No | 9S6-3CE89M-016 |
| | Color | ID1/Black-Black |
| Display | Screen Size | 27" (68.58 cm) |
| | Active Display Area (mm) | 596.736(H) x 335.664 (V) |
| | Curvature | Flat |
| | Panel Type | IPS |
| | Resolution | 3840x2160 (UHD) |
| | Pixel pitch (mm) | 0.1554(H)x0.1554(V) |
| | Aspect Ratio | 16:9 |
| | Dynamic Refresh Rate technology | Adaptive-Sync |
| | Dynamic Refresh Rate Activated Range | UHD : 48~144Hz, FHD : 48~288Hz |
| | HDR (High dynamic range) | HDR Ready |
| | SDR Brightness (nits) | 250 |
| | Contrast Ratio | 1500:1 |
| | DCR (Dynamic Contrast Ratio) | 100000000:1 |
| | Signal Frequency | UHD:106.1~318.2 KHz(H) / 48~144 Hz(V), FHD:106.1~318.2 KHz(H) / 48~288 Hz(V) |
| | Refresh Rate | UHD:144Hz, FHD:288Hz |
| | Response Time (MPRT) | 1ms(MPRT) |
| | Response Time (GTG) | 4ms |
| | View Angles | 178°(H)/178°(V) |
| | NTSC (CIE1976 area percentage/overlap) | TBD/TBD |
| | NTSC (CIE1931 area percentage/overlap) | TBD/TBD |
| | sRGB (CIE1976 area percentage/overlap) | TBD/TBD |
| | sRGB (CIE1931 area percentage/overlap) | TBD/TBD |
| | Adobe RGB (CIE1976 area percentage/overlap) | TBD/TBD |
| | Adobe RGB (CIE1931 area percentage/overlap) | TBD/TBD |
| | DCI-P3 (CIE1976 area percentage/overlap) | TBD/TBD |
| | DCI-P3 (CIE1931 area percentage/overlap) | TBD/TBD |
| | Rec.709 (CIE1976 area percentage/overlap) | TBD/TBD |
| | Rec.709 (CIE1931 area percentage/overlap) | TBD/TBD |
| | Rec.2020 (CIE1976 area percentage/overlap) | TBD/TBD |
| | Rec.2020 (CIE1931 area percentage/overlap) | TBD/TBD |
| | Surface Treatment | Anti-glare |
| | Display Colors | 1.07B |
| | Color bit | 10 bits (8 bits + FRC) |
| Schnittstellen | Headphone-out | 1 |
| | Lock type | Kensington Lock |
| | Speaker | 2Wx 2 |
| | HDMI | 2 |
| | HDMI version | 2.1 (FRL 6G) |
| | HDMI HDCP version | 2.3 |
| | DisplayPort | 1 |
| | DisplayPort version | 1.4a |
| | DisplayPort HDCP version | 2.3 |
| | Warranty | 36M |
| Garantie | Power Type | Internal Power Board |
| | Power Input | 100~240V, 50/60Hz |
| | On-mode Power Consumption (KWh/1000h) | TBD |
| | Annual Energy Consumption (KWh) | TBD |
| | Standby-mode Power Consumption (W) | 0.5 |
| | Off-mode Power Consumption (W) | 0.3 |
| | Energy Efficiency Rating | TBD |
| Power Cord Type | C13 | |

| | | |
|------------------------------------|--|-----------------|
| Zubehör | DisplayPort Cable | 1 |
| | HDMI Cable | 0 |
| | DVI Cable | 0 |
| | USB Type A to Type B Cable | 0 |
| | USB Type C to Type A Cable | 0 |
| | USB Type C to Type C Cable | 0 |
| | Thunderbolt Cable | 0 |
| | VGA Cable | 0 |
| | 3.5mm audio Cable | 0 |
| | 3.5mm combo audio Cable | 0 |
| | 3.5mm Mic Cable | 0 |
| | Power Cord | 1 |
| | AC Adaptor | 0 |
| | Quick Guide | 1 |
| | Warranty Card | 0 |
| Mouse Bungee Unit | 0 | |
| Design | Adjustment (Tilt) | -5° ~ 20° |
| | Adjustment (Swivel) | -30° ~ 30° |
| | Adjustment (Height) | 0 ~ 130 mm |
| | Adjustment (Pivot) | -90° ~ 90° |
| | VESA Mounting | 100x100mm |
| Abmessungen & Gewicht (Product) | Product Dimension with Stand (WxDxH) (mm) | TBD x TBD x TBD |
| | Product Dimension without Stand (WxDxH) (mm) | TBD x TBD x TBD |
| | Stand Dimension (WxDxH) (mm) | TBD x TBD x TBD |
| | Weight (Net kg) | TBD |
| | Weight Without Stand (kg) | TBD |
| Abmessungen & Gewicht (Verpackung) | Inside Carton Dimension (WxDxH) (cm) | 81 x 15 x 46.2 |
| | Outer Carton Dimension (WxDxH) (cm) | 83 x 17 x 49 |
| | Weight (Gross kg) | TBD |
| Barcode Info | EAN | 4711377318174 |