

PATH TO THE FUTURE

Wir präsentieren den MSI MAG 321CUPDFDE Dual-Mode Gaming Monitor. Dieser hochmoderne Monitor verfügt über ein 32-Zoll-Display mit einer atemberaubenden Bildwiederholfrequenz von 320Hz bei Full HD oder 160 Hz bei 4K und einer schnellen Reaktionszeit von 0,5 ms. Der MAG 321CUPDFDE verschafft dir den Wettbewerbsvorteil, den du brauchst, um deine Gegner in Gaming-Schlachten zu schlagen.



Picture and logos

SELLING POINTS

- Rapid VA Panel – Reaktionszeit von 0.5ms (GtG, Min.) und optimiert die Bildschirmfarben und die Helligkeit
- Dual Mode – Du kannst die Auflösung und Bildwiederholungsrate basierend auf deinem Spiel auswählen
- 0,5 ms (GtG, Min.) Reaktionszeit – Vermeide Bildschirmrisse und abgehackte Bildraten
- Verstellbarer Standfuß – Ändere die Position des Monitors für maximale Ergonomie
- AI Vision - Die neue AI Vision-Technik kann nicht nur Details in dunklen Bereichen erkennen, sondern auch die Gesamthelligkeit verbessern und Farben sättigen



1. 5-Wege Joystick Navigation
2. Stromanschluss
3. Kopfhörerausgang
4. DisplayPort 1.4a
5. 2 x HDMI™ (2.1)
6. DisplayPort(1.4a)
7. USB Typ-C (PD 15W)



MONITOR

MAG 321CUPDFDE

MAG 321CUPDFDE

SPECIFICATION

Model	SKU Number	9S6-3DC54A-032
	Entity MKT Name	MAG 321CUPDFDE
	Part No	9S6-3DC54A-032
	Color	ID1/Black-Black
	Local Dimming	N/A
Display	Screen Size	31.5" (80 cm)
	Active Display Area (mm)	596.16(H) x 335.34(V)
	Curvature	Curve 1500R
	Panel Type	N/A
	Resolution	3840x2160 (UHD)
	Pixel pitch (mm)	0.18159(H)x0.18159(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	Adaptive-Sync
	Dynamic Refresh Rate Activated Range	Normal(UHD) : 48~160Hz Dual(FHD) : 48~320Hz
	HDR (High dynamic range)	YES
	SDR Brightness (nits)	350
	HDR Brightness (Peak nits)	400
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	180~317 KHz(H) / 48~160 Hz(V)
	Refresh Rate	160Hz
	Response Time (MPRT)	N/A
	Response Time (GTG)	5
	View Angles	178°(H)/178°(V)
	NTSC (CIE1976 area percentage/overlap)	N/A
	NTSC (CIE1931 area percentage/overlap)	N/A
	sRGB (CIE1976 area percentage/overlap)	N/A
	sRGB (CIE1931 area percentage/overlap)	N/A
	Adobe RGB (CIE1976 area percentage/overlap)	N/A
	Adobe RGB (CIE1931 area percentage/overlap)	N/A
	DCI-P3 (CIE1976 area percentage/overlap)	N/A
	DCI-P3 (CIE1931 area percentage/overlap)	N/A
	Rec.709 (CIE1976 area percentage/overlap)	N/A
	Rec.709 (CIE1931 area percentage/overlap)	N/A
	Rec.2020 (CIE1976 area percentage/overlap)	N/A
	Rec.2020 (CIE1931 area percentage/overlap)	N/A
	Surface Treatment	Anti-glare
	Display Colors	N/A
	Color bit	N/A
Schnittstellen	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
	Card reader	N/A
	Lock type	Kensington Lock
	HDMI	2
	HDMI version	2.1
	HDMI HDCP version	2.3
	DisplayPort	1
	DisplayPort version	1.4a
	DisplayPort HDCP version	2.3
Garantie	Warranty	36M
Power	Power Type	N/A
	Power Input	N/A
	On-mode Power Consumption (KWh/1000h)	N/A
	Annual Energy Consumption (KWh)	N/A
	Standby-mode Power Consumption (W)	N/A
	Off-mode Power Consumption (W)	N/A
	Energy Efficiency Rating	N/A
	Power Cord Type	C5



MONITOR

MAG 321CUPDFDE

MAG 321CUPDFDE

Zubehör	DisplayPort Cable	1
	HDMI Cable	0
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	3.5mm Mic Cable	0
	Power Cord	1
	AC Adaptor	1
	Quick Guide	1
	Warranty Card	0
	Mouse Bungee Unit	0
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Height)	0 ~ 130 mm
	VESA Mounting	100x100mm
Abmessungen & Gewicht (Product)	Product Dimension with Stand (WxDxH) (mm)	N/A
	Product Dimension without Stand (WxDxH) (mm)	N/A
	Stand Dimension (WxDxH) (mm)	N/A
	Weight (Net kg)	N/A
	Weight Without Stand (kg)	N/A
Abmessungen & Gewicht (Verpackung)	Inside Carton Dimension (WxDxH) (cm)	N/A
	Outer Carton Dimension (WxDxH) (cm)	N/A
	Weight (Gross kg)	N/A
Barcode Info	EAN	4711377264419