

PATH TO THE FUTURE


Wir präsentieren den MSI MPG 491CQPXDE QD-OLED Gaming Monitor. Dieser hochmoderne Monitor verfügt über ein 49-Zoll-DQHD-Display mit einer blitzschnellen Bildwiederholfrequenz von 240 Hz und einer Reaktionszeit von 0,03 ms. Der MPG 491CQPXDE QD-OLED gibt Ihnen den Wettbewerbsvorteil, den Sie brauchen, um Ihre Gegner in Gaming-Battles zu besiegen.



Picture and logos

SELLING POINTS

- QD-OLED-Panel – Brillante Bildqualität und schnelle Reaktionszeit.
- Superschnelle 0,03ms GtG-Reaktionszeit und 240Hz-Bildwiederholrate.
- QD Premium Color – Farbgenauigkeit auf Marktniveau mit Delta E≤2.
- Atemberaubende HDR-Visuals – VESA DisplayHDR True Black 400.
- Gaming Intelligence App – Optimale Anzeigeeinstellungen für jedes Spiel.
- MSI OLED Care 2.0 – Minimiert das Risiko von Bildnachleuchten und Einbrennen.
- KVM – Steuerung mehrerer Geräte über ein Set aus Tastatur, Maus und Monitor.
- Konsole-Modus – HDMI™ 2.1 mit voller 48-Gbps-Bandbreite.
- 3 Jahre Einbrenn-Garantie – Umfassender Schutz auch bei OLED-Einbrennen.



1. Stromanschluss
2. 5-Wege Joystick Navigation
3. 2 x HDMI™ 2.1 (DQHD@240Hz)
4. Display Port 1.4a
5. USB Typ-C PD 98W
6. 2 x USB 2.0 Typ-A
7. USB 2.0 Typ-B
8. Kopfhörerausgang
9. Kensington lock



MONITOR

MPG 491CQPXDE QD-OLED

MPG 491CQPXDE QD-OLED

SPECIFICATION

Model	SKU Number	9S6-3FA84T-020
	Entity MKT Name	MPG 491CQPXDE QD-OLED
	Part No	9S6-3FA84T-020
	Color	ID1/Black-Black
Display	Screen Size	49" (124.46 cm)
	Active Display Area (mm)	1196.7(H) x 339.2(V)
	Curvature	Curve 1800R
	Panel Type	QD-OLED
	Resolution	5120x1440 (DQHD)
	Pixel pitch (mm)	0.233(H)x0.233(V)
	Aspect Ratio	32:9
	Dynamic Refresh Rate technology	Adaptive-Sync
	Dynamic Refresh Rate Activated Range	48~240Hz
	HDR (High dynamic range)	True Black 400
	SDR Brightness (nits)	250
	HDR Brightness (Peak nits)	1000
	Contrast Ratio	1500000:1
	Signal Frequency	N/A
	Refresh Rate	240HZ
	Response Time (GTG)	0.03ms
	View Angles	178°(H)/178°(V)
	NTSC (CIE1976 area percentage/overlap)	127.4%/94.11%
	NTSC (CIE1931 area percentage/overlap)	108.47%/93.21%
	sRGB (CIE1976 area percentage/overlap)	146.12%/100%
	sRGB (CIE1931 area percentage/overlap)	153.15%/100%
	Adobe RGB (CIE1976 area percentage/overlap)	125.21%/98.08%
	Adobe RGB (CIE1931 area percentage/overlap)	113.51%/95.78%
	DCI-P3 (CIE1976 area percentage/overlap)	116.37%/99.26%
	DCI-P3 (CIE1931 area percentage/overlap)	112.9%/99.06%
	Rec.709 (CIE1976 area percentage/overlap)	146.12%/100%
	Rec.709 (CIE1931 area percentage/overlap)	153.15%/100%
	Rec.2020 (CIE1976 area percentage/overlap)	84.79%/84.41%
	Rec.2020 (CIE1931 area percentage/overlap)	81%/80.92%
	Surface Treatment	Anti-Reflection
	Display Colors	1.07B
	Color bit	10 bits
Schnittstellen	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
	USB 2.0 Type A	2
	USB 2.0 Type B	1
	Lock type	Kensington Lock
	HDMI	2
	HDMI version	2.1
	HDMI HDCP version	2.3
	DisplayPort	1
	DisplayPort version	1.4a
	DisplayPort HDCP version	2.3
Garantie	Warranty	36M
Power	Power Type	Power Cable
	Power Input	100~240V, 50/60Hz
	On-mode Power Consumption (KWh/1000h)	TBD
	Standby-mode Power Consumption (W)	0.5
	Off-mode Power Consumption (W)	0.3
	Energy Efficiency Rating	N/A
	Power Cord Type	C13



M O N I T O R

MPG 491CQPXDE QD-OLED

M P G 4 9 1 C Q P X D E Q D - O L E D

Zubehör	DisplayPort Cable	1
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	3.5mm Mic Cable	0
	Power Cord	1
	AC Adaptor	0
	Quick Guide	1
	Warranty Card	0
	Mouse Bungee Unit	0
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-30° ~ 30°
	Adjustment (Height)	0 ~ 100 mm
	VESA Mounting	100x100mm
Abmessungen & Gewicht (Product)	Product Dimension with Stand (WxDxH) (mm)	TBD x TBD x TBD
	Product Dimension without Stand (WxDxH) (mm)	TBD x TBD x TBD
	Stand Dimension (WxDxH) (mm)	TBD x TBD x TBD
	Weight (Net kg)	TBD
	Weight Without Stand (kg)	TBD
Abmessungen & Gewicht (Verpackung)	Inside Carton Dimension (WxDxH) (cm)	N/A
	Outer Carton Dimension (WxDxH) (cm)	N/A
	Weight (Gross kg)	TBD
Barcode Info	EAN	4711377252560