

## Slim, Sleek, Smooth



Picture and logos

## SELLING POINTS

- PerfectEdge - Das 4-seitige schlanke Rahmen-Design ermöglicht eine vollständige Immersion in einem Multi-Display-Setup.
- Genießen Sie hochwertige Unterhaltung mit einer geschmeidigen 120Hz Bildwiederholfrequenz.
- 24,5-Zoll erweitertes Display - Genießen Sie die verbesserte Fläche auf begrenztem Raum.
- Die optimale Bildschirmgröße für Büro und Schreibtisch, die mit der visuellen Komfortzone übereinstimmt.
- TÜV-zertifiziertes Display gewährleistet den Schutz und die Gesundheit der Augen.
- MSI EyesErgo-Technologie mit Anti-Flicker-Technologie hilft, Augenbelastung und Ermüdung zu verhindern.
- MSI Eye-Q Check ermöglicht die Selbstprüfung der Augen und erinnert daran, Pausen einzulegen, wenn der Monitor längere Zeit genutzt wird.
- Flexibilität mit verschiedenen Geräten durch die Nutzung mehrerer Eingangsquellen, wie HDMI™, DisplayPort und D-Sub (VGA) Anschlüssen.
- Genießen Sie eine saubere Umgebung mit einem praktischen und abnehmbaren Kabelmanagement-Design.
- Standard VESA-montierbar & Zubehörschlitz-Design.
- Zwei integrierte Lautsprecher.



1. 1x DisplayPort 1.4a
2. 1x HDMI™ 2.0 (FHD@120Hz)
3. 1x D-Sub (VGA)
4. 1x Line-in
5. 1x Kopfhörerausgang
6. Stromanschluss
7. 1x Kensington Lock
8. 1x 5-Wege Navigation

**SPECIFICATION**

Model	SKU Number	0
	Part No	9S6-3PD4CM-001
	Color	ID1/White-White
	Local Dimming	N/A
Display	Screen Size	24.5" (62.2cm)
	Active Display Area (mm)	543.744 x 302.616
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch (mm)	0.2832(H)x0.2802(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	Adaptive-Sync
	Dynamic Refresh Rate Activated Range	48~120Hz
	HDR (High dynamic range)	HDR Ready
	SDR Brightness (nits)	300
	HDR Brightness (Peak nits)	N/A
	Contrast Ratio	N/A
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	52.7~137.58 KHz (H) / 48~100 Hz(V)
	Refresh Rate	120Hz
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	N/A
	View Angles	178°(H)/178°(V)
	NTSC (CIE1976 area percentage/overlap)	N/A
	NTSC (CIE1931 area percentage/overlap)	N/A
	sRGB (CIE1976 area percentage/overlap)	N/A
	sRGB (CIE1931 area percentage/overlap)	N/A
	Adobe RGB (CIE1976 area percentage/overlap)	N/A
	Adobe RGB (CIE1931 area percentage/overlap)	N/A
	DCI-P3 (CIE1976 area percentage/overlap)	N/A
	DCI-P3 (CIE1931 area percentage/overlap)	N/A
	Rec.709 (CIE1976 area percentage/overlap)	N/A
	Rec.709 (CIE1931 area percentage/overlap)	N/A
	Rec.2020 (CIE1976 area percentage/overlap)	N/A
	Rec.2020 (CIE1931 area percentage/overlap)	N/A
	Surface Treatment	Anti-glare
	Display Colors	16.7M
	Color bit	8 bits (6 bits + FRC)

Schnittstellen	Thunderbolt	N/A
	Thunderbolt version	N/A
	Thunderbolt HDCP version	N/A
	USB Type C (DisplayPort Alternate)	N/A
	DVI	N/A
	D-Sub	1
	Line-in	1
	Mic-in	N/A
	Mic-in upstream	N/A
	Headphone-out	1
	Audio Combo	N/A
	USB 2.0 Type A	N/A
	USB 2.0 Type B	N/A
	USB 2.0 Type C	N/A
	USB 3.2 Gen 1 Type A	N/A
	USB 3.2 Gen 1 Type B	N/A
	USB 3.2 Gen 1 Type C	N/A
	USB 3.2 Gen 2x2 Type C	N/A
	USB 3.2 Gen 2x2 Type A	N/A
	Card reader	N/A
	Lock type	Kensington Lock
	Speaker	2
	HDMI	1
	HDMI version	2.0
	HDMI HDCP version	1.4
	DisplayPort	1
	DisplayPort version	1.4
DisplayPort HDCP version	1.3	
Garantie	Warranty	24M
Power	Power Type	Power Cable
	Power Input	N/A
	On-mode Power Consumption (KWh/1000h)	N/A
	Annual Energy Consumption (KWh)	N/A
	Standby-mode Power Consumption (W)	N/A
	Off-mode Power Consumption (W)	N/A
	Energy Efficiency Rating	N/A
Power Cord Type	C13	
Zubehör	DisplayPort Cable	N/A
	HDMI Cable	N/A
	DVI Cable	N/A
	USB Type A to Type B Cable	N/A
	USB Type C to Type A Cable	N/A
	USB Type C to Type C Cable	N/A
	Thunderbolt Cable	N/A
	VGA Cable	N/A
	3.5mm audio Cable	N/A
	3.5mm combo audio Cable	N/A
	3.5mm Mic Cable	N/A
	Power Cord	N/A
	AC Adaptor	N/A
	Quick Guide	N/A
	Warranty Card	N/A
	Mouse Bungee Unit	N/A
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	N/A
	Adjustment (Height)	N/A
	Adjustment (Pivot)	N/A
	VESA Mounting	100x100mm



## PRO MP251WDE E2

PRO MP251W E2

Abmessungen & Gewicht (Product)	Product Dimension with Stand (WxDxH) (mm)	N/A
	Product Dimension without Stand (WxDxH) (mm)	N/A
	Stand Dimension (WxDxH) (mm)	N/A
	Weight (Net kg)	N/A
	Weight Without Stand (kg)	N/A
Abmessungen & Gewicht (Verpackung)	Inside Carton Dimension (WxDxH) (cm)	N/A
	Outer Carton Dimension (WxDxH) (cm)	N/A
	Weight (Gross kg)	N/A
Barcode Info	EAN	4711377248167