

Be Your Window To The World

Der MSI PRO MP252 FHD-Monitor mit HDMI-Schnittstellen ist durch das IPS-Panel für beste Bild- und Farbqualität optimiert. Er wurde für die professionelle Arbeit in den Bereichen Programmierung, Codierung und Website-Design entwickelt. Er zeigt nicht nur jede Zeile und jedes Detail für Ihre Projekte klar und deutlich, sondern mit ihm lässt Sie auch reibungslose Streaming- und Videoerlebnisse genießen.



Picture and logos

SELLING POINTS

- 24,5-Zoll-Display – Viel Bildfläche für produktives Arbeiten.
- TÜV-zertifizierter Bildschirm gewährleistet den Schutz und die Gesundheit des Sehvermögens.
- MSI EyesErgo-Technologie mit Anti-Flimmer-Technologie hilft, Augenbelastung und Ermüdung zu verhindern.
- 100 Hz Bildwiederholfrequenz sorgt für ein besseres Seherlebnis mit flimmerfreien Bildern.
- MSI Eye-Q Check hilft, die Augen selbst zu überprüfen, und erinnert daran, beim langen Gebrauch des Monitors eine Pause einzulegen.
- Vielseitigkeit über verschiedene Geräte hinweg, dank mehrere Eingangsquellen wie HDMI™- und DisplayPort.
- Aufgeräumt und platzsparend mit einem praktischen und abnehmbaren Kabelmanagement-Design.
- Standardmäßig VESA montierbar und inklusive Zubehörschlitz-Design.
- Eingebaute Lautsprecher



1. 1x Stromanschluss
2. 1x DP (1.4a)
3. 1x HDMI™ (2.0b)
4. 1x Kopfhörerausgang
5. 1x Kensington Lock
6. 1x 5-Wege Navigation

SPECIFICATION

Model	SKU Number	9S6-3PC4CT-008
	Entity MKT Name	PRO MP252
	Part No	9S6-3PC4CT-008
	Color	ID1/Black-Black
	MKT Name	PRO MP252
	MKT Spec	PRO MP252
	Model	3PC4
Power	Power Type	Power Cable
	Power Input	100~240V, 50/60Hz
	On-mode Power Consumption (KWh/1000h)	TBD
	Standby-mode Power Consumption (W)	0.5
	Off-mode Power Consumption (W)	0.2
	Energy Efficiency Rating	N/A
	Power Cord Type	C13
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Abmessungen & Gewicht	Inside Carton Dimension (WxDxH) (inch)	N/A
	Weight (Net kg)	TBD
	Weight (Gross kg)	TBD
Produktmaße mit Standfuß	Product Dimension with Stand (WxDxH) (mm)	TBD x TBD x TBD
	Product Dimension with Stand (WxDxH) (inch)	TBD x TBD x TBD
Gewicht	Weight Without Stand (kg)	TBD
Verpackung	Outer Carton Dimension (WxDxH) (inch)	N/A
Garantie	Warranty	24M
Zubehör	3.5mm Mic Cable	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
	DisplayPort Cable	0
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	0
	Power Cord	1
	AC Adaptor	0
	Warranty Card	0
	Quick Guide	1
	Barcode Info	EAN

Display	Screen Size	24.5" (62.2cm)
	Active Display Area (mm)	543.7(H)x302.6(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch (mm)	0.2832(H)x0.2802(V)
	Refresh Rate	100HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	sRGB (CIE1976 area percentage/overlap)	100.15%/97.18%
	sRGB (CIE1931 area percentage/overlap)	102.55%/96.03%
	Adobe RGB (CIE1976 area percentage/overlap)	85.82%/84.71%
	Adobe RGB (CIE1931 area percentage/overlap)	76%/74.31%
	DCI-P3 (CIE1976 area percentage/overlap)	79.76%/79.71%
	DCI-P3 (CIE1931 area percentage/overlap)	75.59%/75.58%
	Rec.709 (CIE1976 area percentage/overlap)	100.15%/97.18%
	Rec.709 (CIE1931 area percentage/overlap)	102.55%/96.03%
	Rec.2020 (CIE1976 area percentage/overlap)	58.12%/58.12%
	Rec.2020 (CIE1931 area percentage/overlap)	54.23%/54.23%
	Display Colors	1.07B
	Color bit	10 bits
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	Adaptive-Sync
	Dynamic Refresh Rate Activated Range	48 ~ 100Hz
	SDR Brightness (nits)	300
	Contrast Ratio	1300:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	52.416~112.5 KHz(H) / 48~100 Hz(V)
	NTSC (CIE1976 area percentage/overlap)	87.32%/79.16%
NTSC (CIE1931 area percentage/overlap)	72.63%/70.44%	
Surface Treatment	Anti-Reflection	
Abmessungen & Gewicht (Verpackung)	Inside Carton Dimension (WxDxH) (cm)	63 x 12.5 x 41
	Outer Carton Dimension (WxDxH) (cm)	64.7 x 13.9 x 43.2
	Weight (Gross kg)	4.9
Schnittstellen	Headphone-out	1
	Lock type	Kensington Lock
	Speaker	2
	HDMI	1
	HDMI version	2.0b
	HDMI HDCP version	1.4
	DisplayPort	1
	DisplayPort version	1.4a
DisplayPort HDCP version	1.3	
Abmessungen & Gewicht (Product)	Product Dimension with Stand (WxDxH) (mm)	557.7 x 207.2 x 416.3
	Product Dimension without Stand (WxDxH) (mm)	557.7 x 48.1 x 322.9
	Stand Dimension (WxDxH) (mm)	227.8 x 207.2 x 146.28
	Weight (Net kg)	3.3
	Weight Without Stand (kg)	2.8