

PATH TO THE FUTURE

Der MSI PRO MP271A FHD-Monitor mit DisplayPort- und HDMI-Schnittstellen durch das IPS-Panel für beste Bild- und Farbqualität optimiert. Er wurde für die professionelle Arbeit in den Bereichen Programmierung, Codierung und Website-Design entwickelt. Er zeigt nicht nur jede Zeile und jedes Detail für Ihre Projekte klar und deutlich, sondern lässt Sie auch reibungsloseste Streaming- und Videoerlebnisse genießen.



Picture and logos

SELLING POINTS

- Perfekte 27"-Bildschirmgröße für den Arbeitsplatz zum Programmieren, Coden und Gestalten von Webseiten
- TÜV-geprüfter Bildschirm zum Schutz der Augen und zur Erhaltung der Sehschärfe
- Die Anti-Flicker-Technologie schützt die Augen vor Überanstrengung und Ermüdung
- Die Less Blue Light Technologie reduziert schädliches blaues Licht und schützt die Augen
- Das Display Kit bietet dir praktische Werkzeuge, die richtige Farbe und den richtigen Anzeigemodus für deine tägliche Arbeit
- Das IPS Panel mit 178° Blickwinkel bietet optimale Bildschirmfarben und Helligkeit
- 100 Hz Bildwiederholrate sorgt für ein angenehmeres Seherlebnis
- Flexibilität für mehrere Geräte durch mehrere Eingangsquellen: DisplayPort, HDMI™ und D-Sub (VGA)
- VESA-Mount Unterstützung
- Eingebaute Lautsprecher



1. 1x DisplayPort (1.2a)
2. 1x HDMI™ (1.4b)
3. 1x D-Sub (VGA)
4. 1x Line-in
5. 1x Headphone-out
6. 1x Kensington Lock

SPECIFICATION

Model	SKU Number	9S6-3PA2CT-057
	Entity MKT Name	PRO MP271A
	Part No	9S6-3PA2CT-057
	Color	ID1/Black-Black
	MKT Name	PRO MP271A
	MKT Spec	PRO MP271A
Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	597.888(H) x 336.312(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch (mm)	0.3114(H)x0.3114(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	Adaptive-Sync
	Dynamic Refresh Rate Activated Range	48 ~ 100Hz
	SDR Brightness (nits)	300
	Contrast Ratio	1000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	52.32~109 KHz (H) / 48~100 Hz(V)
	Refresh Rate	100HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	NTSC (CIE1976 area percentage/overlap)	94%/80%
	NTSC (CIE1931 area percentage/overlap)	76%/72%
	sRGB (CIE1976 area percentage/overlap)	108%/97%
	sRGB (CIE1931 area percentage/overlap)	107%/97%
	Adobe RGB (CIE1976 area percentage/overlap)	93%/85%
	Adobe RGB (CIE1931 area percentage/overlap)	80%/75%
	DCI-P3 (CIE1976 area percentage/overlap)	86%/84%
	DCI-P3 (CIE1931 area percentage/overlap)	79%/79%
	Rec.709 (CIE1976 area percentage/overlap)	108%/97%
	Rec.709 (CIE1931 area percentage/overlap)	107%/97%
	Rec.2020 (CIE1976 area percentage/overlap)	63%/63%
	Rec.2020 (CIE1931 area percentage/overlap)	57%/57%
	Surface Treatment	Anti-glare
Display Colors	16.7M	
Color bit	8 bits (6 bits + FRC)	
Schnittstellen	D-Sub	1
	Line-in	1
	Headphone-out	1
	Lock type	Kensington Lock
	Speaker	2
	HDMI	1
	HDMI version	1.4b
	HDMI HDCP version	1.4
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	1.3
	Garantie	Warranty
Abmessungen & Gewicht	Inside Carton Dimension (WxDxH) (inch)	27.8 x 5.16 x 19.29
	Weight (Net kg)	3.9
	Weight (Gross kg)	5.5
Power	Power Type	Power Cable
	Power Input	100~240V, 50/60Hz
	On-mode Power Consumption (KWh/1000h)	20
	Standby-mode Power Consumption (W)	0.5
	Off-mode Power Consumption (W)	0.3
	Energy Efficiency Rating	E
	Power Cord Type	C5

Zubehör	DisplayPort Cable	0
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	3.5mm Mic Cable	0
	Power Cord	1
	AC Adaptor	0
	Quick Guide	1
	Warranty Card	0
	Mouse Bungee Unit	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
VESA Screw	0	
Design	Adjustment (Tilt)	-5° ~ 23°
	Frameless Design	Yes
Abmessungen & Gewicht (Product)	Product Dimension with Stand (WxDxH) (mm)	612.6 x 219.7 x 456.8
	Product Dimension without Stand (WxDxH) (mm)	612.6 x 48.8 x 367.1
	Stand Dimension (WxDxH) (mm)	219.7 x 219.7 x 180.4
	Weight (Net kg)	3.9
	Weight Without Stand (kg)	3.3
Abmessungen & Gewicht (Verpackung)	Inside Carton Dimension (WxDxH) (cm)	70.6 x 13.1 x 49
	Outer Carton Dimension (WxDxH) (cm)	72.1 x 14.6 x 51.5
	Weight (Gross kg)	5.5
Verpackung	Outer Carton Dimension (WxDxH) (inch)	28.39 x 5.16 x 19.29
Gewicht	Weight Without Stand (kg)	3.3
Produktmaße mit Standfuß	Product Dimension with Stand (WxDxH) (mm)	612.6 x 219.7 x 456.8
	Product Dimension with Stand (WxDxH) (inch)	24.12 x 8.65 x 17.98
Standfuß	Stand Dimension (WxDxH) (mm)	219.7 x 219.7 x 180.4
	Stand Dimension (WxDxH) (inch)	8.65 x 8.65 x 7.1
Produktmaße ohne Standfuß	Product Dimension without Stand (WxDxH) (mm)	612.6 x 48.8 x 367.1
	Product Dimension without Stand (WxDxH) (inch)	24.12 x 1.92 x 14.45
Barcode Info	EAN	4711377031875
	UPC	824142308509
	UCC14	10824142308506