

## PATH TO THE FUTURE



### Selling Points

#### Modern AM241P 11M

- Windows 10 Home - MSI recomienda Windows 10 Pro para profesionales
- Pantalla 23,8" IPS Grade con luz de fondo LED (1920 x 1080 FHD)
- Procesadores Intel® Tiger Lake con memoria DDR4
- FHD Webcam incluida
- Tecnologías MSI Anti-Flicker y Less Blue Light para proteger tu vista
- El soporte ajustable proporciona la mejor posición mientras se trabaja y se aprende desde casa
- La tecnología de visualización instantánea hace que el AIO pase al modo de monitor sin necesidad de arrancar el sistema
- El diseño de actualización rápida de almacenamiento de MSI te ayuda a actualizar o mantener rápidamente tu almacenamiento de 2,5"
- USB 3.2 Gen 2 Tipo C con diseño reversible y USB 3.2 Gen 2 Tipo A proporciona la mejor experiencia de entrega de datos y admite Super Charger
- Sistema de refrigeración silencioso PRO: El módulo térmico de grado de servidor garantiza un funcionamiento...



Picture and logos: Pictures Business & Productivity PC All-in-One





BUSINESS &amp; PRODUCTIVITY PC ALL-IN-ONE

## Modern AM241P 11M

MODERN AM241P 11M-004EU

## Specification

|  |                           |
|--|---------------------------|
| <b>Color</b>                                       | ID1/Black-Black-Black     |
| <b>Screen Size</b>                                 | 23.8" (60cm)              |
| <b>Active Display Area (mm)</b>                    | 527.04mm(H) x 296.46mm(V) |
| <b>Curvature</b>                                   | Flat                      |
| <b>Panel Type</b>                                  | IPS                       |
| <b>Resolution</b>                                  | 1920x1080 (FHD)           |
| <b>Pixel pitch</b>                                 | 0.2745(H)x0.2745(V)       |
| <b>Brightness (nits)</b>                           | 250                       |
| <b>Contrast Ratio</b>                              | 1000:1                    |
| <b>Signal Frequency</b>                            | N/A                       |
| <b>Response Time (GTG)</b>                         | 14 ms                     |
| <b>View Angles</b>                                 | 178°(H)/178°(V)           |
| <b>Surface Treatment</b>                           | Anti-Glare                |
| <b>Touch Screen</b>                                | Non-touch                 |
| <b>Display Colors</b>                              | 16.7M                     |
| <b>CPU Core Name</b>                               | TIGER LAKE                |
| <b>CPU Socket</b>                                  | BGA-1449pin               |
| <b>CPU Number</b>                                  | Intel Core i7-1165G7      |
| <b>CPU Clock</b>                                   | 2.8GHz                    |
| <b>CPU Cores</b>                                   | 4                         |
| <b>TDP</b>   | 28W                       |
| <b>Cache</b>                                       | 12 MB Intel® Smart Cache  |
| <b>Threads</b>                                     | 8                         |
| <b>Chipsets</b>                                    | N/A                       |
| <b>Mic-in</b>                                      | NA                        |
| <b>Headphone-out</b>                               | NA                        |
| <b>Lock type</b>                                   | Kensington                |
| <b>Memory Size</b>                                 | 16GB(8GB*2)               |
| <b>Memory Type</b>                                 | DDR4 SDRAM                |
| <b>Memory Speed</b>                                | 1600(3200)MHz             |
| <b>Module Type</b>                                 | SO-DIMM                   |
| <b>Memory Slot(Total)</b>                          | 2                         |
| <b>Memory Slot(Free)</b>                           | 0                         |
| <b>Max Capacity</b>                                | Max 64GB                  |
| <b>Adjustment (Tilt)</b>                           | -4~20                     |
| <b>Adjustment (Swivel)</b>                         | N/A                       |
| <b>Adjustment (Height)</b>                         | 0~130mm                   |
| <b>Adjustment (Pivot)</b>                          | N/A                       |
| <b>SSD Interface</b>                               | PCIe GEN3x4 w/o DRAM NVMe |
| <b>SSD Form Factor</b>                             | M.2-2280 M-KEY            |
| <b>SSD Config</b>                                  | 512GB*1                   |
| <b>SSD Size</b>                                    | 512GB                     |
| <b>HDD1 Interface</b>                              | N/A                       |
| <b>HDD1 Form Factor</b>                            | N/A                       |
| <b>HDD1 Size</b>                                   | N/A                       |
| <b>HDD1 RPM</b>                                    | N/A                       |
| <b>ODD(Type)</b>                                   | N/A                       |
| <b>ODD Height</b>                                  | N/A                       |
| <b>ODD Type</b>                                    | N/A                       |
| <b>M.2 slots(Total)</b>                            | 1                         |
| <b>M.2 slots(Free)</b>                             | 0                         |
| <b>2.5" Drive Bays(Total)</b>                      | 1                         |
| <b>2.5" Drive Bays (Free)</b>                      | 1                         |
| <b>LAN</b>   | Realtek RTL8111H          |
| <b>WLAN</b>  | INTEL/AX201.NGWG.NVW      |
| <b>WLAN Version</b>                                | 802.11ax 2x2+BT           |
| <b>BT Version</b>                                  | 5.1                       |
| <b>Product Dimension with Stand (WxDxH) (mm)</b>   | 541.4 x 194.68 x 534.92   |
| <b>Product Dimension with Stand (WxDxH) (inch)</b> | 21.31 x 7.66 x 21.06      |
| <b>Audio Chipset</b>                               | Realtek ALC233            |
| <b>Audio Type</b>                                  | 2.1 Channel HD Audio      |
| <b>USB 3.2 Gen 2x2 Type C</b>                      | NA                        |
| <b>USB 3.2 Gen 2x2 Type A</b>                      | NA                        |



BUSINESS &amp; PRODUCTIVITY PC ALL-IN-ONE

## Modern AM241P 11M

MODERN AM241P 11M-004EU

|  |   |
|--|---|
| USB 3.2 Gen 2 Type C                               | 2   |
| USB 3.2 Gen 2 Type A                               | 2   |
| USB 3.2 Gen 1 Type C                               | NA  |
| USB 3.2 Gen 1 Type A                               | NA  |
| USB 2.0 Type A                                     | NA  |
| Mic-inHeadphone-out combo                          | 1   |
| Headphone-out (HiFi SPDIF)                         | NA  |
| Card Reader  | NA  |
| USB 3.2 Gen 2x2 Type C (R)                         | NA  |
| USB 3.2 Gen 2x2 Type A (R)                         | NA  |
| USB 3.2 Gen 2 Type C (R)                           | NA  |
| USB 3.2 Gen 2 Type A (R)                           | NA  |
| USB 3.2 Gen 1 Type C (R)                           | NA  |
| USB 3.2 Gen 1 Type A (R)                           | NA  |
| USB 2.0 Type C (R)                                 | NA  |
| USB 2.0 Type A (R)                                 | 2   |
| RJ45   | 1   |
| VGA out  | NA  |
| HDMI out   | 1x (v2.0)   |
| HDMI in  | 1   |
| DP out   | NA  |
| mini DP out  | NA  |
| PS2  | NA  |
| COM Port   | NA  |
| DVI-D out  | NA  |
| Mic-inHeadphone-out combo (R)                      | NA  |
| Printer Port (Parallel)                            | NA  |
| WebCam   | external webcam   |
| Operating Systems                                  | Windows 10 Home   |
| Weight (Net kg)                                    | 6.16  |
| Weight (Gross kg)                                  | 8.45  |
| AC Adapter Output                                  | 120W  |
| Battery  | N/A   |
| Battery Whrs                                       | N/A   |
| Warranty   | 24M   |
| Product Dimension with Holder (WxDxH) (mm)         | N/A   |
| Product Dimension with Holder (WxDxH) (inch)       | N/A   |
| Inside Carton Dimension with Holder (WxDxH) (mm)   | N/A   |
| Inside Carton Dimension with Holder (WxDxH) (inch) | N/A   |
| Inside Carton Dimension with Stand (WxDxH) (mm)    | N/A   |
| Inside Carton Dimension with Stand (WxDxH) (inch)  | N/A   |
| Outer Carton Dimension with Holder (WxDxH) (mm)    | N/A   |
| Operating, Storage Temperature                     | 0° C ~ 35° C ; -20° C ~ 60° C                                   |
| Operating, Storage Humidity                        | 0% ~ 85%;0% ~ 90%   |
| Regulatory Compliance                              | FCC(Class B)<br>CB/CE<br>UL(CUL)<br>BSMI<br>VCCI<br>RCM(C-Tick) |
| AC Adaptor   | 1   |
| Power Cord   | 1   |
| Warranty Card                                      | 1   |
| Quick Guide  | 3   |
| User Manual  | N/A   |
| VESA Mount kit                                     | N/A   |
| Keyboard   | N/A   |
| Keyboard Interface                                 | N/A   |
| Mouse  | N/A   |
| Mouse Interface                                    | N/A   |
| EAN  | 4719072795801   |