

PATH TO THE FUTURE



Selling Points

Modern AM241P 11M

- Windows 10 Home - MSI recomienda Windows 10 Pro para profesionales
- Pantalla 23,8" IPS Grade con luz de fondo LED (1920 x 1080 FHD)
- Procesadores Intel® Tiger Lake con memoria DDR4
- FHD Webcam incluida
- Tecnologías MSI Anti-Flicker y Less Blue Light para proteger tu vista
- El soporte ajustable proporciona la mejor posición mientras se trabaja y se aprende desde casa
- La tecnología de visualización instantánea hace que el AIO pase al modo de monitor sin necesidad de arrancar el sistema
- El diseño de actualización rápida de almacenamiento de MSI te ayuda a actualizar o mantener rápidamente tu almacenamiento de 2,5"
- USB 3.2 Gen 2 Tipo C con diseño reversible y USB 3.2 Gen 2 Tipo A proporciona la mejor experiencia de entrega de datos y admite Super Charger
- Sistema de refrigeración silencioso PRO: El módulo térmico de grado de servidor garantiza un funcionamiento...



Picture and logos: Pictures Business & Productivity PC All-in-One



Specification

| | |
|--|---------------------------|
| Color | ID1/White-White-White |
| Screen Size | 23.8" (60cm) |
| Active Display Area (mm) | 527.04mm(H) x 296.46mm(V) |
| Curvature | Flat |
| Panel Type | IPS |
| Resolution | 1920x1080 (FHD) |
| Pixel pitch | 0.2745(H)x0.2745(V) |
| Brightness (nits) | 250 |
| Contrast Ratio | 1000:1 |
| Signal Frequency | N/A |
| Response Time (GTG) | 14 ms |
| View Angles | 178°(H)/178°(V) |
| Surface Treatment | Anti-Glare |
| Touch Screen | Non-touch |
| Display Colors | 16.7M |
| CPU Core Name | TIGER LAKE |
| CPU Socket | BGA-1449pin |
| CPU Number | Intel Core i5-1135G7 |
| CPU Clock | 2.4GHz |
| CPU Cores | 4 |
| TDP | 28W |
| Cache | 8 MB Intel® Smart Cache |
| Threads | 8 |
| Chipsets | N/A |
| Mic-in | NA |
| Headphone-out | NA |
| Lock type | Kensington |
| Memory Size | 8GB(8GB*1) |
| Memory Type | DDR4 SDRAM |
| Memory Speed | 1600(3200)MHz |
| Module Type | SO-DIMM |
| Memory Slot(Total) | 2 |
| Memory Slot(Free) | 1 |
| Max Capacity | Max 64GB |
| Adjustment (Tilt) | -4~20 |
| Adjustment (Swivel) | N/A |
| Adjustment (Height) | 0~130mm |
| Adjustment (Pivot) | N/A |
| SSD Interface | PCIe GEN3x4 w/o DRAM NVMe |
| SSD Form Factor | M.2-2280 M-KEY |
| SSD Config | 256GB*1 |
| SSD Size | 256GB |
| HDD1 Interface | N/A |
| HDD1 Form Factor | N/A |
| HDD1 Size | N/A |
| HDD1 RPM | N/A |
| ODD(Type) | N/A |
| ODD Height | N/A |
| ODD Type | N/A |
| M.2 slots(Total) | 1 |
| M.2 slots(Free) | 0 |
| 2.5" Drive Bays(Total) | 1 |
| 2.5" Drive Bays (Free) | 1 |
| LAN | Realtek RTL8111H |
| WLAN | INTEL/AX201.NGWG.NVW |
| WLAN Version | 802.11ax 2x2+BT |
| BT Version | 5.1 |
| Product Dimension with Stand (WxDxH) (mm) | 541.4 x 194.68 x 534.92 |
| Product Dimension with Stand (WxDxH) (inch) | 21.31 x 7.66 x 21.06 |
| Audio Chipset | Realtek ALC233 |
| Audio Type | 2.1 Channel HD Audio |
| USB 3.2 Gen 2x2 Type C | NA |
| USB 3.2 Gen 2x2 Type A | NA |



BUSINESS & PRODUCTIVITY PC ALL-IN-ONE

Modern AM241P 11M

MODERN AM241P 11M-082EU

| | |
|--|---|
| USB 3.2 Gen 2 Type C | 2 |
| USB 3.2 Gen 2 Type A | 2 |
| USB 3.2 Gen 1 Type C | NA |
| USB 3.2 Gen 1 Type A | NA |
| USB 2.0 Type A | NA |
| Mic-inHeadphone-out combo | 1 |
| Headphone-out (HiFi SPDIF) | NA |
| Card Reader | NA |
| USB 3.2 Gen 2x2 Type C (R) | NA |
| USB 3.2 Gen 2x2 Type A (R) | NA |
| USB 3.2 Gen 2 Type C (R) | NA |
| USB 3.2 Gen 2 Type A (R) | NA |
| USB 3.2 Gen 1 Type C (R) | NA |
| USB 3.2 Gen 1 Type A (R) | NA |
| USB 2.0 Type C (R) | NA |
| USB 2.0 Type A (R) | 2 |
| RJ45 | 1 |
| VGA out | NA |
| HDMI out | 1x (v2.0) |
| HDMI in | 1 |
| DP out | NA |
| mini DP out | NA |
| PS2 | NA |
| COM Port | NA |
| DVI-D out | NA |
| Mic-inHeadphone-out combo (R) | NA |
| Printer Port (Parallel) | NA |
| WebCam | external webcam |
| Operating Systems | Windows 10 Pro |
| Weight (Net kg) | 6.16 |
| Weight (Gross kg) | 8.45 |
| AC Adapter Output | 120W |
| Battery | N/A |
| Battery Whrs | N/A |
| Warranty | 36M |
| Product Dimension with Holder (WxDxH) (mm) | N/A |
| Product Dimension with Holder (WxDxH) (inch) | N/A |
| Inside Carton Dimension with Holder (WxDxH) (mm) | N/A |
| Inside Carton Dimension with Holder (WxDxH) (inch) | N/A |
| Inside Carton Dimension with Stand (WxDxH) (mm) | N/A |
| Inside Carton Dimension with Stand (WxDxH) (inch) | N/A |
| Outer Carton Dimension with Holder (WxDxH) (mm) | N/A |
| Operating, Storage Temperature | 0° C ~ 35° C ; -20° C ~ 60° C |
| Operating, Storage Humidity | 0% ~ 85%;0% ~ 90% |
| Regulatory Compliance | FCC(Class B) CB/CE UL(CUL) BSMI VCCI RCM(C-Tick) |
| AC Adaptor | 1 |
| Power Cord | 1 |
| Warranty Card | 1 |
| Quick Guide | 3 |
| User Manual | N/A |
| VESA Mount kit | N/A |
| Keyboard | RF1430 |
| Keyboard Interface | WIRELESS |
| Mouse | MA004 |
| Mouse Interface | WIRELESS |
| EAN | 4719072809492 |