

## Be Your Window To The World

The MSI Modern Series All-in-One PC is no longer just a functional product solely focused on meeting users' demands, it is the representation of a craftsman's spirit of excellence and the unrestrained freedom of fashion attitude. Likewise, the Modern Series have functions that fully meet the needs of users and the appearance that can be integrated into various environments. No matter where you are, you must retain your style and persistence in life.




Picture and logos

## SELLING POINTS

- Windows 11 Home - MSI recomienda Windows 11 Pro para empresas
- Panel 27" de grado IPS LED retroiluminada (1920 x 1080 FHD)
- Procesador Intel® Alder Lake con memoria DDR4
- Webcam Full HD integrada incluida
- Las tecnologías MSI Anti-Flicker y de reducción de la luz azul protegen los ojos de los usuarios
- La tecnología Instant Display hace que el AIO pase al modo monitor sin necesidad de arrancar el sistema
- El diseño de actualización rápida de almacenamiento de MSI le ayuda a actualizar o mantener rápidamente tu almacenamiento de 2,5".
- Los puertos USB 3.2 Gen 2 Tipo C con diseño reversible y USB 3.2 Gen 2 Tipo A proporcionan la mejor experiencia de transmisión de datos y admiten Super Charger
- Sistema de refrigeración Silent PRO Cooling: El módulo térmico de grado servidor garantiza un funcionamiento silencioso y estable con un ciclo de vida más largo

\*El tiempo de actualización puede variar según el dispositivo. Las funciones y la disponibilidad de la aplicación pueden variar según la región. Algunas funciones requieren un hardware específico (ver <https://www.microsoft.com/en-us/windows/windows-11-specifications>).



1. 2x USB3.2 Gen 2 Type C
2. 2x USB3.2 Gen 2 Type A
3. 1x Mic-in/Headphone-out combo
4. 1x Switchable 2.5" Storage
5. 5-Way Navigator
6. 1x DC-in
7. 1x Kensington Lock
8. 1x HDMI™ in
9. 1x HDMI™ out
10. 2x USB 2.0 Type A
11. 1x RJ45 LAN
12. 1x Removable Webcam Cover



ALL-IN-ONE PCS

## Modern AM272 12M

MODERN AM272 12M-025EU

## SPECIFICATION

|                   |                              |                              |
|-------------------|------------------------------|------------------------------|
| Barcode Info      | EAN                          | 4719072958466                |
| Model             | Part No                      | 9S6-AF8212-412               |
|                   | MKT Name                     | Modern AM272 12M             |
|                   | MKT Spec                     | Modern AM272 12M-025EU       |
|                   | Color                        | ID1/White-White-White        |
| Operating Systems | Operating Systems            | Windows 11 Home              |
| Display           | Screen Size                  | 27" (69 cm)                  |
|                   | Active Display Area (mm)     | 597.888(H) x 336.312(V)      |
|                   | Curvature                    | Flat                         |
|                   | Panel Type                   | IPS                          |
|                   | Resolution                   | 1920x1080 (FHD)              |
|                   | Pixel pitch                  | 0.3114(H)x0.3114(V)          |
|                   | Brightness (nits)            | 300                          |
|                   | Contrast Ratio               | 1000:1                       |
|                   | Signal Frequency             | 56~84.5 KHz(H) / 50~75 Hz(V) |
|                   | Response Time (GTG)          | 14ms                         |
|                   | View Angles                  | 178°(H)/178°(V)              |
|                   | Surface Treatment            | Anti-Glare                   |
|                   | Touch Screen                 | Non-touch                    |
|                   | Display Colors               | 16.7M                        |
| I/O Ports         | Lock type                    | Kensington                   |
| Processor         | CPU Number                   | Intel Core i7-1260P          |
|                   | CPU Clock                    | 2.1GHz                       |
|                   | CPU Cores                    | 12                           |
|                   | TDP                          | 28W                          |
|                   | Cache                        | 18 MB Intel® Smart Cache     |
|                   | Threads                      | 16                           |
| Chipset           | Chipsets                     | N/A                          |
| Discrete Graphics | GPU1 VRAM Size               | N/A                          |
|                   | GPU1 VRAM Type               | N/A                          |
| Memory            | Memory Size                  | 8GB(8GB*1)                   |
|                   | Memory Type                  | DDR4 SDRAM                   |
|                   | Memory Speed                 | 1600(3200)MHz                |
|                   | Module Type                  | SO-DIMM                      |
|                   | Memory Slot (Total/Free)     | 2/1                          |
|                   | Max Capacity                 | Max 64GB                     |
| Storage           | SSD Size                     | 512GB                        |
|                   | HDD1 Size                    | N/A                          |
|                   | SSD Config                   | 512GB*1                      |
|                   | SSD Interface                | PCIe GEN3x4 w/o DRAM NVMe    |
|                   | SSD Form Factor              | M.2-2280 M-KEY               |
|                   | M.2 slots (Total/Free)       | 1/0                          |
|                   | HDD1 RPM                     | N/A                          |
|                   | HDD1 Form Factor             | N/A                          |
|                   | HDD1 Interface               | N/A                          |
|                   | 3.5" Drive Bays (Total/Free) | 0/                           |
|                   | 2.5" Drive Bays (Total/Free) | 1/1                          |
|                   | ODD(Type)                    | N/A                          |
|                   | ODD Height                   | N/A                          |
|                   | ODD Type                     | N/A                          |
| Communications    | LAN                          | Realtek RTL8111H             |
|                   | WLAN                         | INTEL/AX211.NGWWG.NV         |
|                   | WLAN Version                 | Wi-Fi 6E+BT                  |
|                   | BT Version                   | 5.3                          |
| Audio             | Audio Chipset                | Realtek ALC256               |
|                   | Audio Type                   | 2.1 Channel HD Audio         |
| I/O Ports (Front) | USB 3.2 Gen 2 Type A         | 2                            |
|                   | USB 3.2 Gen 2 Type C         | 2                            |
|                   | Mic-in/Headphone-out combo   | 1                            |



ALL-IN-ONE PCS

## Modern AM272 12M

MODERN AM272 12M-025EU

|                                      |                                                    |                                                       |
|--------------------------------------|----------------------------------------------------|-------------------------------------------------------|
| I/O Ports (Rear)                     | USB 2.0 Type A (R)                                 | 2                                                     |
|                                      | RJ45                                               | 1                                                     |
|                                      | VGA out                                            | 1                                                     |
|                                      | HDMI™ out                                          | 1x (v2.0)                                             |
| Power                                | AC Adapter Output                                  | 120W                                                  |
|                                      | Battery                                            | N/A                                                   |
|                                      | Battery Whrs                                       | N/A                                                   |
| In The Box                           | Keyboard Interface                                 | WIRELESS                                              |
|                                      | Mouse Interface                                    | WIRELESS                                              |
|                                      | Power Cord                                         | 1                                                     |
|                                      | AC Adaptor                                         | 1                                                     |
|                                      | Warranty Card                                      | N/A                                                   |
|                                      | Quick Guide                                        | 2                                                     |
|                                      | User Manual                                        | N/A                                                   |
|                                      | VESA Mount kit                                     | N/A                                                   |
|                                      | Keyboard                                           | RF1430W                                               |
|                                      | Mouse                                              | MA04W                                                 |
| Input Device                         | WebCam                                             | internal webcam                                       |
| Regulatory Compliance                | Operating, Storage Temperature                     | 0° C ~ 35° C ; -20° C ~ 60° C                         |
|                                      | Operating, Storage Humidity                        | 0% ~ 85%;0% ~ 90%                                     |
|                                      | Regulatory Compliance                              | FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick) |
| Design                               | Adjustment (Tilt)                                  | -5~15                                                 |
| Product Dimension with Stand (WxDxH) | Product Dimension with Stand (WxDxH) (mm)          | 611.75 x 175.09 x 443.42                              |
|                                      | Product Dimension with Stand (WxDxH) (inch)        | 24.08 x 6.89 x 17.46                                  |
| Dimension & Weight                   | Weight (Net kg)                                    | 6                                                     |
|                                      | Weight (Gross kg)                                  | 8.7                                                   |
|                                      | Product Dimension with Holder (WxDxH) (mm)         | TBD x TBD x TBD                                       |
|                                      | Product Dimension with Holder (WxDxH) (inch)       | TBD x TBD x TBD                                       |
|                                      | Inside Carton Dimension with Holder (WxDxH) (mm)   | N/A                                                   |
|                                      | Inside Carton Dimension with Holder (WxDxH) (inch) | N/A                                                   |
|                                      | Inside Carton Dimension with Stand (WxDxH) (mm)    | 714 x 200 x 482                                       |
|                                      | Inside Carton Dimension with Stand (WxDxH) (inch)  | 28.11 x 7.87 x 18.98                                  |
|                                      | Outer Carton Dimension with Holder (WxDxH) (mm)    | N/A                                                   |
| Warranty                             | Warranty                                           | 36M                                                   |