

Be Your Window To The World

The MSI Modern Series All-in-One PC is no longer just a functional product solely focused on meeting users' demands, it is the representation of a craftsman's spirit of excellence and the unrestrained freedom of fashion attitude. Likewise, the Modern Series have functions that fully meet the needs of users and the appearance that can be integrated into various environments. No matter where you are, you must retain your style and persistence in life.




Picture and logos

SELLING POINTS

- Windows 11 Home - MSI recomienda Windows 11 Pro para empresas
- Panel 27" de grado IPS LED retroiluminada (1920 x 1080 FHD)
- Procesador Intel® Alder Lake con memoria DDR4
- Webcam Full HD integrada incluida
- Las tecnologías MSI Anti-Flicker y de reducción de la luz azul protegen los ojos de los usuarios
- La tecnología Instant Display hace que el AIO pase al modo monitor sin necesidad de arrancar el sistema
- El diseño de actualización rápida de almacenamiento de MSI le ayuda a actualizar o mantener rápidamente tu almacenamiento de 2,5".
- Los puertos USB 3.2 Gen 2 Tipo C con diseño reversible y USB 3.2 Gen 2 Tipo A proporcionan la mejor experiencia de transmisión de datos y admiten Super Charger
- Sistema de refrigeración Silent PRO Cooling: El módulo térmico de grado servidor garantiza un funcionamiento silencioso y estable con un ciclo de vida más largo

*El tiempo de actualización puede variar según el dispositivo. Las funciones y la disponibilidad de la aplicación pueden variar según la región. Algunas funciones requieren un hardware específico (ver <https://www.microsoft.com/en-us/windows/windows-11-specifications>).



1. 2x USB3.2 Gen 2 Type C
2. 2x USB3.2 Gen 2 Type A
3. 1x Mic-in/Headphone-out combo
4. 1x Switchable 2.5" Storage
5. 5-Way Navigator
6. 1x DC-in
7. 1x Kensington Lock
8. 1x HDMI™ in
9. 1x HDMI™ out
10. 2x USB 2.0 Type A
11. 1x RJ45 LAN
12. 1x Removable Webcam Cover



ALL-IN-ONE PCS

Modern AM272 12M

MODERN AM272 12M-026EU

SPECIFICATION

Barcode Info	EAN	4719072958473
Model	Part No	9S6-AF8212-276
	MKT Name	Modern AM272 12M
	MKT Spec	Modern AM272 12M-026EU
	Color	ID1/White-White-White
Operating Systems	Operating Systems	Windows 11 Home
Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	597.888(H) x 336.312(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch	0.3114(H)x0.3114(V)
	Brightness (nits)	300
	Contrast Ratio	1000:1
	Signal Frequency	56~84.5 KHz(H) / 50~75 Hz(V)
	Response Time (GTG)	14ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-Glare
	Touch Screen	Non-touch
	Display Colors	16.7M
I/O Ports	Lock type	Kensington
Processor	CPU Number	Intel Core i5-1240P
	CPU Clock	1.7GHz
	CPU Cores	12
	TDP	28W
	Cache	12 MB Intel® Smart Cache
	Threads	16
Chipset	Chipsets	N/A
Discrete Graphics	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
Memory	Memory Size	8GB(8GB*1)
	Memory Type	DDR4 SDRAM
	Memory Speed	1600(3200)MHz
	Module Type	SO-DIMM
	Memory Slot (Total/Free)	2/1
	Max Capacity	Max 64GB
Storage	SSD Size	512GB
	HDD1 Size	N/A
	SSD Config	512GB*1
	SSD Interface	PCIe GEN3x4 w/o DRAM NVMe
	SSD Form Factor	M.2-2280 M-KEY
	M.2 slots (Total/Free)	1/0
	HDD1 RPM	N/A
	HDD1 Form Factor	N/A
	HDD1 Interface	N/A
	3.5" Drive Bays (Total/Free)	0/
	2.5" Drive Bays (Total/Free)	1/1
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
Communications	LAN	Realtek RTL8111H
	WLAN	INTEL/AX211.NGWWG.NV
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.2
Audio	Audio Chipset	Realtek ALC256
	Audio Type	2.1 Channel HD Audio
I/O Ports (Front)	USB 3.2 Gen 2 Type A	2
	USB 3.2 Gen 2 Type C	2
	Mic-in/Headphone-out combo	1



ALL-IN-ONE PCS

Modern AM272 12M

MODERN AM272 12M-026EU

I/O Ports (Rear)	USB 2.0 Type A (R)	2
	Line-out (R)	N/A
	RJ45	1
	VGA out	1
	HDMI™ out	1x (v2.0)
Power	AC Adapter Output	120W
	Battery	N/A
	Battery Whrs	N/A
In The Box	Keyboard Interface	WIRELESS
	Mouse Interface	WIRELESS
	Power Cord	1
	AC Adaptor	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	RF1430W
Input Device	Mouse	MA04W
	WebCam	internal webcam
Regulatory Compliance	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
Design	Adjustment (Tilt)	-5~15
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	611.75 x 175.09 x 443.42
	Product Dimension with Stand (WxDxH) (inch)	24.08 x 6.89 x 17.46
Dimension & Weight	Weight (Net kg)	6
	Weight (Gross kg)	8.7
	Product Dimension with Holder (WxDxH) (mm)	TBD x TBD x TBD
	Product Dimension with Holder (WxDxH) (inch)	TBD x TBD x TBD
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Stand (WxDxH) (mm)	714 x 200 x 482
	Inside Carton Dimension with Stand (WxDxH) (inch)	28.11 x 7.87 x 18.98
	Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
Warranty	Warranty	36M