

## Be Your Window To The World




Picture and logos

### SELLING POINTS

- Windows 11 Home - MSI recomienda Windows 11 Pro para empresas
- Panel de 27" grado IPS LED Backlight (1920 x 1080 FHD)
- Procesador Intel® Alder Lake con memoria DDR4
- Las tecnologías MSI Anti-Flicker y Reducción de la Luz Azul protegen los ojos de los usuarios
- La cámara web integrada con Windows Hello mejora la privacidad y la productividad de los usuarios.
- Pantalla con gran ángulo de visión de 178°
- El software Tobii Aware protege tu privacidad y seguridad
- Admite Wi-Fi 6
- El diseño HW TPM protege tus datos confidenciales con claves de cifrado
- Sumérgete en el sonido con el procesamiento de audio DTS
- Sistema de refrigeración Silent PRO: El módulo térmico de grado servidor garantiza un funcionamiento silencioso y estable con un ciclo de vida más largo.

El tiempo de actualización puede variar según el dispositivo. Las funciones y la disponibilidad de la aplicación pueden variar según la región. Algunas funciones requieren hardware específico ver en <https://www.microsoft.com/en-us/windows/windows-11-specifications>).



1. DC Jack
2. 1x HDMI™ out (2.0b)
3. 1x DP out (1.4)
4. 1x RJ45
5. 1x USB 3.2 Gen 2 Type-A/ 1x USB 3.2 Gen 2 Type-C
6. 2x USB 3.2 Gen 1 Type A
7. 1x Mic-in/ 1x Line-out
8. 1x Kensington lock
9. 2x USB 2.0 Type-A



SPECIFICATION

|                   |                              |                           |
|-------------------|------------------------------|---------------------------|
| Barcode Info      | EAN                          | 4719072962340             |
| Model             | Part No                      | 9S6-AF8311-069            |
|                   | MKT Name                     | PRO AP272 12M             |
|                   | MKT Spec                     | PRO AP272 12M-001EU       |
|                   | Color                        | ID1/Black-Black-Black     |
| Operating Systems | Operating Systems            | Windows 11 Pro            |
| Display           | Screen Size                  | 27" (69 cm)               |
|                   | Active Display Area (mm)     | N/A                       |
|                   | Curvature                    | Flat                      |
|                   | Panel Type                   | IPS                       |
|                   | Resolution                   | 1920x1080 (FHD)           |
|                   | Pixel pitch                  | 0.2745(H)x0.2745(V)       |
|                   | Brightness (nits)            | 250                       |
|                   | Contrast Ratio               | 1200:1                    |
|                   | Signal Frequency             | N/A                       |
|                   | Response Time (GTG)          | 14ms                      |
|                   | View Angles                  | 178°(H)/178°(V)           |
|                   | Surface Treatment            | Anti-Glare                |
|                   | Touch Screen                 | Non-touch                 |
|                   | Display Colors               | 16.7M                     |
| I/O Ports         | Lock type                    | Kensington                |
| Processor         | CPU Number                   | Intel Core i7-12700       |
|                   | CPU Clock                    | 2.1GHz                    |
|                   | CPU Cores                    | 12                        |
|                   | TDP                          | 65W                       |
|                   | Cache                        | 25 MB Intel® Smart Cache  |
|                   | Threads                      | 20                        |
| Chipset           | Chipsets                     | H610                      |
| Discrete Graphics | GPU1 VRAM Size               | N/A                       |
|                   | GPU1 VRAM Type               | N/A                       |
| Memory            | Memory Size                  | 16GB(8GB*2)               |
|                   | Memory Type                  | DDR4 SDRAM                |
|                   | Memory Speed                 | 1600(3200)MHz             |
|                   | Module Type                  | SO-DIMM                   |
|                   | Memory Slot (Total/Free)     | 2/0                       |
|                   | Max Capacity                 | Max 64GB                  |
| Storage           | SSD Size                     | 1TB                       |
|                   | HDD1 Size                    | N/A                       |
|                   | SSD Config                   | 1TB*1                     |
|                   | SSD Interface                | PCIe GEN3x4 w/o DRAM NVMe |
|                   | SSD Form Factor              | M.2-2280 M-KEY            |
|                   | M.2 slots (Total/Free)       | 1/0                       |
|                   | HDD1 RPM                     | N/A                       |
|                   | HDD1 Form Factor             | N/A                       |
|                   | HDD1 Interface               | N/A                       |
|                   | 3.5" Drive Bays (Total/Free) | 0/                        |
|                   | 2.5" Drive Bays (Total/Free) | 1/1                       |
|                   | ODD(Type)                    | N/A                       |
|                   | ODD Height                   | N/A                       |
|                   | ODD Type                     | N/A                       |
| Communications    | LAN                          | Realtek RTL8111H          |
|                   | WLAN                         | INTEL/AX201.NGWW.NVW      |
|                   | WLAN Version                 | 802.11ax 2x2+BT           |
|                   | BT Version                   | 5.2                       |
| Audio             | Audio Chipset                | Realtek ALC897            |
|                   | Audio Type                   | 2.1 Channel HD Audio      |
| I/O Ports (Front) | USB 2.0 Type A               | 2                         |



ALL-IN-ONE PCS  
**PRO AP272 12M**  
PRO AP272 12M-001EU

|                                      |                                                    |                                    |
|--------------------------------------|----------------------------------------------------|------------------------------------|
| I/O Ports (Rear)                     | USB 3.2 Gen 1 Type A (R)                           | 4                                  |
|                                      | Line-out (R)                                       | N/A                                |
|                                      | RJ45                                               | 1                                  |
|                                      | HDMI™ out                                          | 1x (v1.4)                          |
|                                      | COM Port                                           | 1                                  |
| Power                                | AC Adapter Output                                  | 120W                               |
|                                      | Battery                                            | N/A                                |
|                                      | Battery Whrs                                       | N/A                                |
| In The Box                           | Keyboard Interface                                 | WIRELESS                           |
|                                      | Mouse Interface                                    | WIRELESS                           |
|                                      | Power Cord                                         | 1                                  |
|                                      | AC Adaptor                                         | 1                                  |
|                                      | Warranty Card                                      | N/A                                |
|                                      | Quick Guide                                        | 2                                  |
|                                      | User Manual                                        | N/A                                |
|                                      | VESA Mount kit                                     | N/A                                |
|                                      | Keyboard                                           | RF1430                             |
|                                      | Mouse                                              | MA04                               |
| Regulatory Compliance                | Operating, Storage Temperature                     | 0° C ~ 35° C ; -20° C ~ 60° C      |
|                                      | Operating, Storage Humidity                        | 0% ~ 85%;0% ~ 90%                  |
|                                      | Regulatory Compliance                              | FCC(Class B), CB/CE, UL(CUL), BSMI |
| Design                               | Adjustment (Tilt)                                  | -5°~20°(+/-2°)                     |
|                                      | Adjustment (Swivel)                                | N/A                                |
|                                      | Adjustment (Height)                                | N/A                                |
|                                      | Adjustment (Pivot)                                 | N/A                                |
| Product Dimension with Stand (WxDxH) | Product Dimension with Stand (WxDxH) (mm)          | 541.9 x 227.9 x 425.5              |
|                                      | Product Dimension with Stand (WxDxH) (inch)        | 21.33 x 8.97 x 16.75               |
| Dimension & Weight                   | Weight (Net kg)                                    | 4.63                               |
|                                      | Weight (Gross kg)                                  | 8                                  |
|                                      | Product Dimension with Holder (WxDxH) (mm)         | N/A                                |
|                                      | Product Dimension with Holder (WxDxH) (inch)       | N/A                                |
|                                      | Inside Carton Dimension with Holder (WxDxH) (mm)   | N/A                                |
|                                      | Inside Carton Dimension with Holder (WxDxH) (inch) | N/A                                |
|                                      | Inside Carton Dimension with Stand (WxDxH) (mm)    | 696 x 218 x 490                    |
|                                      | Inside Carton Dimension with Stand (WxDxH) (inch)  | 27.4 x 8.58 x 19.29                |
|                                      | Outer Carton Dimension with Holder (WxDxH) (mm)    | N/A                                |
|                                      | Outer Carton Dimension with Holder (WxDxH) (mm)    | N/A                                |
| Warranty                             | Warranty                                           | 36M                                |