

Be Your Window To The World




Picture and logos

SELLING POINTS

- Windows 11 Home - MSI recomienda Windows 11 Pro para empresas
- Panel de 27" grado IPS LED Backlight (1920 x 1080 FHD)
- Procesador Intel® Alder Lake con memoria DDR4
- Las tecnologías MSI Anti-Flicker y Reducción de la Luz Azul protegen los ojos de los usuarios
- La cámara web integrada con Windows Hello mejora la privacidad y la productividad de los usuarios.
- Pantalla con gran ángulo de visión de 178°
- El software Tobii Aware protege tu privacidad y seguridad
- Admite Wi-Fi 6
- El diseño HW TPM protege tus datos confidenciales con claves de cifrado
- Sumérgete en el sonido con el procesamiento de audio DTS
- Sistema de refrigeración Silent PRO: El módulo térmico de grado servidor garantiza un funcionamiento silencioso y estable con un ciclo de vida más largo.

El tiempo de actualización puede variar según el dispositivo. Las funciones y la disponibilidad de la aplicación pueden variar según la región. Algunas funciones requieren hardware específico ver en <https://www.microsoft.com/en-us/windows/windows-11-specifications>).



1. DC Jack
2. 1x HDMI™ out (2.0b)
3. 1x DP out (1.4)
4. 1x RJ45
5. 1x USB 3.2 Gen 2 Type-A/ 1x USB 3.2 Gen 2 Type-C
6. 2x USB 3.2 Gen 1 Type A
7. 1x Mic-in/ 1x Line-out
8. 1x Kensington lock
9. 2x USB 2.0 Type-A



ALL-IN-ONE PCS
PRO AP272 12M
PRO AP272 12M-019EU

SPECIFICATION

Barcode Info	EAN	4719072966133
Model	Part No	9S6-AF8312-076
	MKT Name	PRO AP272 12M
	MKT Spec	PRO AP272 12M-019EU
	Color	ID1/White-White-White
Operating Systems	Operating Systems	Windows 11 Home
Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	N/A
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch	0.2745(H)x0.2745(V)
	Brightness (nits)	250
	Contrast Ratio	1200:1
	Signal Frequency	N/A
	Response Time (GTG)	14ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-Glare
	Touch Screen	Non-touch
	Display Colors	16.7M
I/O Ports	Lock type	Kensington
Processor	CPU Number	Intel Core i5-12400
	CPU Clock	2.5GHz
	CPU Cores	6
	TDP	65W
	Cache	18 MB Intel® Smart Cache
	Threads	12
Chipset	Chipsets	H610
Discrete Graphics	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
Memory	Memory Size	8GB(8GB*1)
	Memory Type	DDR4 SDRAM
	Memory Speed	1600(3200)MHz
	Module Type	SO-DIMM
	Memory Slot (Total/Free)	2/1
	Max Capacity	Max 64GB
Storage	SSD Size	512GB
	HDD1 Size	N/A
	SSD Config	512GB*1
	SSD Interface	PCIe GEN3x4 w/o DRAM NVMe
	SSD Form Factor	M.2-2280 M-KEY
	M.2 slots (Total/Free)	1/0
	HDD1 RPM	N/A
	HDD1 Form Factor	N/A
	HDD1 Interface	N/A
	3.5" Drive Bays (Total/Free)	0/
	2.5" Drive Bays (Total/Free)	1/1
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
Communications	LAN	Realtek RTL8111H
	WLAN	INTEL/AX201.NGWW.NVW
	WLAN Version	802.11ax 2x2+BT
	BT Version	5.2
Audio	Audio Chipset	Realtek ALC897
	Audio Type	2.1 Channel HD Audio
I/O Ports (Front)	USB 2.0 Type A	2



ALL-IN-ONE PCS

PRO AP272 12M

PRO AP272 12M-019EU

I/O Ports (Rear)	USB 3.2 Gen 1 Type A (R)	4
	Line-out (R)	N/A
	RJ45	1
	HDMI™ out	1x (v1.4)
	COM Port	1
Power	AC Adapter Output	120W
	Battery	N/A
	Battery Whrs	N/A
In The Box	Keyboard Interface	WIRELESS
	Mouse Interface	WIRELESS
	Power Cord	1
	AC Adaptor	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	RF1430W
	Mouse	MA04W
Regulatory Compliance	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI
Design	Adjustment (Tilt)	-5°~20°(+/-2°)
	Adjustment (Swivel)	N/A
	Adjustment (Height)	N/A
	Adjustment (Pivot)	N/A
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	541.9 x 227.9 x 425.5
	Product Dimension with Stand (WxDxH) (inch)	21.33 x 8.97 x 16.75
Dimension & Weight	Weight (Net kg)	4.63
	Weight (Gross kg)	8
	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Stand (WxDxH) (mm)	696 x 218 x 490
	Inside Carton Dimension with Stand (WxDxH) (inch)	27.4 x 8.58 x 19.29
	Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
	Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
Warranty	Warranty	36M