

## PATH TO THE FUTURE

The Most Efficient & Professional Monitor The MSI PRO MP243 Series Full HD LED monitor, with HDMI & VGA interfaces, is optimized for the finest image and color quality with a IPS grade panel. It is designed for your programming, coding & website design workspace. It not only makes every line & detail clear for your projects but also let you enjoy the smoothest streaming & on-line video experience.



Picture and logos

## SELLING POINTS

- La curvatura 1500R ofrece la experiencia visual más envolvente para trabajar y divertirse.
- Tamaño de pantalla de 23,6" perfecto para el espacio de trabajo de programación, codificación y diseño de páginas web
- La pantalla antiparpadeo con certificación TÜV y reducción de la luz azul protege la vista y mantiene la vista sana
- Tasa de refresco de 100 Hz y tiempo de respuesta de 1ms (MPRT) para una mejor experiencia visual
- La tecnología Hardware Less Blue Light mantiene el color original de la pantalla al tiempo que reduce la nociva gama de luz azul
- El software ergonómico, Display Kit, te ofrece la herramienta más cómoda, el color y el modo de visualización adecuados mientras trabajas con él a diario
- Mantén la flexibilidad para tus diferentes dispositivos con múltiples fuentes de entrada: HDMI™ puerto y D-Sub(VGA)
- Montaje y desmontaje del dispositivo sin herramientas
- Diseño estándar para montaje VESA
- Disfruta de un sonido envolvente con los altavoces integrados mejorados



1. 1x DC Jack
2. 1x HDMI™ (1.4)
3. 1x D-Sub (VGA)
4. 1x Line-in
5. 1x Headphone-out
6. 1x Kensington Lock
7. 1x 5-Way Navigator + OSD Button

**SPECIFICATION**

Barcode Info	EAN	4711377096935
	UPC	824142323472
	UCC14	10824142323479
Model	Part No	9S6-3PB0CM-023
	MKT Name	PRO MP2422C
	MKT Spec	PRO MP2422C
	Color	ID1/Black-Black
Display	Screen Size	23.6" (60cm)
	Active Display Area (mm)	521(H)x293(V)
	Curvature	Curve 1500R
	Panel Type	VA
	Resolution	1920x1080 (FHD)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync
	HDR (High dynamic range)	N/A
	SDR Brightness (nits)	250
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	50.6~110 KHz(H) / 48~100 Hz(V)
	Refresh Rate	100HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	85%/75%
	NTSC (CIE1931 area percentage/overlap)	72%/70%
	sRGB (CIE1976 area percentage/overlap)	98%/95%
	sRGB (CIE1931 area percentage/overlap)	99%/95%
	Adobe RGB (CIE1976 area percentage/overlap)	83%/82%
	Adobe RGB (CIE1931 area percentage/overlap)	75%/73%
	DCI-P3 (CIE1976 area percentage/overlap)	77%/77%
	DCI-P3 (CIE1931 area percentage/overlap)	74%/74%
	Rec.709 (CIE1976 area percentage/overlap)	98%/95%
	Rec.709 (CIE1931 area percentage/overlap)	99%/95%
	Rec.2020 (CIE1976 area percentage/overlap)	56%/56%
	Rec.2020 (CIE1931 area percentage/overlap)	52%/52%
	Display Colors	16.7M
	Color bit	8 bits
	Note_HDMI™	1920 X 1080 (Up to 100Hz)
Note_DVI	N/A	
I/O Ports	Line-in	1
	HDMI™	1
	HDMI™ version	1.4b
	HDMI™ HDCP version	1.4
	D-Sub	1
	Headphone-out	1
	Lock type	Kensington Lock
I/O Ports (Rear)	Speaker	2
	Card Reader	N/A
Power	Annual Energy Consumption (KWh)	N/A
	Power Type	External Adaptor 12V 2.5A
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	E
	Adapter's KC safety Number	N/A
	Power Cord Type	C13
	QC Output Power	N/A
PD Output Power	N/A	

In The Box	3.5mm Mic Cable	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
	DisplayPort Cable	0
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	0
Quick Guide	1	
Design	Adjustment (Tilt)	-7° ~ 22°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (inch)	N/A
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	539.8 x 414.1 x 203.0
	Product Dimension with Stand (WxDxH) (inch)	21.25 x 16.3 x 7.99
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	539.8 x 321.8 x 74.2
	Product Dimension without Stand (WxDxH) (inch)	21.25 x 12.67 x 2.92
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	203 x 203 x 145.4
	Stand Dimension (WxDxH) (inch)	7.99 x 7.99 x 5.72
Dimension & Weight	Inside Carton Dimension (WxDxH) (inch)	N/A
	Weight (Net kg)	2.95
	Weight (Gross kg)	4.39
Weight	Weight Without Stand (kg)	2.57
Warranty	Warranty	36M