

Be Your Window To The World

Summit MS321UP is the best 4K monitor for business professionals, creators, and multi-taskers. With an IPS 32" 4K resolution and 95% Display P3, users can create & experience every remarkable detail and secure the intensity & purity of colors.



Selling Points

Summit MS321UP

- 32" 4K UHD (3840 x 2160 / 16:9) diseñado para profesionales y creadores
- Soporte de diseño ergonómico con ajustes de inclinación, giro y altura
- Software exclusivo ergonómico: MSI Productivity Intelligence (P.I.) aporta la productividad más intuitiva y eficiente
- La tecnología MSI True Color guarda los perfiles de parámetros de color en el monitor a través del procesador MSI P.I.
- La función KVM te permite alternar entre varios dispositivos y controlarlos con un conjunto de teclado y ratón
- El diseño del micrófono con cancelación activa de ruido filtrará automáticamente el ruido innecesario para tus videollamadas
- Detecta automáticamente la luz ambiental para ajustar inteligentemente el brillo y la temperatura del color
- Panel IPS d ...



Picture and logos



1. 1x HDMI (2.0b)
2. 1x HDMI (2.0b)
3. 1x DisplayPort (1.2)
4. 1x Type C (DP alt mode)
5. 1x USB 3.2 Gen 1 Type B
6. 1x USB 3.2 Gen 1 Type A
7. 1x Audio combo
8. 1x Macro-Key
9. 1x Kensington Lock
10. 1x Headphone-out
11. 1x Mic-in
12. 2x USB 3.2 Gen 1 Type A
13. 1x Card Reader
14. 1x 5-Way Navigator



BUSINESS PRODUCTIVITY MONITOR

Summit MS321UP

SUMMIT MS321UP

Specification

Screen Size	32" (81.29 cm)
Active Display Area (mm)	708.48□H□x 398.52□V□
Curvature	Flat
Panel Type	IPS
Resolution	3840x2160 (UHD)
Aspect Ratio	16:9
Dynamic Refresh Rate technology	FreeSync
HDR (High dynamic range)	HDR 600
SDR Brightness (nits)	400
HDR Brightness (Peak nits)	600
Contrast Ratio	1000:1
DCR (Dynamic Contrast Ratio)	100000000:1
Signal Frequency	40~144 KHz(H) / 29~65 Hz(V)
Refresh Rate	60Hz
Response Time (MPRT)	NA
Response Time (GTG)	4ms
Response Time (Tr + Tf)	12ms
View Angles	178°(H)/178°(V)
Surface Treatment	Anti-glare
NTSC (CIE1976 area percentageoverlap)	118%/86%
NTSC (CIE1931 area percentageoverlap)	95%/82%
sRGB (CIE1976 area percentageoverlap)	136%/98%
sRGB (CIE1931 area percentageoverlap)	134%/98%
Adobe RGB (CIE1976 area percentageoverlap)	116%/89%
Adobe RGB (CIE1931 area percentageoverlap)	99%/87%
DCI-P3 (CIE1976 area percentageoverlap)	108%/95%
DCI-P3 (CIE1931 area percentageoverlap)	98%/94%
Rec.709 (CIE1976 area percentageoverlap)	136%/98%
Rec.709 (CIE1931 area percentageoverlap)	134%/98%
Rec.2020 (CIE1976 area percentageoverlap)	N/A
Rec.2020 (CIE1931 area percentageoverlap)	N/A
Display Colors	1.07B
Color bit	10 bits (8 bits + FRC)
Note_DP	3840 x2160 (Up to 60Hz)
Note_HDMI	3840 x2160 (Up to 60Hz)
Note_DVI	N/A
HDMI	2
HDMI version	2.0b
HDMI HDCP version	2.2
DisplayPort	1
DisplayPort version	1.2
DisplayPort HDCP version	2.2
Thunderbolt version	NA
Thunderbolt HDCP version	NA
USB Type C (DisplayPort Alternate)	1
DVI	NA
D-Sub	NA
Mic-in	1
Mic-in upstream	NA
Headphone-out	1
Audio Combo	1
Lock type	Kensington Lock
Speaker	N/A
USB 2.0 Type B	NA
USB 3.2 Gen 1 Type B	1
Thunderbolt	NA
USB 2.0 Type A	NA
USB 2.0 Type C	NA
USB 3.2 Gen 1 Type A	3
USB 3.2 Gen 1 Type C	NA
USB 3.2 Gen 2x2 Type C	NA
USB 3.2 Gen 2x2 Type A	NA
Card Reader	SD



BUSINESS PRODUCTIVITY MONITOR

Summit MS321UP

SUMMIT MS321UP

WebCam	N/A
Power Type	Power Cable
Power Input	100~240V, 50/60Hz
Adapter's KC safety Number	ZU10322-21012
Power Cord Type	C13
QC Output	N/A
QC Output Power	N/A
PD Output	N/A
PD Output Power	N/A
Adjustment (Tilt)	-5° ~ 20°
Adjustment (Swivel)	-35° ~ 35°
Adjustment (Height)	0 ~ 100 mm
Adjustment (Pivot)	NA
VESA Mounting	100x100mm
Frameless Design	Yes
Outer Carton Dimension (WxDxH) (mm)	970 x 195 x 568
Outer Carton Dimension (WxDxH) (inch)	38.19 x 7.68 x 22.36
Product Dimension with Stand (WxDxH) (mm)	727.1 x 235 x 460.78
Product Dimension with Stand (WxDxH) (inch)	28.63 x 9.25 x 18.14
Product Dimension without Stand (WxDxH) (mm)	727.1 x 67.76 x 432.37
Product Dimension without Stand (WxDxH) (inch)	28.63 x 2.67 x 17.02
Stand Dimension (WxDxH) (mm)	300 x 235 x 366.55
Stand Dimension (WxDxH) (inch)	11.81 x 9.25 x 14.43
Inside Carton Dimension (WxDxH) (mm)	955 x 180 x 543
Inside Carton Dimension (WxDxH) (inch)	37.6 x 7.09 x 21.38
Weight (Net kg)	9.7
Weight (Gross kg)	13.8
Weight Without Stand (kg)	N/A
DisplayPort Cable	1
HDMI Cable	1
DVI Cable	0
USB Type A to Type B Cable	1
USB Type C to Type A Cable	N/A
USB Type C to Type C Cable	1
Thunderbolt Cable	N/A
VGA Cable	0
3.5mm audio Cable	0
3.5mm combo audio Cable	1
Mouse Bungee Unit	N/A
VESA Screw	N/A
Power Cord	1
AC Adaptor	0
Warranty Card	1
Quick Guide	1
Warranty	36M
Color	ID1/Black-Black
EAN	4719072815912