

Be Your Window To The World


Les PC tout-en-un Modern AM242 vous aideront toujours dans votre productivité. Quel que soit votre type de commerce, donnez vie à toutes vos idées et tous vos projets grâce à ces PC tout-en-un travaillés et performants.



Picture and logos

SELLING POINTS

- Windows 11 Famille - MSI recommande Windows 11 Professionnel pour les entreprises
- Dalle 23,8" de niveau IPS, rétroéclairage LED, résolution Full HD 1920 x 1080 avec certification TUV, technologies antireflet et réduction de la lumière bleue
- Jusqu'au processeur Intel® Core™ 7 150U avec mémoire DDR5
- Technologie Intel Display permettant au PC tout-en-un de fonctionner comme un écran sans avoir à se mettre en marche
- Module dTPM et webcam Full HD avec Windows Hello pour améliorer la protection des données et de la vie privée
- Design d'upgrade rapide pour facilement mettre le stockage à niveau
- MSI Cloud Center permet de créer un espace cloud privé et de sauvegarder des fichiers depuis des périphériques Android et iOS
- MSI AI Engine optimise l'expérience utilisateur grâce à des réglages automatiques
- Test intensifs pour vérifier la qualité



1. 2x USB3.2 Gen 2 Type C
2. 2x USB3.2 Gen 2 Type A
3. 1x Mic-in/Headphone-out combo
4. 1x Switchable 2.5" Storage
5. 5-Way Navigator
6. 1x DC-in
7. 1x Kensington Lock
8. 1x HDMI™ in
9. 1x HDMI™ out (supports 4K @60Hz as specified in HDMI™ 2.1)
10. 2x USB 2.0 Type A
11. 1x RJ45 LAN
12. 1x Removable Webcam Cover



Modern AM242 1M

MODERN AM242 1M-1612TN

SPECIFICATION

Système d'exploitation	Operating Systems	N/A
Modèle	Part No	9S6-AE0721-1612
	MKT Name	Modern AM242 1M
	MKT Spec	Modern AM242 1M-1612TN
	Color	ID1/Black-Black-Black
Chipset	Chipsets	SoC
Mémoire	Memory Size	8GB(8GB*1)
	Memory Type	DDR5 SDRAM
	Memory Speed	2800(5600)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	1
	Max Capacity	Max 64GB
Processeur	CPU Number	Intel Core 5 Processor 120U
	CPU Clock	1.4GHz
	CPU Cores	10
	TDP	15W
	Max Turbo Frequency	up to 5.00 GHz
	Cache	12 MB Intel® Smart Cache
	Threads	12
Affichage	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-Glare
	Touch Screen	Non-touch
	Screen Size	23.8" (60cm)
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Refresh Rate	N/A
Graphismes	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	UMA
	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
Audio	Audio Chipset	Realtek ALC256
	Audio Type	2.1 Channel HD Audio
Stockage	SSD Interface	PCIe GEN4x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	mSATA slots(Free)	0
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
Communication	2.5" Drive Bays (Free)	1
	3.5" Drive Bays(Free)	0
	LAN	Realtek RTL8111H
Périphérique d'entrée	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
	Webcam	internal webcam
	Webcam Resolution	N/A
	Webcam supports Windows Hello or not	Yes



ORDINATEURS TOUT-EN-UN

Modern AM242 1M

MODERN AM242 1M-1612TN

Ports E/S (côté)	Mic-in/Headphone-out combo	1
	USB 3.2 Gen 2 (10G) Type C	2
	USB 3.2 Gen 2 (10G) Type A	2
Ports E/S (arrière)	USB 2.0 Type A (R)	2
	RJ45	1
	HDMI out	1x (v2.1)
	HDMI in	1
	Lock type	Kensington
Garantie	Warranty	N/A
Dimensions et poids	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Stand (WxDxH) (mm)	N/A
	Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
	Outer Carton Dimension with Stand (WxDxH) (mm)	631 x 170 x 493
	Weight (Net kg)	N/A
	Weight (Net lbs)	N/A
	Weight (Gross kg)	N/A
	Weight (Gross lbs)	N/A
STAND	Adjustment (Tilt)	-5°~15° ±2°
	Adjustment (Swivel)	N/A
	Adjustment (Height)	N/A
	Adjustment (Pivot)	N/A
Alimentation	AC Adapter Output	120W
VESA	VESA size	75 x 75 mm
Mécanique et environnement	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
Accessoires	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	SK9626M
	Keyboard Interface	USB
	Mouse	SM9023M
	Mouse Interface	USB
Code-barre	EAN	4711377276078