

## Be Your Window To The World


Les PC tout-en-un MSI Modern ne sont pas seulement des produits de qualité pensés pour répondre à des demandes d'utilisateurs, ils sont aussi la représentation d'un savoir-faire et de l'excellence. Ils offrent des fonctionnalités capables de satisfaire tous les besoins des utilisateurs et leur design peut s'intégrer dans tous les environnements. Quel que soit l'endroit où vous soyez, vous ne passerez pas inaperçu.



Picture and logos

## SELLING POINTS

- Windows 11 Famille - MSI recommande Windows 11 Professionnel pour les entreprises
  - Écran 23,8" Full HD (1920 x 1080) de niveau IPS et à rétroéclairage LED
  - Processeur Intel® Alder Lake avec mémoire DDR4
  - Webcam Full HD incluse
  - Technologies antiscintillement et de réduction de la lumière bleue
  - Pied de support réglable pour une utilisation confortable
  - MSI Storage Rapid Upgrade pour une mise à niveau facile du disque dur grâce à une baie 2,5" amovible
  - Ports USB 3.2 Gen2 Type-C avec design réversible et USB 3.2 Gen2 Type-A
  - Technologie de refroidissement Silent Pro Cooling
- \* Le planning de mise à niveau varie en fonction des appareils. La disponibilité des fonctionnalités et des applications peut varier selon le pays. Certaines fonctionnalités nécessitent un matériel spécifique (voir <https://www.microsoft.com/fr-fr/windows/windows-11-specifications>).



1. 2x USB3.2 Gen 2 Type C
2. 2x USB3.2 Gen 2 Type A
3. 1x Mic-in/Headphone-out combo
4. 1x Switchable 2.5" Storage
5. 5-Way Navigator
6. 1x DC-in
7. 1x Kensington Lock
8. 1x HDMI™ in
9. 1x HDMI™ out
10. 2x USB 2.0 Type A
11. 1x RJ45 LAN
12. 1x USB 2.0 Type A

**SPECIFICATION**

Système d'exploitation	Systèmes d'exploitation	N/A
	Operating Systems	N/A
Processeur	CPU Number	Intel Core i5-1235U
	CPU Clock	1.3GHz
	CPU Cores	10
	TDP	15W
	Cache	12 MB Intel® Smart Cache
	Threads	12
	Max Turbo Frequency	up to 4.40 GHz
Modèle	Part No	9S6-AE0711-808
	MKT Name	Modern AM242P 12M
	MKT Spec	Modern AM242P 12M-808XEU
	Color	ID1/Black-Black-Black
	Model	AE07
Chipset	Chipsets	SoC
Mémoire	Memory Size	8GB(8GB*1)
	Memory Type	DDR4 SDRAM
	Memory Speed	1600(3200)MHZ
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	1
	Max Capacity	Max 64GB
	Memory Slot (Total/Free)	2/1
Graphismes	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	UMA
Affichage	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-Glare
	Touch Screen	Non-touch
	Screen Size	23.8" (60cm)
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Refresh Rate	N/A
	Response Time (GTG)	14 ms
	Active Display Area (mm)	527.04mm(H) x 296.46mm(V)
	Curvature	Flat
Display Colors	16.7M	

Stockage	SSD Interface	PCIe GEN4x4 NVMe
	SSD Form Factor	M.2 2280 M-KEY
	SSD Config	1TB*1
	SSD Size	1TB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots (Total/Free)	1/0
	2.5" Drive Bays (Total/Free)	1/1
	3.5" Drive Bays (Total/Free)	0/
	mSATA slots(Free)	0
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
3.5" Drive Bays(Free)	0	
Audio	Audio Chipset	Realtek ALC256
	Audio Type	2.1 Channel HD Audio
Communication	LAN	Realtek RTL8111H
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
	WLAN	INTEL/AX211.NG.WG.NV
Ports E/S (avant)	USB 3.2 Gen 2 Type A	2
	USB 3.2 Gen 2 Type C	2
	Mic-in/Headphone-out combo	1
Périphérique d'entrée	Webcam	internal webcam
	Webcam Resolution	2.0MP (1080P)
	Webcam supports Windows Hello or not	Yes
	WebCam	internal webcam
Ports E/S (côté)	USB 3.2 Gen 2 Type C	2
	USB 3.2 Gen 2 Type A	2
	Type-C in	N/A
	Mic-in/Headphone-out combo	1
	Thunderbolt	N/A
	USB 3.2 Gen 2 (10G) Type C	2
	USB 3.2 Gen 2 (10G) Type A	2
Ports E/S (arrière)	USB 2.0 Type A (R)	2
	RJ45	1
	HDMI out	1x (v2.0)
	HDMI in	1
	Line-out (R)	N/A
	Lock type	Kensington
Alimentation	AC Adapter Output	120W
	Battery	N/A
	Battery Whrs	N/A
Design	Adjustment (Tilt)	-4~20
	Adjustment (Swivel)	N/A
	Adjustment (Height)	0~130mm
	Adjustment (Pivot)	N/A
Garantie	Warranty	24months

Dimensions et poids	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Stand (WxDxH) (mm)	541.4 x 194.68 x 534.92
	Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
	Outer Carton Dimension with Stand (WxDxH) (mm)	652 x 222 x 455
	Weight (Net kg)	6.16
	Weight (Net lbs)	13.58
	Weight (Gross kg)	8.45
	Weight (Gross lbs)	18.63
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Stand (WxDxH) (mm)	N/A
	STAND	Adjustment (Tilt)
Adjustment (Swivel)		N/A
Adjustment (Height)		0~130mm
Adjustment (Pivot)		N/A
Dimensions du produit avec support (LxPxH)	Product Dimension with Stand (WxDxH) (mm)	541.4 x 194.68 x 534.92
VESA	VESA size	75 x 75 mm
Mécanique et environnement	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
Accessoires	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	N/A
	Keyboard Interface	N/A
	Mouse	N/A
Mouse Interface	N/A	
Code-barre	EAN	4711377166089