


AI in One, All-in-One



Picture and logos

SELLING POINTS

- Windows 11 Famille - MSI recommande Windows 11 Professionnel pour les entreprises
- Dalle 27" de niveau IPS (2560 x 1440 WQHD) avec taux de rafraîchissement de 100 Hz
- Jusqu'au processeur Intel® Core™ Ultra 7 avec mémoire DDR5 dual channel
- NPU Intel® AI Boost pensé pour supporter les charges de travail IA
- Microsoft Copilot améliore votre productivité instantanément
- MSI AI Engine optimise l'expérience utilisateur grâce à des réglages automatiques
- Norme Thunderbolt™ 4 pour un taux de transmission de 40 Gb/s
- Support de quatre écrans pour la prise en charge du travail multitâche
- Module dTPM et webcam Full HD rétractable supportant Windows Hello
- Design d'upgrade rapide pour facilement mettre le stockage à niveau
- Test intensifs pour vérifier la qualité



1. 1x Type C-in (Support DP Alternate input only)
2. 1x Card Reader
3. 1x USB 5Gbps Type A
4. 2x Thunderbolt™ 4
5. 1x Mic-in /Headphone-out combo
6. 1x 2.5" HDD/SSD Tray
7. 1x Power
8. 1x HDMI™ -in
9. 2x HDMI™ -out (supports 4K @60Hz as specified in HDMI™ 2.1)
10. 4x USB 5Gbps Type A
11. 1x RJ45 (2.5G)
12. 1x Kensington Lock
13. 1x Retractable FHD Webcam



ORDINATEURS TOUT-EN-UN

Modern AM273Q AI 1UM

MODERN AM273Q AI 1UM-250FR

SPECIFICATION

Système d'exploitation	Operating Systems	Windows 11 Pro
Modèle	Part No	9S6-AF0111-250
	MKT Name	Modern AM273Q AI 1UM
	MKT Spec	Modern AM273Q AI 1UM-250FR
	Color	ID1/Black-Black-Black
Chipset	Chipsets	SoC
Mémoire	Memory Size	16GB(8GB*2)
	Memory Type	DDR5 SDRAM
	Memory Speed	2800(5600)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	0
	Max Capacity	Max 64GB
Processeur	CPU Number	Intel Core Ultra 5 processor 125H
	CPU Clock	1.2GHz
	CPU Cores	14
	TDP	28W
	Max Turbo Frequency	up to 4.50 GHz
	Cache	18 MB Intel® Smart Cache
	Threads	18
Affichage	View Angles	178°(H)/178°(V)
	Touch Screen	Non-touch
	Screen Size	27" (69 cm)
	Panel Type	IPS
	Resolution	2560x1440 (WQHD)
	Brightness (nits)	300
	Contrast Ratio	1000:1
	Refresh Rate	100HZ
	Response Time (GTG)	TYP:14ms
Graphismes	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	UMA
	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
Audio	Audio Chipset	Realtek ALC256
	Audio Type	2.1 Channel HD Audio
Stockage	SSD Interface	PCIe GEN4x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	mSATA slots(Free)	0
	M.2 slots(Total)	2
	M.2 slots(Free)	1
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
	3.5" Drive Bays(Free)	0
Communication	LAN	N/A
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
Périphérique d'entrée	Webcam	internal webcam
	Webcam Resolution	2.0MP (1080P)
	Webcam supports Windows Hello or not	Yes



ORDINATEURS TOUT-EN-UN

Modern AM273Q AI 1UM

MODERN AM273Q AI 1UM-250FR

Ports E/S (côté)	Type-C in	1x (DP Alt mode)
	Mic-in/Headphone-out combo	1
	Card Reader	1
	Thunderbolt	N/A
	USB 3.2 Gen 1 (5G) Type A	1
Ports E/S (arrière)	RJ45	1
	HDMI out	2x (v2.0)
	HDMI in	1
	Lock type	Kensington
	USB 3.2 Gen 1 (5G) Type A (R)	4
Garantie	Warranty	36months
Dimensions et poids	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Stand (WxDxH) (mm)	638.08 x 180.69 x 433.05
	Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
	Outer Carton Dimension with Stand (WxDxH) (mm)	N/A
	Weight (Net kg)	5
	Weight (Net lbs)	11.02
	Weight (Gross kg)	9.6
	Weight (Gross lbs)	21.16
STAND	Adjustment (Tilt)	-5°~20° ±2°
Alimentation	AC Adapter Output	150W
VESA	VESA size	100 x 100 mm
Mécanique et environnement	Regulatory Compliance	CB/CE
Accessoires	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	RF1430AIFR
	Keyboard Interface	WIRELESS
	Mouse	MA04
Code-barre	Mouse Interface	WIRELESS
	EAN	4711377355230