

Entrez dans un monde de possibilités



Picture and logos

SELLING POINTS

- Windows 11 Famille (MSI recommande Windows 11 Professionnel pour les entreprises)
- Processeur jusqu'à Intel® Core™ i7-13700 avec mémoire DDR4
- Écran 21,5" IPS avec rétroéclairage LED, résolution Full HD 1920 x 1080
- Technologie antiscintillement et de réduction de la lumière bleue
- Webcam intégrée avec cache pour protéger votre intimité
- Écran tactile à 10 points avec technologie in-cell
- Design MSI Storage Rapid Upgrade pour mettre votre stockage à niveau
- MSI Cloud Center avec espace de stockage cloud privé
- Norme Wi-Fi 6E pour une connexion sans fil plus rapide
- Transformez votre ordinateur tout-en-un en écran avec MSI Instant Display
- Technologie TPM pour protéger vos données personnelles
- Deux connecteurs LAN
- Système audio DTS
- Refroidissement Silent PRO Cooling



1. 1 x lecteur de carte
1 x port USB 3.2 Gen1 Type-A
1 x port USB 3.2 Gen1 Type-C

1 x entrée HDMI
1 x sortie HDMI
1 x port COM
2 x connecteurs RJ45 LAN
2 x ports USB 3.2 Gen2 Type-A
2 x ports USB 2.0 Type-A
1 x jack entrée audio
1 x jack sortie audio
1 x entrée alimentation
1 x bouton de navigation OSD à cinq directions

SPECIFICATION

Système d'exploitation	Systèmes d'exploitation	N/A
	Operating Systems	N/A
Processeur	CPU Number	Intel Core i3-13100
	CPU Clock	3.4GHz
	CPU Cores	4
	TDP	60W
	Cache	12 MB Intel® Smart Cache
	Threads	8
	Max Turbo Frequency	up to 4.50 GHz
Modèle	Part No	9S6-AC0112-210
	MKT Name	PRO AP222T 13M
	MKT Spec	PRO AP222T 13M-210XEU
	Color	ID1/White-White-White
	SKU Number	9S6-AC0112-210
	Model	AC01
Chipset	Chipsets	H610
Mémoire	Memory Size	4GB(4GB*1)
	Memory Type	DDR4 SDRAM
	Memory Speed	1600(3200)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	1
	Max Capacity	Max 64GB
	Memory Slot (Total/Free)	2/1
Graphismes	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	UMA
Affichage	View Angles	178°(H)/178°(V)
	Touch Screen	10 Points Projected Capacitive Touch Screen
	Screen Size	21.5" (55 cm)
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Refresh Rate	N/A
	Response Time (GTG)	14ms (Typ)
	Active Display Area (mm)	476.064(H) x 267.786(V)
	Curvature	Flat
Display Colors	16.7M	

Stockage	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	128GB*1
	SSD Size	128GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots (Total/Free)	1/0
	2.5" Drive Bays (Total/Free)	1/1
	3.5" Drive Bays (Total/Free)	0/
	mSATA slots(Free)	0
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
3.5" Drive Bays(Free)	0	
Audio	Audio Chipset	Realtek ALC897
	Audio Type	4 Channel HD Audio
Communication	LAN	Realtek RTL8111H
	WLAN Version	802.11ac 1x1+BT
	BT Version	5
	WLAN	INTEL/9462.NGWG.NV
Ports E/S (avant)	USB 3.2 Gen 1 Type A	1
	USB 3.2 Gen 1 Type C	1
	Card Reader	1
Périphérique d'entrée	Webcam	internal webcam
	Webcam Resolution	1.0MP (720P)
	Webcam supports Windows Hello or not	No
	WebCam	internal webcam
Ports E/S (arrière)	USB 3.2 Gen 2 Type A (R)	2
	USB 2.0 Type A (R)	2
	RJ45	2
	HDMI out	1x (v2.1)
	COM Port	1
	HDMI in	1
	Lock type	Kensington
	USB 3.2 Gen 2 (10G) Type A (R)	2
Ports E/S (côté)	Card Reader	1
	USB 3.2 Gen 1 (5G) Type C	1
	USB 3.2 Gen 1 (5G) Type A	1
Alimentation	AC Adapter Output	120W
	Battery	N/A
	Battery Whrs	N/A
Design	Adjustment (Tilt)	-5°~15°
Garantie	Warranty	24months

Dimensions et poids	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Stand (WxDxH) (mm)	499.25 x 209.37 x 372.96
	Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
	Outer Carton Dimension with Stand (WxDxH) (mm)	N/A
	Weight (Net kg)	N/A
	Weight (Net lbs)	13.01
	Weight (Gross kg)	N/A
	Weight (Gross lbs)	19.89
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Stand (WxDxH) (mm)	582 x 237 x 499
STAND	Adjustment (Tilt)	-5°~15°
Dimensions du produit avec support (LxPxH)	Product Dimension with Stand (WxDxH) (mm)	499.25 x 209.37 x 372.96
VESA	VESA size	100 x 100 mm
Mécanique et environnement	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
Accessoires	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	N/A
	Keyboard Interface	N/A
	Mouse	N/A
Mouse Interface	N/A	
Code-barre	EAN	4711377166072