

Entrez dans un nouveau monde de possibilités



Picture and logos

SELLING POINTS

- Windows 11 Famille (MSI recommande Windows 11 Professionnel pour les entreprises)
- Jusqu'au processeur jusqu'à Intel® Core™ i7-14700 avec mémoire DDR4
- Écran 21,5" IPS avec rétroéclairage LED, résolution Full HD 1920 x 1080
- Technologie antiscintillement et de réduction de la lumière bleue
- Webcam intégrée avec cache pour protéger votre intimité
- Écran tactile capacitif projeté à 10 points avec technologie in-cell
- Design MSI Storage Rapid Upgrade pour mettre votre stockage à niveau
- Norme Wi-Fi 6E pour une connexion sans fil plus rapide
- Transformez votre ordinateur tout-en-un en écran avec MSI Instant Display
- Technologie dTPM pour protéger vos données personnelles
- Deux connecteurs LAN
- Système audio DTS
- Refroidissement Silent PRO Cooling



1. 1 x lecteur de carte
2. 1 x USB 3.2 Gen1 Type-A
3. 1 x USB 3.2 Gen1 Type-C
4. 1 x sortie HDMI
5. 1 x entrée HDMI
6. 1 x COM Port
7. 2 x USB 3.2 Gen2 Type-A
8. 2 x RJ45
9. 2 x USB 2.0 Type-A
10. 1 x entrée ligne
11. 1 x sortie audio 1 x entrée alimentation
12. 1 x encoche Kensington
13. 1 x slot 2.5" pour upgrade rapide
14. 1 x bouton de navigation à 5 directions



ORDINATEURS TOUT-EN-UN

PRO AP222T 14M

PRO AP222T 14M-464FR

SPECIFICATION

Système d'exploitation	Operating Systems	Windows 11 Pro
Modèle	Part No	9S6-AC0141-464
	MKT Name	PRO AP222T 14M
	MKT Spec	PRO AP222T 14M-464FR
	Color	ID1/Black-Black-Black
Chipset	Chipsets	H610
Mémoire	Memory Size	8GB(8GB*1)
	Memory Type	DDR4 SDRAM
	Memory Speed	1600(3200)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	1
	Max Capacity	Max 64GB
Processeur	CPU Number	Intel Core i5 Processor 14400
	CPU Clock	2.5GHz
	CPU Cores	10
	TDP	65W
	Max Turbo Frequency	up to 4.70 GHz
	Cache	20 MB Intel® Smart Cache
	Threads	16
Affichage	View Angles	178°(H)/178°(V)
	Touch Screen	10 Points Projected Capacitive Touch Screen
	Screen Size	21.5" (55 cm)
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Refresh Rate	N/A
	Response Time (GTG)	14ms (Typ)
Graphismes	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	UMA
	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
Audio	Audio Chipset	Realtek ALC897
	Audio Type	4 Channel HD Audio
Stockage	SSD Interface	PCIe GEN4x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
	3.5" Drive Bays(Free)	0
Communication	LAN	Realtek RTL8111H
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
Périphérique d'entrée	Webcam	internal webcam
	Webcam Resolution	1.0MP (720P)

Ports E/S (côté)	Type-C in	N/A
	Card Reader	1
	Thunderbolt	N/A
	USB 3.2 Gen 1 (5G) Type C	1
	USB 3.2 Gen 1 (5G) Type A	1
Ports E/S (arrière)	USB 2.0 Type A (R)	2
	RJ45	2
	HDMI out	1x (v2.1)
	HDMI in	1
	COM Port	1
	Lock type	Kensington
	USB 3.2 Gen 2 (10G) Type A (R)	2
	Mic-in (R)	1
Garantie	Headphone-out (R)	1
	Warranty	36months
Dimensions et poids	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Stand (WxDxH) (mm)	499.25 x 209.37 x 372.96
	Weight (Net kg)	5.9
	Weight (Net lbs)	13.01
	Weight (Gross kg)	9.02
	Weight (Gross lbs)	19.89
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Stand (WxDxH) (mm)	582 x 237 x 499
STAND	Adjustment (Tilt)	-5°~15°
Alimentation	AC Adapter Output	120W
VESA	VESA size	100 x 100 mm
Mécanique et environnement	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
Accessoires	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	SG761312FA
	Keyboard Interface	USB
	Mouse	SM9023M
Code-barre	Mouse Interface	USB
	EAN	4711377370998