


Be Your Window To The World



Picture and logos

SELLING POINTS

- Windows 11 Famille - MSI recommande Windows 11 Professionnel pour les entreprises
- Écran 27" IPS 1920 x 1080 Full HD à rétroéclairage LED
- Processeur jusqu'à Intel® Core™ i7-13700 avec mémoire DDR4
- Technologies antiscintillement et de réduction de la lumière bleue
- Webcam intégrée et authentification biométrique Windows Hello
- Large angle de vision de 178°
- Logiciel Tobii Aware pour une excellente protection de votre vie privée
- MSI Cloud Center pour disposer d'un espace cloud privé et sauvegarder les fichiers de vos périphériques iOS et Android
- Support de la norme de connexion Wi-Fi 6
- Firmware TPM pour des données en sécurité
- Immersion audio totale avec le système de traitement audio DTS
- Technologie de refroidissement Silent Pro Cooling



1. DC Jack
2. 1x HDMI™ out (2.0b)
3. 1x DP out (1.4)
4. 1x RJ45
5. 1x USB 3.2 Gen 2 Type-A/ 1x USB 3.2 Gen 2 Type-C
6. 2x USB 3.2 Gen 1 Type A
7. 1x Mic-in/ 1x Line-out
8. 1x Kensington lock
9. 2x USB 2.0 Type-A

SPECIFICATION

Système d'exploitation	Systèmes d'exploitation	Windows 11 Pro
Processeur	CPU Number	Intel Core i7-13700
	CPU Clock	2.1GHz
	CPU Cores	16
	TDP	65W
	Cache	30 MB Intel® Smart Cache
	Threads	24
	Max Turbo Frequency	up to 5.20 GHz
Chipset	Chipsets	H610
Graphismes	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
Mémoire	Memory Size	16GB(8GB*2)
	Memory Type	DDR4 SDRAM
	Module Type	SO-DIMM
	Memory Slot (Total/Free)	2/0
	Max Capacity	Max 64GB
Stockage	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	1TB*1
	SSD Size	1TB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots (Total/Free)	1/0
	2.5" Drive Bays (Total/Free)	1/1
	3.5" Drive Bays (Total/Free)	0/
mSATA slots(Free)	0	
Audio	Audio Chipset	Realtek ALC897
	Audio Type	2.1 Channel HD Audio
Communication	LAN	Realtek RTL8111H
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
	WLAN	INTEL/AX211.NG.WG.NV
Ports E/S (avant)	USB 2.0 Type A	2
Ports E/S (arrière)	USB 3.2 Gen 2 Type C (R)	1
	USB 3.2 Gen 2 Type A (R)	1
	USB 3.2 Gen 1 Type A (R)	2
	RJ45	1
	HDMI out	1x (v2.0)
	DP out	1x (v1.4)
	Lock type	Kensington
Alimentation	AC Adapter Output	120W
	Battery	N/A
	Battery Whrs	N/A
Design	Adjustment (Tilt)	-5°~20°(+/-2°)
	Adjustment (Swivel)	N/A
	Adjustment (Height)	N/A
	Adjustment (Pivot)	N/A

Dimensions et poids	Weight (Net kg)	4.63
	Weight (Gross kg)	8
	Product Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Stand (WxDxH) (mm)	696 x 218 x 490
	Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
Dimensions du produit avec support (LxPxH)	Product Dimension with Stand (WxDxH) (mm)	613.49 x 268.00 x 457.66
Périphérique d'entrée	WebCam	internal webcam
Mécanique et environnement	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
Garantie	Warranty	36M
Accessoires	Keyboard Interface	WIRELESS
	Mouse Interface	WIRELESS
	Power Cord	1
	AC Adaptor	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	RF1430
Mouse	MA04	
Code-barre	EAN	4711377039802
Affichage	Screen Size	27" (69 cm)
	Active Display Area (mm)	597.88(H)X336.312(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Response Time (GTG)	14ms
	View Angles	178°(H)/178°(V)
	Touch Screen	Non-touch
Display Colors	16.7M	
Modèle	Part No	9S6-AF8311-282
	MKT Name	PRO AP272 13M
	MKT Spec	PRO AP272 13M-228EU
	Color	ID1/Black-Black-Black
	Model	AF83