


PATH TO THE FUTURE



Picture and logos

SELLING POINTS

- Windows 11 Famille/Windows 11 Professionnel
- Jusqu'au processeur AMD® Ryzen™ 9000
- Jusqu'à la carte graphique MSI GeForce RTX™ 5090 (accélérateur IA)
- AI Gaming Desktop - Optimisations contrôlées par l'IA pour le refroidissement, le jeu et le streaming
- Silent Storm Cooling AI - Amélioration du flux d'air en réglant la vitesse des ventilateurs via des algorithmes d'IA
- Watercooling tout-en-un 360 mm (selon modèle) - Dissipation efficace de la chaleur émise par les cartes graphiques haut de gamme
- Glacier Armor - Dissipateurs massifs sur le SSD, le PCH et la mémoire pour un meilleur refroidissement
- Support de SSD PCIe 4.0 - Chargement des jeux en quelques secondes seulement
- Connecteur d'alimentation à 8 broches supplémentaire - Performances GPU soutenues pour répondre aux tâches d'IA
- Upgrade simplifié - Mise à niveau des composants en toute simplicité
- Technologie Mystic Light - Personnalisation du rétroéclairage LED RGB
- Panneaux latéraux transparents compatibles à la norme EMI
- Normes 5G LAN et Wi-Fi 6E - Jouez en ligne sans ralentissement



1. 1x USB 5Gbps Type C
2. 1x USB 5Gbps Type A
3. 1 x Headphone out
4. 1x Mic in
5. Flash Bios Button / Clear CMOS Button
6. 1x HDMI out
7. 1x USB 10Gbps Type C / 1x USB 10Gbps Type A
8. 4x USB 2.0 Type A
9. 1x USB 10Gbps Type C / 1x USB 5Gbps Type A / 1x RJ45 (5G LAN)
10. 2x Wi-Fi Antenna
11. 1x S/PDIF / 2x Audio Jacks

SPECIFICATION

| | | |
|------------------------------|--------------------------------|------------------------|
| Système d'exploitation | Systèmes d'exploitation | Windows 11 Home |
| Processeur | CPU Number | AMD Ryzen 9 9900X |
| | CPU Clock | 4.4GHz |
| | CPU Cores | 12 |
| | TDP | 120W |
| | Cache | 12MB |
| | Threads | 24 |
| | Max Turbo Frequency | up to 5.60 GHz |
| | CPU Cooler | Liquid cooling |
| | Platform TOPS | N/A |
| | NPU TOPS | N/A |
| Chipset | Chipsets | B850 |
| Graphismes | GPU1 VRAM Size | 16G |
| | VGA I/O Port | HDMIx1, Display Portx3 |
| | GPU1 Vendor | NVIDIA |
| | GPU1 MKT Name | GeForce RTX 5080 |
| Mémoire | Memory Size | 64GB(32GB*2) |
| | Memory Type | DDR5 SDRAM |
| | Module Type | U-DIMM |
| | Memory Slot (Total/Free) | 4/2 |
| | Max Capacity | Max 128GB |
| Stockage | SSD Interface | PCIe GEN4x4 |
| | SSD Form Factor | M.2-2280 M-KEY |
| | SSD Config | 2TB*1 |
| | SSD Size | 2TB |
| | HDD1 Interface | N/A |
| | HDD1 Form Factor | N/A |
| | HDD1 Size | N/A |
| | HDD1 RPM | N/A |
| | ODD(Type) | N/A |
| | ODD Height | N/A |
| | ODD Type | N/A |
| | M.2 slots (Total/Free) | 3/2 |
| | 2.5" Drive Bays (Total/Free) | 1/1 |
| 3.5" Drive Bays (Total/Free) | 2/2 | |
| Audio | Audio Chipset | Realtek ALC897 |
| | Audio Type | 7.1 Channel HD Audio |
| | D-MIC | N/A |
| Communication | LAN | Realtek RTL 8126-VB-CG |
| | WLAN Version | Wi-Fi 6E+BT |
| | BT Version | 5.4 |
| | WLAN | AMD/RZ616 |
| Ports E/S (avant) | Audio Mic-in | 1 |
| | Audio Headphone-out | 1 |
| | USB 3.2 Gen 1 (5G) Type C | 1 |
| | USB 3.2 Gen 1 (5G) Type A | 1 |
| | USB 4 (40G) Type C | N/A |
| | Copilot Button | N/A |
| Ports E/S (arrière) | USB 2.0 Type A (R) | 4 |
| | RJ45 | 1 |
| | WiFi Antenna | 2 |
| | HDMI out | 1x (v2.1), NA |
| | Audio jack | 2 |
| | S/PDIF | 1 |
| | Flash BIOS Button | 1 |
| | USB 3.2 Gen 2 (10G) Type C (R) | 2 |
| | USB 3.2 Gen 2 (10G) Type A (R) | 1 |
| | USB 3.2 Gen 1 (5G) Type A (R) | 1 |

| | | |
|----------------------------|--|--|
| Alimentation | Power | 850W |
| | Power Certification | 80PLUS GOLD |
| | Formfactor | ATX |
| | Type | POWER SUPPLY |
| Dimensions et poids | Product Dimension (WxDxH) (mm) | 235.1 x 481.23 x 485 |
| | Inside Carton Dimension (WxDxH) (mm) | N/A |
| | Outer Carton Dimension Standard (WxDxH) (mm) | 590 x 327 x 611 |
| | Weight (Net kg) | 14.91 |
| | Weight (Gross kg) | 17.18 |
| | Liter | 40 |
| | Pint | 84.53 |
| Mécanique et environnement | Operating, Storage Temperature | 0° C ~ 35° C ; -20° C ~ 60° C |
| | Operating, Storage Humidity | 0% ~ 85%;0% ~ 90% |
| | Regulatory Compliance | BSMI, CB/CE, ERP lot 3, FCC(Class B), RCM(C-Tick), RH, UL(CUL), VCCI |
| Garantie | Warranty | 24months |
| Accessoires | Keyboard Interface | N/A |
| | Mouse Interface | N/A |
| | Power Cord | 1 |
| | AC Adaptor | N/A |
| | Warranty Card | N/A |
| | Quick Guide | 3 |
| | User Manual | N/A |
| | VESA Mount kit | N/A |
| | Keyboard | N/A |
| | Mouse | N/A |
| | Power Switch | N/A |
| Code-barre | EAN | 4711377453608 |
| Modèle | Part No | 9S6-B94221-1029 |
| | MKT Name | MPG Infinite Z3 9NVVR9 |
| | MKT Spec | MPG Infinite Z3 9NVVR9-284EU |
| | Color | ID1/Black-Black-Black |
| | Model | B942 |
| Security | TPM module | N/A |
| | Chassis Lock | N/A |
| | Chassis Intrusion | N/A |