

PATH TO THE FUTURE


L'écran gaming 34" MSI MPG 341CQR QD-OLED X36 arbore une dalle QD-OLED capable d'une résolution 3440x1440 (UWQHD) et d'un taux de rafraîchissement de 360 Hz pour des images ultrafluides. Il est parfait pour les gamers compétitifs à la recherche d'une grande immersion.



Picture and logos

SELLING POINTS

- Dalle QD-OLED de 5^e génération avec structure de sous-pixels RGB Stripe pour des images plus détaillées
- Technologie DarkArmor Film pour des niveaux de noirs 40 % plus profonds et une meilleure résistance aux rayures
- Fonction Uniform Luminance pour une luminance plus uniforme et une expérience HDR plus fluide
- MSI OLED Care 3.0 avec capteur AI Care qui détecte votre présence toutes les 0,2 secondes avec précision
- Norme VESA DisplayHDR True Black 500 pour des visuels HDR à couper le souffle
- Pic de luminosité à 13000 nits pour une expérience HDR supérieure
- Précision Delta E inférieure ou égale à 2 pour des couleurs vives
- Certification VESA ClearMR 18000 pour des images d'une clarté limpide
- Garantie OLED 3 ans contre les brûlures



1. Encoche Kensington
2. Entrée alimentation
3. Joystick de navigation à 5 directions
4. Sortie audio
5. 2 x HDMI™ 2.1 (UWQHD@360Hz)
6. DisplayPort 2.1a (UHBR13.5)
7. Type-C (DP alt.) avec Power Delivery 98 W
8. USB 2.0 Type-B
9. 2 x USB 2.0 Type-A

SPECIFICATION

Modèle	SKU Number	9S6-3DE29A-001
	Entity MKT Name	MPG 341CQR QD-OLED X36
	Part No	9S6-3DE29A-001
	Color	ID1/Black-Black
Affichage	Screen Size	34" (86.36 cm)
	Active Display Area (mm)	800.06(H) x 337.06(V)
	Curvature	Curve 1800R
	Panel Type	QD-OLED
	Resolution	3440x1440 (UWQHD)
	Pixel pitch (mm)	0.2315(H)x0.2315(V)
	Aspect Ratio	21:9
	Dynamic Refresh Rate technology	NVIDIA G-SYNC Compatible / AMD FreeSync™ Premium Pro
	Dynamic Refresh Rate Activated Range	48~360Hz
	HDR (High dynamic range)	VESA DisplayHDR True Black 500
	SDR Brightness (nits)	300
	HDR Brightness (Peak nits)	1300
	Contrast Ratio	1500000:1
	Signal Frequency	30~596.2 KHz(H) / 48~360 Hz(V)
	Refresh Rate	360Hz
	Response Time (GTG)	0.03ms
	View Angles	178°(H)/178°(V)
	NTSC (CIE1976 area percentage/overlap)	121.3%/94.2%
	NTSC (CIE1931 area percentage/overlap)	105.4%/92.3%
	sRGB (CIE1976 area percentage/overlap)	139.1%/100%
	sRGB (CIE1931 area percentage/overlap)	148.8%/100%
	Adobe RGB (CIE1976 area percentage/overlap)	119.2%/97.8%
	Adobe RGB (CIE1931 area percentage/overlap)	109.7%/99.1%
	DCI-P3 (CIE1976 area percentage/overlap)	110.8%/99.3%
	DCI-P3 (CIE1931 area percentage/overlap)	109.7%/99.1%
	Rec.709 (CIE1976 area percentage/overlap)	139.1%/100%
	Rec.709 (CIE1931 area percentage/overlap)	148.8%/100%
	Rec.2020 (CIE1976 area percentage/overlap)	80.7%/80.7%
	Rec.2020 (CIE1931 area percentage/overlap)	78.7%/78.7%
	Surface Treatment	Anti-Reflection
	Display Colors	1.07B
Color bit	10 bits	
Ports E/S	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
	USB 3.2 Gen 1 Type A	2
	USB 3.2 Gen 1 Type B	1
	Lock type	Kensington Lock
	HDMI	2
	HDMI version	2.1
	HDMI HDCP version	2.3
	DisplayPort	1
	DisplayPort version	2.1a (UHBR13.5)
	DisplayPort HDCP version	2.3
Garantie	Warranty	36M
Alimentation	Power Type	Internal Power Board
	Power Input	100~240V, 50/60Hz
	On-mode Power Consumption (KWh/1000h)	32
	Annual Energy Consumption (KWh)	32
	Standby-mode Power Consumption (W)	0.5
	Off-mode Power Consumption (W)	0.3
	Energy Efficiency Rating	F
	Power Cord Type	C13

Accessoires	DisplayPort Cable	1
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	3.5mm Mic Cable	0
	Power Cord	1
	AC Adaptor	0
	Quick Guide	1
	Warranty Card	0
	Mouse Bungee Unit	0
Design	Adjustment (Tilt)	-5° ~ 15°
	Adjustment (Swivel)	-30° ~ 30°
	Adjustment (Height)	0 ~ 110 mm
	Adjustment (Pivot)	-10° ~ 10°
	VESA Mounting	100x100mm
Dimension & Weight (product)	Product Dimension with Stand (WxDxH) (mm)	812.83 x 228.30 x 543.08
	Product Dimension without Stand (WxDxH) (mm)	812.83 x 118.54 x 372.09
	Stand Dimension (WxDxH) (mm)	235.48 x 228.30 x 408.30
	Weight (Net kg)	7.77
	Weight Without Stand (kg)	5.2
Dimensions et poids (carton)	Inside Carton Dimension (WxDxH) (cm)	99.5 x 20 x 50.5
	Outer Carton Dimension (WxDxH) (cm)	101.8 x 21.4 x 52.5
	Weight (Gross kg)	13.49
Code-barre	EAN	4711377404099