

All About Gaming

Les écrans MSI Optix G ont passé de nombreux tests de qualité et de robustesse pour assurer une expérience utilisateur impeccable. Leur installation et utilisation sont également très simples, ce qui en fait des modèles adaptés aux besoins des joueurs débutants.




Selling Points

- Écran gaming plat 23,8" Full HD 1920 x 1080
- Dalle IPS pour des couleurs et une luminosité optimales
- Taux de rafraîchissement de 144 Hz pour plus de fluidité
- Temps de réponse de 1 ms pour éliminer les déchirures à l'écran
- Night Vision pour mieux discerner les détails dans les zones sombres
- Large gamme de couleurs pour des images éclatantes, aux couleurs plus réalistes
- Game Mode pour paramétrer votre écran au mieux
- Bordures ultrafines pour une immersion toujours plus grande
- Technologies antiscintillement et de réduction de la lumière bleue
- Angle de vision de 178°



Picture and logos: Pictures Écrans Gaming



1. Bouton de navigation à 5 directions Entrée alimentation
2. 2 x HDMI (1.4)
3. 1 x DisplayPort (1.2a)
4. 1 x sortie audio
5. Encoche Kensington

Specification

SKU Number	0
Color	ID1/Black-Black
Screen Size	23.8" (60cm)
Active Display Area (mm)	527.04(H) x 296.46(V)
Curvature	Flat
Panel Type	IPS
Resolution	1920x1080 (FHD)
Pixel pitch	0.2745(H)X0.2745(V)
Aspect Ratio	16:9
Dynamic Refresh Rate technology	FreeSync Premium
Activated Range	48Hz-144Hz
HDR (High dynamic range)	NA
SDR Brightness (nits)	250
Contrast Ratio	1000:1
DCR (Dynamic Contrast Ratio)	10000000:1
Signal Frequency	54~162 KHz(H) / 48~144 Hz(V)
Refresh Rate	144HZ
Response Time (MPRT)	1ms(MPRT)
Response Time (GTG)	4ms
Response Time (Tr + Tf)	NA
View Angles	178°(H)/178°(V)
NTSC (CIE1976 area percentageoverlap)	111.3%/85.7%
NTSC (CIE1931 area percentageoverlap)	91.4%/81.5%
sRGB (CIE1976 area percentageoverlap)	127.7%/99.4%
sRGB (CIE1931 area percentageoverlap)	129%/99.9%
Adobe RGB (CIE1976 area percentageoverlap)	109.4%/90.3%
Adobe RGB (CIE1931 area percentageoverlap)	95.6%/84.8%
DCI-P3 (CIE1976 area percentageoverlap)	101.7%/94.6%
DCI-P3 (CIE1931 area percentageoverlap)	95.1%/92.7%
Rec.709 (CIE1976 area percentageoverlap)	127.7%/99.4%
Rec.709 (CIE1931 area percentageoverlap)	129%/99.9%
Surface Treatment	Anti-glare
Display Colors	16.7M
Color bit	8 bits
Note_DP	1920 x 1080 (up to 144Hz)
Note_HDMI	1920 x 1080 (up to 144Hz)
Note_DVI	N/A
HDMI	2
HDMI version	1.4
HDMI HDCP version	1.4
DisplayPort	1
DisplayPort version	1.2a
DisplayPort HDCP version	1.3
Thunderbolt version	NA
Thunderbolt HDCP version	NA
USB Type C (DisplayPort Alternate)	NA
DVI	NA
D-Sub	NA
Mic-in	NA
Headphone-out	1
Audio Combo	NA
USB 2.0 Type B	NA
USB 3.2 Gen 1 Type B	NA
Lock type	Kensington Lock
Power Type	External Adaptor 20V 2.25A
Power Input	100~240V, 50/60Hz
Adapter's KC safety Number	SU10469-15001
Power Cord Type	C5
QC Output	NA
QC Output Power	NA
PD Output	NA
PD Output Power	NA
Adjustment (Tilt)	-5° ~ 20°

Adjustment (Swivel)	NA
Adjustment (Height)	NA
Adjustment (Pivot)	NA
VESA Mounting	100x100mm
Frameless Design	Yes
Outer Carton Dimension (WxDxH) (mm)	621 x 187 x 434
Outer Carton Dimension (WxDxH) (inch)	24.45 x 7.36 x 17.09
Product Dimension with Stand (WxDxH) (mm)	540.3 x 218.2 x 411.6
Product Dimension with Stand (WxDxH) (inch)	21.27 x 8.59 x 16.2
Product Dimension without Stand (WxDxH) (mm)	540.3 x 57.1 x 328.2
Product Dimension without Stand (WxDxH) (inch)	21.27 x 2.25 x 12.92
Thunderbolt	NA
USB 2.0 Type A	NA
USB 2.0 Type C	NA
USB 3.2 Gen 1 Type A	NA
USB 3.2 Gen 1 Type C	NA
USB 3.2 Gen 2x2 Type C	NA
USB 3.2 Gen 2x2 Type A	NA
Card Reader	NA
Stand Dimension (WxDxH) (mm)	474.0 x 228.2 x 267.3
Stand Dimension (WxDxH) (inch)	18.66 x 8.98 x 10.52
Feature	Gaming Mode 5 Ways Joystick Navigator Control Frameless design MSI Gaming OSD G-Sync Compatible
Inside Carton Dimension (WxDxH) (mm)	606 x 172 x 409
Inside Carton Dimension (WxDxH) (inch)	23.86 x 6.77 x 16.1
Weight (Net kg)	3.33
Weight (Gross kg)	5
DisplayPort Cable	0
HDMI Cable	1
DVI Cable	0
USB Type A to Type B Cable	0
USB Type C to Type A Cable	0
USB Type C to Type C Cable	0
Thunderbolt Cable	0
VGA Cable	0
3.5mm audio Cable	0
3.5mm combo audio Cable	0
Warranty	36M
Power Cord	1
AC Adaptor	1
Quick Guide	1
Warranty Card	1
EAN	4719072766245