

All About Gaming


La série MAG de MSI regroupe des produits ayant subi des tests de qualité rigoureux et qui ont été pensés pour devenir des symboles de robustesse et d'efficacité. Pour assurer la meilleure expérience utilisateur possible, les produits MSI MAG proposent un processus d'installation simplifié associé à une interface utilisateur conviviale, l'idéal pour les gamers débutants.



Picture and logos

SELLING POINTS

- Dalle IPS pour des couleurs et une luminosité optimisées
- Taux de rafraîchissement de 170 Hz et temps de réponse de 1 ms
- Technologie de rétroéclairage MSI Mystic Light
- Menu Gaming OSD pour paramétrer au mieux votre écran
- Night Vision pour mieux discerner les détails dans les zones sombres
- Pied de support réglable pour plus de confort
- Large gamme de couleurs pour des images plus réalistes
- Bordures plus fines pour une meilleure immersion
- Technologies antiscintillement et antilumière bleue
- Angle de vision panoramique de 178°



1. 5-way joystick navigator
2. DC Jack
3. 2x HDMI (1.4b)
4. 1x Display Port (1.2a)
5. Earphone Out
6. 2x USB 2.0 Type A
7. 1x USB 2.0 Type B
8. Kensington Lock

SPECIFICATION

Barcode Info	EAN	4719072837334
	UPC	824142254141
	UCC14	10824142254148
Model	Part No	9S6-3BA4AT-056
	MKT Name	Optix MAG245R2
	MKT Spec	Optix MAG245R2
	Color	ID1/Black-Black
Display	Quantum Dot	N/A
	Screen Size	23.8" (60cm)
	Active Display Area (mm)	527.04(H) x 296.46(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync Premium
	SDR Brightness (nits)	250
	Contrast Ratio	1000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	30~100 KHz(H) / 48~170 Hz(V)
	Refresh Rate	170Hz
	Response Time (MPRT)	1ms(MPRT)
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	89.43%/79.9%
	NTSC (CIE1931 area percentage/overlap)	74.67%/72.07%
	sRGB (CIE1976 area percentage/overlap)	102.57%/99.37%
	sRGB (CIE1931 area percentage/overlap)	105.43%/99.5%
	Adobe RGB (CIE1976 area percentage/overlap)	87.92%/86.53%
	Adobe RGB (CIE1931 area percentage/overlap)	78.15%/77.11%
	DCI-P3 (CIE1976 area percentage/overlap)	81.67%/81.62%
	DCI-P3 (CIE1931 area percentage/overlap)	77.72%/77.71%
	Rec.709 (CIE1976 area percentage/overlap)	102.57%/99.37%
	Rec.709 (CIE1931 area percentage/overlap)	105.43%/99.5%
	Rec.2020 (CIE1976 area percentage/overlap)	59.51%/59.51%
	Rec.2020 (CIE1931 area percentage/overlap)	55.73%/55.73%
	Display Colors	16.7M
	Color bit	8 bits (6 bits + FRC)
	Note_DP	1920 x 1080 (Up to 170Hz)
	Note_HDMI™	1920 x 1080 (up to 144Hz)
Note_DVI	N/A	
I/O Ports	Line-in	N/A
	HDMI™	2
	HDMI™ version	1.4b
	HDMI™ HDCP version	1.4
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	1.3
	Headphone-out	1
	Lock type	Kensington Lock
	USB 2.0 Type B	1
	USB 480Mbps (USB 2.0)	2
I/O Ports (Front)	Power Supply Type	External Adaptor 20V 2.25A
	Power Input	100~240V, 50/60Hz
	Adapter's KC safety Number	SU10469-15001
	Power Cord Type	C5

In The Box	3.5mm Mic Cable	N/A
	Switch Case	N/A
	Portable Screen Protection Case	N/A
	Monitor Hood	N/A
	Speaker (Accessories)	N/A
	DisplayPort Cable	1
	HDMI™ Cable	0
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	4
	Power Cord	1
	AC Adaptor	1
	Warranty Card	0
Quick Guide	1	
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-45° ~ 45°
	Adjustment (Height)	0 ~ 130 mm
	Adjustment (Pivot)	-90° ~ 90°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	815 x 165 x 500
	Outer Carton Dimension (WxDxH) (inch)	32.09 x 6.5 x 19.69
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	540.3 x 233.7 x 385.8
	Product Dimension with Stand (WxDxH) (inch)	21.27 x 9.2 x 15.19
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	540.3 x 57.1 x 328.2
	Product Dimension without Stand (WxDxH) (inch)	21.27 x 2.25 x 12.92
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	303.4 x 233.7 x 399.2
	Stand Dimension (WxDxH) (inch)	11.94 x 9.2 x 15.72
Dimension & Weight	Inside Carton Dimensions (WxDxH) (mm)	800 x 150 x 475
	Inside Carton Dimensions (WxDxH) (inch)	31.5 x 5.91 x 18.7
	Weight (Net kg)	5.7
	Weight (Gross kg)	7.8
Weight	Weight Without Stand (kg)	2.8
Warranty	Warranty	36M