

PATH TO THE FUTURE

La série MAG de MSI regroupe des produits ayant subi des tests de qualité rigoureux et qui ont été pensés pour devenir des symboles de robustesse et d'efficacité. Pour assurer la meilleure expérience utilisateur possible, les produits MSI MAG proposent un processus d'installation simplifié associé à une interface utilisateur conviviale, l'idéal pour les gamers débutants.



Selling Points

- Écran gaming plat 27" Full HD 1920 x 1080
- Dalle IPS offrant des couleurs et une luminosité améliorées
- Taux de rafraîchissement de 165 Hz pour plus de fluidité
- Temps de réponse de 1 ms pour éliminer les déchirures à l'écran
- Compatibilité à la technologie NVIDIA G-Sync
- Menu Gaming OSD pour paramétrer votre écran au mieux
- Night Vision pour mieux discerner les détails dans les zones sombres
- Pied de support réglable pour trouver la meilleure position
- Technologie Mystic Light pour personnaliser le rétroéclairage
- Connecteur USB Type-C pour une connexion simplifiée de vos périphériques
- Compatible à la technologie HDR pour régler le contraste et les ombres
- Large gamme de couleurs pour des images éclatantes, aux couleurs plus réalistes
- Technologies antiscintillement et de réduction de la lumière bleue avec certification TÜV Rheinland®



Picture and logos: Pictures Écrans Gaming



1. 5-way joystick navigator
2. 1x Display Port (1.2a)
3. 2x HDMI (2.0b)
4. 1x Type C (DP alt.)
5. 1x Earphone out
6. 1x USB 2.0 Type B
7. 2x USB 2.0 Type A
8. 1x DC jack
9. 1x Kensington lock

Specification

Local Dimming	NA
Screen Size	27" (69 cm)
Active Display Area (mm)	597.6 (H) x 336.15 (V)
Curvature	Flat
Panel Type	IPS
Resolution	1920x1080 (FHD)
Pixel pitch	0.31125(H)x0.31125(V)
Aspect Ratio	16:9
Dynamic Refresh Rate technology	G-SYNC Compatible
Activated Range	30Hz-165Hz
HDR (High dynamic range)	HDR ready
SDR Brightness (nits)	300
Contrast Ratio	1000:1
DCR (Dynamic Contrast Ratio)	100000000:1
Signal Frequency	96.4~186.7 KHz(H) / 30~165 Hz(V)
Refresh Rate	165HZ
Response Time (MPRT)	1ms(MPRT)
Response Time (GTG)	4ms
Response Time (Tr + Tf)	14ms
View Angles	178°(H)/178°(V)
NTSC (CIE1976 area percentageoverlap)	115%/85%
NTSC (CIE1931 area percentageoverlap)	92%/81%
sRGB (CIE1976 area percentageoverlap)	132%/99%
sRGB (CIE1931 area percentageoverlap)	131%/99%
Adobe RGB (CIE1976 area percentageoverlap)	113%/89%
Adobe RGB (CIE1931 area percentageoverlap)	97%/83%
DCI-P3 (CIE1976 area percentageoverlap)	105%/94%
DCI-P3 (CIE1931 area percentageoverlap)	97%/92%
Rec.709 (CIE1976 area percentageoverlap)	132%/99%
Rec.709 (CIE1931 area percentageoverlap)	131%/99%
Surface Treatment	Anti-glare
Display Colors	1.07B
Color bit	10 bits (8 bits + FRC)
Note_DP	1920 x 1080 (Up to 165Hz)
Note_HDMI	1920 x 1080 (Up to 165Hz)
Note_DVI	N/A
HDMI	2
HDMI version	2.0b
HDMI HDCP version	2.2
DisplayPort	1
DisplayPort version	1.2a
DisplayPort HDCP version	2.2
Thunderbolt version	NA
Thunderbolt HDCP version	NA
USB Type C (DisplayPort Alternate)	1
DVI	NA
D-Sub	NA
Mic-in	NA
Headphone-out	1
Audio Combo	NA
USB 2.0 Type B	1
USB 3.2 Gen 1 Type B	NA
Lock type	Kensington Lock
Power Type	External Adaptor 19V 3.42A
Power Input	100~240V, 50/60Hz
Adapter's KC safety Number	HU10182-11075D
Power Cord Type	C5
QC Output	NA
QC Output Power	NA
PD Output	Type C
PD Output Power	15W
Adjustment (Tilt)	-5° ~ 20°
Adjustment (Swivel)	-75° ~ 75°



É C R A N S G A M I N G
Optix MAG274R2
OPTIX MAG274R2

Adjustment (Height)	0 ~ 100 mm
Adjustment (Pivot)	-90° ~ 90°
VESA Mounting	100x100mm
Frameless Design	Yes
Outer Carton Dimension (WxDxH) (mm)	740 x 230 x 510
Outer Carton Dimension (WxDxH) (inch)	29.13 x 9.06 x 20.08
Product Dimension with Stand (WxDxH) (mm)	614.9 x 206.7 x 532.7
Product Dimension with Stand (WxDxH) (inch)	24.21 x 8.14 x 20.97
Product Dimension without Stand (WxDxH) (mm)	614.9 x 47.4 x 369.3
Product Dimension without Stand (WxDxH) (inch)	24.21 x 1.87 x 14.54
Thunderbolt	NA
USB 2.0 Type A	2
USB 2.0 Type C	NA
USB 3.2 Gen 1 Type A	NA
USB 3.2 Gen 1 Type C	NA
USB 3.2 Gen 2x2 Type C	NA
USB 3.2 Gen 2x2 Type A	NA
Card Reader	NA
Stand Dimension (WxDxH) (mm)	303.35 x 233.68 x 409.84
Stand Dimension (WxDxH) (inch)	11.94 x 9.2 x 16.14
Weight (Net lbs)	13.34
Weight (Gross lbs)	19.18
Feature	Gaming Mode Adaptive Sync (Freesync) 5 Ways Joystick Navigator Control Frameless design HDR Ready
Certification	全球(WW)/CB EU(歐洲)/CE-LVD DE(德國)/CE-EMC NALA(美國)/FCC DOC
Inside Carton Dimension (WxDxH) (mm)	730 x 220 x 490
Inside Carton Dimension (WxDxH) (inch)	28.74 x 8.66 x 19.29
Weight (Net kg)	6.05
Weight (Gross kg)	8.7
DisplayPort Cable	1
HDMI Cable	0
DVI Cable	0
USB Type A to Type B Cable	1
USB Type C to Type A Cable	0
USB Type C to Type C Cable	0
Thunderbolt Cable	0
VGA Cable	0
3.5mm audio Cable	0
3.5mm combo audio Cable	0
Warranty	36M
Power Cord	1
AC Adaptor	1
Quick Guide	1
Warranty Card	1
EAN	4719072785666
UPC	824142237809
UCC14	10824142237806