


Be Your Window To The World



Picture and logos

SELLING POINTS

- Windows 11 Home - MSI recommends Windows 11 Pro for business
- Intel® Alder Lake N100 / N200 處理器，內建 DDR4 內存記憶體
- 15.6 吋防眩光螢幕，配備電阻式單點觸控，是POS機的最佳選擇
- 無風扇設計和 dTPM 2.0 保護機密數據
- 2 個 COM port[6 個 USB 連接埠和 1 個印表機連接埠（並列埠），用於條碼掃描器、信用卡讀卡機、印表機、提款機等
- 可透過 D-sub[VGA 輸出）外接到第二台顯示器
- Dual LAN設計，提供第二個備援LAN和更安全的網路環境
- 支援VESA 安裝、內建讀卡機和 2.5 吋硬碟盒為企業提供方便的維護解決方案



1. 1x Card reader
2. 2 x USB 3.2 Gen 2 Type A
3. 1x DC-in
4. 1 x Parallel Port (Printer Port)
5. 2 x Serial Port (COM Port)
6. 1 x VGA Port
7. 2 x RJ-45 LAN
8. 2 x USB 2.0 Type A
9. 2 x USB 2.0 Type A
10. 1 x Line-out/Microphone-in

SPECIFICATION

作業系統	OS	N/A
	Operating Systems	N/A
Model	Part No	9S6-A60211-032
	MKT Name	PRO AP162T ADL
	MKT Spec	PRO AP162T ADL-012XRU
	Color	ID1/Black-Black-Black
晶片組	Chipsets	SoC
記憶體	Memory Size	4GB(4GB*1)
	Memory Type	DDR4 SDRAM
	Memory Speed	1600(3200)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	1
	Memory Slot(Free)	0
	Max Capacity	Max 16GB
處理器	CPU Number	Intel Processor N100
	CPU Clock	0.8GHz
	CPU Cores	4
	TDP	6W
	Max Turbo Frequency	up to 3.40 GHz
	Cache	6 MB
	Threads	4
顯示器	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-Glare
	Touch Screen	Single Point Resistive Touch Screen
	Screen Size	15.6" (40 cm)
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Refresh Rate	60Hz
Response Time (GTG)	25ms[Typ]	
顯示卡	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	UMA
	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
音效	Audio Chipset	Realtek ALC256
	Audio Type	2.1 Channel HD Audio
儲存裝置	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	128GB*1
	SSD Size	128GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	mSATA slots(Free)	0
	M.2 slots(Total)	1
	M.2 slots(Free)	0
2.5" Drive Bays(Total)	1	
2.5" Drive Bays (Free)	1	
3.5" Drive Bays(Free)	0	
Communications	LAN	Realtek RTL8111H
	WLAN Version	802.11ac 1x1+BT
	BT Version	5

Input Device	Webcam	internal webcam
	Webcam Resolution	1.0MP (720P)
	Webcam supports Windows Hello or not	No
I/O Ports (Side)	Type-C in	N/A
連接埠 (正面)	Card Reader	1
	Thunderbolt	N/A
	USB 3.2 Gen 2 (10G) Type A	2
連接埠 (背面)	USB 2.0 Type A (R)	4
	RJ45	2
	VGA out	1
	COM Port	2
	Mic-in/Headphone-out combo (R)	1
	Printer Port (Parallel)	1
	Lock type	Kensington
保固	Warranty	12months
Dimension&Weight	Product Dimension with Holder (WxDxH) (mm)	399.5 x 69.2 x 313.9
	Product Dimension with Holder (WxDxH) (inch)	15.73 x 2.72 x 12.36
	Product Dimension with Stand (WxDxH) (mm)	N/A
	Product Dimension with Stand (WxDxH) (inch)	N/A
	Outer Carton Dimension with Holder (WxDxH) (mm)	574 Wireless KB.MS / 534 Wired KB.MS x 189 Wireless KB.MS / 189 Wired KB.MS x 405 Wireless KB.MS / 405 Wireless KB.MS
	Outer Carton Dimension with Holder (WxDxH) (inch)	574 Wireless KB.MS / 534 Wired KB.MS x 189 Wireless KB.MS / 189 Wired KB.MS x 405 Wireless KB.MS / 405 Wireless KB.MS
	Outer Carton Dimension with Stand (WxDxH) (mm)	N/A
	Outer Carton Dimension with Stand (WxDxH) (inch)	N/A
	Weight (Net kg)	3.962
	Weight (Net lbs)	8.73
	Weight (Gross kg)	5.369
Weight (Gross lbs)	11.84	
電源規格	AC Adapter Output	65W
VESA	VESA size	100 x 100 mm
Mechanical and Environmental	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
Accessories	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	1
	VESA Mount kit	N/A
	Keyboard Interface	USB
	Mouse	SM9023M
Barcode Info	Mouse Interface	USB
	EAN	4711377161534