


Be Your Window To The World



Picture and logos

SELLING POINTS

- Windows 11 Home - MSI recommends Windows 11 Pro for business
- 27" IPS 等級面板LED背光 1920 x 1080 FHD
- 最高支援 Intel® Core™ i7 處理器 14700 Raptor Lake 處理器，配備 DDR5 內存記憶體
- 100Hz更新率以及MSI防閃爍和減藍光技術，保護眼睛
- 可調式支架和免工具安裝，提供便利的工作環境
- 內建HDMI™ 和 DP 輸出連接埠
- 內建網路攝影機(附鏡頭蓋) Windows Hello 提高用戶隱私
- Tobii Aware保護您的安全與隱私
- MSI Cloud Center 提供用戶從 Android 和 iOS 裝置建立私有雲和備份文件
- dTPM 設計透過加密金鑰保護機密數據
- DTS沉浸式音效
- 24/7 合格可靠性測試



1. 1 x DC Jack
2. 1 x HDMI™ out (2.1)
3. 1 x DisplayPort out (1.4)
4. 1 x RJ-45 LAN
5. 1 x USB 3.2 Gen 2 Type C / 1 x USB 3.2 Gen 2 Type A
6. 2 x USB 2.0 Type A
7. 1 x Mic-in
8. 1 x Line-out
9. 1 x Kensington Lock
10. 2 x USB 3.2 Gen 1 Type A

SPECIFICATION

作業系統	Operating Systems	N/A
Model	Part No	9S6-AF8321-1068
	MKT Name	PRO AP272P 14M
	MKT Spec	PRO AP272P 14M-1068XRU
	Color	ID1/Black-Black-Black
晶片組	Chipsets	H610
記憶體	Memory Size	32GB(16GB*2)
	Memory Type	DDR5 SDRAM
	Memory Speed	2800(5600)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	0
	Max Capacity	Max 64GB
	CPU Number	Intel Core i7 Processor 14700
處理器	CPU Clock	2.1GHz
	CPU Cores	20
	TDP	65W
	Max Turbo Frequency	up to 5.40 GHz
	Cache	33 MB Intel® Smart Cache
	Threads	28
	View Angles	178°(H)/178°(V)
顯示器	Touch Screen	Non-touch
	Screen Size	27" (69 cm)
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Refresh Rate	N/A
	Response Time (GTG)	14ms
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
顯示卡	GPU1 Number	UMA
	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
	Audio Chipset	Realtek ALC897
	Audio Type	N/A
儲存裝置	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
	3.5" Drive Bays(Free)	0
	LAN	Intel I219-V
Communications	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
	Webcam	internal webcam
Input Device	Webcam Resolution	2.0MP (1080P)
	USB 2.0 Type A	2
I/O Ports (Side)	USB 3.2 Gen 1 (5G) Type A	2



ALL-IN-ONE PCS
PRO AP272P 14M
PRO AP272P 14M-1068XRU

连接埠 (背面)	USB 2.0 Type A (R)	2
	RJ45	1
	HDMI out	1x (v2.1)
	DP out	1x (v1.4)
	Line-out (R)	1
	Lock type	Kensington
	USB 3.2 Gen 2 (10G) Type C (R)	1
	USB 3.2 Gen 2 (10G) Type A (R)	1
	USB 3.2 Gen 1 (5G) Type A (R)	2
	Mic-in (R)	1
保固	Warranty	12months
Dimension&Weight	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Holder (WxDxH) (inch)	N/A
	Product Dimension with Stand (WxDxH) (mm)	613.49 x 268.00 x 457.66
	Product Dimension with Stand (WxDxH) (inch)	24.15 x 10.55 x 18.02
	Weight (Net kg)	7
	Weight (Net lbs)	15.43
	Weight (Gross kg)	11.78
	Weight (Gross lbs)	25.97
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
STAND	Inside Carton Dimension with Stand (WxDxH) (mm)	696 x 218 x 490
	Inside Carton Dimension with Stand (WxDxH) (inch)	27.4 x 8.58 x 19.29
電源規格	Adjustment (Tilt)	-4°~20°(+/-2°)
	Adjustment (Height)	0~130mm
VESA	AC Adapter Output	120W
Mechanical and Environmental	VESA size	75 x 75 mm
	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
Accessories	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	1
	User Manual	1
	VESA Mount kit	N/A
	Keyboard Interface	WIRELESS
	Mouse	MA04
Barcode Info	Mouse Interface	WIRELESS
	EAN	4711377411028
Security	TPM module	N/A
	Chassis Lock	N/A