



ALL-IN-ONE PCS
PRO AP272P 14M
PRO AP272P 14M-850XRU


Be Your Window To The World



Picture and logos

SELLING POINTS

- Windows 11 Home - MSI recommends Windows 11 Pro for business
- 27" IPS 等級面板LED背光□1920 x 1080 FHD□
- 最高支援 Intel® Core™ i7 處理器 14700 Raptor Lake 處理器，配備 DDR5 內存記憶體
- 100Hz更新率以及MSI防閃爍和減藍光技術，保護眼睛
- 可調式支架和免工具安裝，提供便利的工作環境
- 內建HDMI™ 和 DP 輸出連接埠
- 內建網路攝影機(附鏡頭蓋)□Windows Hello 提高用戶隱私
- Tobii Aware保護您的安全與隱私
- MSI Cloud Center 提供用戶從 Android 和 iOS 裝置建立私有雲和備份文件
- dTPM 設計透過加密金鑰保護機密數據
- DTS沉浸式音效
- 24/7 合格可靠性測試



1. 1 x DC Jack
2. 1 x HDMI™ out (2.1)
3. 1 x DisplayPort out (1.4)
4. 1 x RJ-45 LAN
5. 1 x USB 3.2 Gen 2 Type C / 1 x USB 3.2 Gen 2 Type A
6. 2 x USB 2.0 Type A
7. 1 x Mic-in
8. 1 x Line-out
9. 1 x Kensington Lock
10. 2 x USB 3.2 Gen 1 Type A



SPECIFICATION

作業系統	Operating Systems	N/A
Model	Part No	9S6-AF8321-850
	MKT Name	PRO AP272P 14M
	MKT Spec	PRO AP272P 14M-850XRU
	Color	ID1/Black-Black-Black
晶片組	Chipsets	H610
記憶體	Memory Size	16GB(8GB*2)
	Memory Type	DDR5 SDRAM
	Memory Speed	2800(5600)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	0
	Max Capacity	Max 64GB
處理器	CPU Number	Intel Core i3 Processor 14100
	CPU Clock	3.5GHz
	CPU Cores	4
	TDP	60W
	Max Turbo Frequency	up to 4.70 GHz
	Cache	12 MB Intel® Smart Cache
	Threads	8
顯示器	View Angles	178°(H)/178°(V)
	Touch Screen	Non-touch
	Screen Size	27" (69 cm)
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Refresh Rate	N/A
	Response Time (GTG)	14ms
顯示卡	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	UMA
	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
音效	Audio Chipset	Realtek ALC897
	Audio Type	2.1 Channel HD Audio
儲存裝置	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	mSATA slots(Free)	0
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
	3.5" Drive Bays(Free)	0
Communications	LAN	Intel I219-V
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
Input Device	Webcam	internal webcam
	Webcam Resolution	2.0MP (1080P)
	Webcam supports Windows Hello or not	Yes



ALL-IN-ONE PCS

PRO AP272P 14M

PRO AP272P 14M-850XRU

I/O Ports (Side)	USB 2.0 Type A	2
	USB 3.2 Gen 1 (5G) Type A	2
連接埠（背面）	USB 2.0 Type A (R)	2
	RJ45	1
	HDMI out	1x (v2.1)
	DP out	1x (v1.4)
	Line-out (R)	1
	Lock type	Kensington
	USB 3.2 Gen 2 (10G) Type C (R)	1
	USB 3.2 Gen 2 (10G) Type A (R)	1
	USB 3.2 Gen 1 (5G) Type A (R)	2
	Mic-in (R)	1
保固	Warranty	12months
Dimension&Weight	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Holder (WxDxH) (inch)	N/A
	Product Dimension with Stand (WxDxH) (mm)	613.49 x 268.00 x 457.66
	Product Dimension with Stand (WxDxH) (inch)	24.15 x 10.55 x 18.02
	Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
	Outer Carton Dimension with Holder (WxDxH) (inch)	N/A
	Outer Carton Dimension with Stand (WxDxH) (mm)	711 x 232 x 514
	Outer Carton Dimension with Stand (WxDxH) (inch)	27.99 x 9.13 x 20.24
	Weight (Net kg)	4.63
	Weight (Net lbs)	10.21
	Weight (Gross kg)	8
	Weight (Gross lbs)	17.64
STAND	Adjustment (Tilt)	-4°~20°(+/-2°)
	Adjustment (Height)	0~130mm
電源規格	AC Adapter Output	120W
VESA	VESA size	75 x 75 mm
Mechanical and Environmental	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
Accessories	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	1
	User Manual	1
	VESA Mount kit	N/A
	Keyboard Interface	WIRELESS
	Mouse	MA04
Barcode Info	Mouse Interface	WIRELESS
	EAN	4711377291996