

## Be Your Window To The World



Picture and logos

### SELLING POINTS

- Windows 11 Home - MSI recommends Windows 11 Pro for business
- 輕巧體積0.826公升，支援 VESA安裝設計
- 最高搭載Intel® Core™ Ultra 9 處理器 288V 與 Intel® Boost NPU
- 支援LPDDR5X最高8533 MT/s的內嵌式記憶體□MOP□
- 配備兩個 Thunderbolt™ 4□雙 2.5G 網路埠與支援 dTPM
- 最高支援三螢幕輸出，內建 D-Mic 與喇叭
- 電源鍵整合指紋辨識設計，提升安全性
- MSI Power Link□Cubi NUC 可透過 MSI Power Link 技術由顯示器啟動
- Power Meter 功能：一鍵省電、碳排計算與電費估算
- 採用 PCR 再生塑膠製成□FSC™ 認證紙箱；採用再生紙漿（100% 可回收），減少浪費；工廠採用 99% 再生能源製造



1. 1x Mic-in / Headphone-out combo
2. 2x USB 10Gbps Type A
3. 1x Micro-SD Card Reader
4. 1x External Power Switch Slot
5. 2x USB 2.0 Type A
6. 1x Thunderbolt 4 (DP 2.1 alt-mode up to 4K@60Hz / PD-out 15W)
7. 2x RJ45 LAN (2.5G)
8. 1x HDMI out (supports 4K @60Hz as specified in HDMI 2.1 & supports MSI Power Link)
9. 1x DC Jack
10. 1x Thunderbolt 4 (DP 2.1 alt-mode up to 4K@60Hz / PD-out 15W / supports PD-in up to 100W)
11. 1x Kensington Lock Slot



Cubi NUC AI+ 2MG

CUBI NUC AI+ 2MG-049XRU

SPECIFICATION

|                |                              |                                   |
|----------------|------------------------------|-----------------------------------|
| 作業系統           | 作業系統                         | N/A                               |
| 處理器            | CPU Number                   | Intel Core Ultra 7 processor 258V |
|                | CPU Clock                    | 2.2GHz                            |
|                | CPU Cores                    | 8                                 |
|                | TDP                          | 17W                               |
|                | Cache                        | N/A                               |
|                | Threads                      | N/A                               |
|                | Max Turbo Frequency          | N/A                               |
|                | CPU Cooler                   | Air cooling                       |
|                | Platform TOPS                | Up to 120                         |
|                | NPU TOPS                     | Up to 48                          |
| 晶片組            | Chipsets                     | Soc                               |
| 顯示卡            | GPU1 VRAM Size               | N/A                               |
|                | VGA I/O Port                 | N/A                               |
|                | GPU1 Vendor                  | N/A                               |
|                | GPU1 MKT Name                | N/A                               |
| 記憶體            | Memory Size                  | 32GB                              |
|                | Memory Type                  | N/A                               |
|                | Module Type                  | Memory on Package (MOP)           |
|                | Memory Slot (Total/Free)     | 0/                                |
|                | Max Capacity                 | Max 32GB                          |
| 儲存裝置           | SSD Interface                | PCIe GEN4x4                       |
|                | SSD Form Factor              | M.2-2280 M-KEY                    |
|                | SSD Config                   | 512GB*1                           |
|                | SSD Size                     | 512GB                             |
|                | HDD1 Interface               | N/A                               |
|                | HDD1 Form Factor             | N/A                               |
|                | HDD1 Size                    | N/A                               |
|                | HDD1 RPM                     | N/A                               |
|                | ODD(Type)                    | N/A                               |
|                | ODD Height                   | N/A                               |
|                | ODD Type                     | N/A                               |
|                | M.2 slots (Total/Free)       | 1/0                               |
|                | 2.5" Drive Bays (Total/Free) | 0/                                |
|                | 3.5" Drive Bays (Total/Free) | 0/                                |
| 音效             | Audio Chipset                | Realtek ALC256                    |
|                | Audio Type                   | 2-Channel High Definition Audio   |
|                | D-MIC                        | 1                                 |
| Communications | LAN                          | 2x Intel I226-V                   |
|                | WLAN Version                 | Wi-Fi 6E+BT                       |
|                | BT Version                   | 5.3                               |
|                | WLAN                         | INTEL/AX211.NGWG.NV               |
| 連接埠（正面）        | Mic-in/Headphone-out combo   | 1                                 |
|                | USB 3.2 Gen 2 (10G) Type A   | 2                                 |
|                | Card Reader                  | 1                                 |
|                | Copilot Button               | 1                                 |
| 連接埠（背面）        | USB 2.0 Type A (R)           | 2                                 |
|                | Thunderbolt (R)              | 2x (Thunderbolt 4)                |
|                | RJ45                         | 2                                 |
|                | WiFi Antenna                 | 2                                 |
|                | HDMI out                     | 1x (v2.1)                         |
|                | Lock type                    | Kensington Lock                   |
| 電源規格           | Power                        | 120W                              |
|                | Power Certification          | N/A                               |
|                | Formfactor                   | N/A                               |
|                | Type                         | ADAPTOR                           |
| VESA           | VESA size                    | 100 x 100 mm                      |



## Cubi NUC AI+ 2MG

CUBI NUC AI+ 2MG-049XRU

|                              |                                        |                                                                                     |
|------------------------------|----------------------------------------|-------------------------------------------------------------------------------------|
| Dimension&Weight             | Product Dimension (WxDxH) (mm)         | 135.6 x 132.5 x 50.1                                                                |
|                              | Product Dimension (WxDxH) (inch)       | 5.34 x 5.22 x 1.97                                                                  |
|                              | Inside Carton Dimension (WxDxH) (mm)   | 205 x 220 x 94                                                                      |
|                              | Inside Carton Dimension (WxDxH) (inch) | 8.07 x 8.66 x 3.7                                                                   |
|                              | Weight (Net kg)                        | 0.667                                                                               |
|                              | Net Weight (lbs)                       | 1.47                                                                                |
|                              | Weight (Gross kg)                      | 1.682                                                                               |
|                              | Gross Weight (lbs)                     | 3.71                                                                                |
|                              | Liter                                  | 0.826                                                                               |
|                              | Pint                                   | 1.75                                                                                |
| Mechanical and Environmental | Operating, Storage Temperature         | 0° C ~ 35° C ; -20° C ~ 60° C                                                       |
|                              | Operating, Storage Humidity            | 0% ~ 85%;0% ~ 90%                                                                   |
|                              | Regulatory Compliance                  | FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, Epeat Sliver, Energy Star, ERP lot 3, CEC |
| 保固                           | Warranty                               | 12months                                                                            |
| Accessories                  | Keyboard Interface                     | N/A                                                                                 |
|                              | Mouse Interface                        | N/A                                                                                 |
|                              | Power Cord                             | 1                                                                                   |
|                              | AC Adaptor                             | 1                                                                                   |
|                              | Warranty Card                          | N/A                                                                                 |
|                              | Quick Guide                            | 1                                                                                   |
|                              | User Manual                            | 1                                                                                   |
|                              | VESA Mount kit                         | 1                                                                                   |
|                              | Keyboard                               | N/A                                                                                 |
|                              | Mouse                                  | N/A                                                                                 |
|                              | Power Switch                           | N/A                                                                                 |
| Barcode Info                 | EAN                                    | 4711377417891                                                                       |
| Model                        | Part No                                | 9S6-B20611-049                                                                      |
|                              | MKT Name                               | Cubi NUC AI+ 2MG                                                                    |
|                              | MKT Spec                               | Cubi NUC AI+ 2MG-049XRU                                                             |
|                              | Color                                  | ID1/Black-Black-Black                                                               |
|                              | Model                                  | B206                                                                                |
| Security                     | TPM module                             | dTPM                                                                                |
|                              | Chassis Lock                           | Kensington Lock                                                                     |