

PRO DP10 13M

PRO DP10 13M-069XRU

Be Your Window To The World

PRO DP21 series is designed for various scenarios including business or learning. The 2.3 Liter compact size featuring Intel Core i processor and memory up to dual channel 3200MHz 64GB and it supports 4K@60Hz to improve your productivity.



Picture and logos

SELLING POINTS

- Windows 11 Home MSI recommends Windows 11 Pro for business
- 最高搭載 Intel® Core™ i7-1360P 處理器
- 體積1.11升, 高度 185.5 mm
- Thunderbolt 4 方便與任何設備串連
- 透過 Thunderbolt 支援顯示高達 8K 解析度
- 豐富I/O連接埠,支援外接多達4個顯示器
- 支援Wi-Fi 6E□選配),速度高達2.4Gbps
- 使用高頻寬和低延遲的 2.5Gbps 乙太網路連接快速傳輸數據
- 配備USB 3.2 Gen 2 Type-C 連接埠
- 易於升級零組件, 使系統保有最新硬體同步
- MSI Cloud Center幫助備份您移動設備□Android 和 iOS□的檔案
- MSI Center可根據各種場景和需求輕鬆調整系統模式
- TPM加密設計
- 支援標準VESA安裝



- 1. 1x Headphone-out
- 2. 1x Mic-in
- 3. 4x USB 2.0 Type A
- 4. 1x DC jack
- **5.** 1x HDMI[™] out (2.0)
- 6. 1x DisplayPort (1.4)
- **7.** 1x RJ45
- 8. 1x USB 3.2 Gen 2 Type C / 1x USB 3.2 Gen 2 Type A
- 9. 2x USB 3.2 Gen 1 Type A
- **10.** 1x Mic-in
- 11. 1x Line-out
- 12. 1x Kensington Lock
- 13. 1x COM port



PRO DP10 13M

PRO DP10 13M-069XRU

SPECIFICATION

作業系統	作業系統	N/A
TF ACANAGE	Operating Systems	N/A
	CPU Number	Intel Core i3-1315U
處理器	CPU Clock	1.2GHz
	CPU Cores	6
	TDP	15W
	Cache	10 MB Intel® Smart Cache
	Threads	8
	Max Turbo Frequency	up to 4.50 GHz
	CPU Cooler	Air cooling
Model	Part No	9S6-B0A612-069
	MKT Name	PRO DP10 13M
	MKT Spec	PRO DP10 13M-069XRU
	Color	ID1/White-White
	Model	B0A6
日止和		N/A
晶片組	Chipsets	
	Memory Size	8GB(8GB*1)
	Memory Type	DDR4 SDRAM
	Memory Speed	1600(3200)MHz
記憶體	Module Type	SO-DIMM
記憶體	Memory Slot(Total)	2
	Memory Slot(Free)	1
	Max Capacity	Max 64GB
	Memory Slot (Total/Free)	2/1
	GPU1 VRAM Size	N/A
	VGA I/O Port	N/A
顯示卡	GPU1 Vendor	N/A
mit A) I	GPU1 MKT Name	N/A
	GPU1 Number	N/A
	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB 1
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
儲存裝置	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots (Total/Free)	2/1
	2.5" Drive Bays (Total/Free)	1/1
	3.5" Drive Bays (Total/Free)	0/
	mSATA slots(Free)	0
	M.2 slots(Total)	2
	M.2 slots(Free)	1
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
	3.5" Drive Bays (Free)	0
	-	
音效	Audio Chipset	Realtek ALC256
	Audio Type	2.1 Channel HD Audio
	LAN	Realtek RTL 8125B
Communications	WLAN Version	Wi-Fi 6E+BT
Samedions	BT Version	5.3
	WLAN	INTEL/AX211.NGWG.NV
連接埠(正面)	USB 3.2 Gen 1 Type A	3
	USB 3.2 Gen 2 Type C	1
	Mic-in/Headphone-out combo	1



PRO DP10 13M

PRO DP10 13M-069XRU

	USB 3.2 Gen 1 Type A (R)	2
連接埠(背面) I/O Ports (Side)	Thunderbolt (R)	1x (Thunderbolt 4)
	RJ45	1
	WiFi Antenna	1
	VGA out	1
	HDMI out	1x (v2.0)
	DP out	1x (v1.4)
	USB 3.2 Gen 1 (5G) Type A (R)	2
	Mic-in/Headphone-out combo	1
	USB 3.2 Gen 2 (10G) Type C	1
	USB 3.2 Gen 1 (5G) Type A	3
	Power	120W
	Power Certification	
電源規格		N/A
	Formfactor	N/A
VECA	Туре	ADAPTOR
VESA	VESA size	75 x 75 mm
保固	Warranty	N/A
	Product Dimension (WxDxH) (mm)	178.82 x 34.48 x 179
	Product Dimension (WxDxH) (inch)	7.04 x 1.36 x 7.05
	Inside Carton Dimension (WxDxH) (mm)	249 x 102 x 301
	Inside Carton Dimension (WxDxH) (inch)	9.8 x 4.02 x 11.85
Dimension&Weight	Weight (Net kg)	1.1
Billensionaweight	Net Weight (lbs)	2.43
	Weight (Gross kg)	2.1
	Gross Weight (lbs)	4.63
	Liter	1.1
	Pint	2.32
	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
Mechanical and Environmental	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
Accessories	VESA Mount kit	N/A
	Keyboard	N/A
	Keyboard Interface	N/A
	Mouse	N/A
	Mouse Interface	N/A
	Power Switch	1
Barcode Info	EAN	4711377112017
Dai Code IIIIo	LAIV	71113//11201/