

Be Your Window To The World

PRO DP21 series is designed for various scenarios including business or learning. The 2.3 Liter compact size featuring Intel Core i processor and memory up to dual channel 3200MHz 64GB and it supports 4K@60Hz to improve your productivity.



Picture and logos

SELLING POINTS

- Windows 11 Home - MSI recommends Windows 11 Pro for business
- 最高搭載 Intel® Core™ i7-1360P 處理器
- 體積1.11升，高度 185.5 mm
- Thunderbolt 4 方便與任何設備串連
- 透過 Thunderbolt 支援顯示高達 8K 解析度
- 豐富I/O連接埠，支援外接多達4個顯示器
- 支援Wi-Fi 6E(選配)，速度高達2.4Gbps
- 使用高頻寬和低延遲的 2.5Gbps 乙太網路連接快速傳輸數據
- 配備USB 3.2 Gen 2 Type-C 連接埠
- 易於升級零組件，使系統保有最新硬體同步
- MSI Cloud Center幫助備份您移動設備Android 和 iOS的檔案
- MSI Center可根據各種場景和需求輕鬆調整系統模式
- TPM加密設計
- 支援標準VESA安裝



1. 1x Headphone-out
2. 1x Mic-in
3. 4x USB 2.0 Type A
4. 1x DC jack
5. 1x HDMI™ out (2.0)
6. 1x DisplayPort (1.4)
7. 1x RJ45
8. 1x USB 3.2 Gen 2 Type C / 1x USB 3.2 Gen 2 Type A
9. 2x USB 3.2 Gen 1 Type A
10. 1x Mic-in
11. 1x Line-out
12. 1x Kensington Lock
13. 1x COM port



PRO DP10 13M

PRO DP10 13M-286XRU

SPECIFICATION

作業系統	作業系統	N/A
處理器	CPU Number	Intel Core i7-1360P
	CPU Clock	2.2GHz
	CPU Cores	12
	TDP	28W
	Cache	18 MB Intel® Smart Cache
	Threads	16
	Max Turbo Frequency	up to 5.00 GHz
	CPU Cooler	Air cooling
	Platform TOPS	N/A
	NPU TOPS	N/A
晶片組	Chipsets	Soc
顯示卡	GPU1 VRAM Size	N/A
	VGA I/O Port	N/A
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
記憶體	Memory Size	16GB(8GB*2)
	Memory Type	DDR4 SDRAM
	Module Type	SO-DIMM
	Memory Slot (Total/Free)	2/0
	Max Capacity	Max 64GB
儲存裝置	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots (Total/Free)	2/1
	2.5" Drive Bays (Total/Free)	1/1
	3.5" Drive Bays (Total/Free)	0/
音效	Audio Chipset	Realtek ALC256
	Audio Type	2.1 Channel HD Audio
	D-MIC	N/A
Communications	LAN	Realtek RTL 8125B
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
	WLAN	INTEL/AX211.NGWG.NV
連接埠（正面）	Mic-in/Headphone-out combo	1
	USB 3.2 Gen 2 (10G) Type C	1
	USB 3.2 Gen 1 (5G) Type A	3
	USB 4 (40G) Type C	N/A
	Copilot Button	N/A
連接埠（背面）	Thunderbolt (R)	1x (Thunderbolt 4)
	RJ45	1
	WiFi Antenna	1
	VGA out	1
	HDMI out	1x (v2.0)
	DP out	1x (v1.4)
	USB 3.2 Gen 1 (5G) Type A (R)	2
	Lock type	Kensington Lock
	USB 4 (40G) Type C (R)	N/A
	Configurable port	N/A

電源規格	Power	120W
	Power Certification	N/A
	Formfactor	N/A
	Type	ADAPTOR
VESA	VESA size	75 x 75 mm
Dimension&Weight	Product Dimension (WxDxH) (mm)	178.82 x 34.48 x 179
	Product Dimension (WxDxH) (inch)	7.04 x 1.36 x 7.05
	Inside Carton Dimension (WxDxH) (mm)	249 x 102 x 301
	Inside Carton Dimension (WxDxH) (inch)	9.8 x 4.02 x 11.85
	Weight (Net kg)	1.1
	Net Weight (lbs)	2.43
	Weight (Gross kg)	2.1
	Gross Weight (lbs)	4.63
	Liter	1.1
	Pint	2.32
Mechanical and Environmental	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
保固	Warranty	12months
Accessories	Keyboard Interface	N/A
	Mouse Interface	N/A
	Power Cord	1
	AC Adaptor	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	N/A
	Mouse	N/A
	Power Switch	1
Barcode Info	EAN	4711377395571
Model	Part No	9S6-B0A611-286
	MKT Name	PRO DP10 13M
	MKT Spec	PRO DP10 13M-286XRU
	Color	ID1/Black-Black-Black
	Model	B0A6
Security	TPM module	N/A
	Chassis Lock	N/A
	Chassis Intrusion	N/A