


## Be Your Window To The World



Picture and logos

### SELLING POINTS

- Windows 11 Home - MSI recommends Windows 11 Pro for business
- 最高搭載 Intel® Core™ i7-14700 處理器
- 搭載 NVIDIA GeForce RTX 顯示卡支援高達 8K解析度-在 GeForce RTX 上獲得更高等的 AI 效能
- 豐富I/O連接埠，支援外接多達4個顯示器(視獨立顯卡型號而異)
- 支援Wi-Fi 6E(選配)，速度高達2.4Gbps
- 雙網卡設計(2.5G & 1G LAN)
- 使用高頻寬和低延遲的 2.5Gbps 乙太網路連接快速傳輸數據
- 配備USB 3.2 Gen 2 Type-C 連接埠
- 內建讀卡機支援SD和Micro SD
- 易於升級零組件，使系統保有最新硬體同步
- MSI Cloud Center幫助備份您移動設備(Android 和 iOS)的檔案
- MSI Center可根據各種場景和需求輕鬆調整系統模式
- dTPM加密設計，保護機密數據
- 支援機箱掛鎖和 Kensington 防盜鎖雙重設計



1. 1x Headphone-out / 1x Mic-in
2. 2x USB 3.2 Gen 1 Type A
3. 1x USB 3.2 Gen 2 Type C
4. 1x Card Reader (Support SD & Micro SD Card)
5. 1x HDMI™ out (2.1) / 1x DisplayPort (1.4)
6. 1x D-Sub (VGA)
7. 2x USB 2.0 Type A / 1x PS/2
8. 1x USB 3.2 Gen 1 Type A / 1x RJ45 LAN (2.5G LAN)
9. 2x USB 2.0 Type A / 1x RJ45 LAN (1G LAN)
10. 3x Audio Jack
11. 1x Padlock
12. 1x COM Port
13. 1x Kensington Lock



PRO DP180 14th

PRO DP180 14A-1429TW

SPECIFICATION

|                |                               |                                  |
|----------------|-------------------------------|----------------------------------|
| 作業系統           | 作業系統                          | Windows 11 Pro                   |
| 處理器            | CPU Number                    | Intel Pentium G7400              |
|                | CPU Clock                     | 3.7GHz                           |
|                | CPU Cores                     | 2                                |
|                | TDP                           | 46W                              |
|                | Cache                         | 6 MB Intel® Smart Cache          |
|                | Threads                       | 4                                |
|                | Max Turbo Frequency           | -                                |
|                | CPU Cooler                    | Air cooling 65W                  |
|                | Platform TOPS                 | N/A                              |
|                | NPU TOPS                      | N/A                              |
| 晶片組            | Chipsets                      | H610                             |
| 顯示卡            | GPU1 VRAM Size                | N/A                              |
|                | VGA I/O Port                  | N/A                              |
|                | GPU1 Vendor                   | N/A                              |
|                | GPU1 MKT Name                 | N/A                              |
| 記憶體            | Memory Size                   | 8GB(8GB*1)                       |
|                | Memory Type                   | DDR5 SDRAM                       |
|                | Module Type                   | U-DIMM                           |
|                | Memory Slot (Total/Free)      | 2/1                              |
|                | Max Capacity                  | Max 64GB                         |
| 儲存裝置           | SSD Interface                 | PCIe GEN3x4                      |
|                | SSD Form Factor               | M.2-2280 M-KEY                   |
|                | SSD Config                    | 128GB*1                          |
|                | SSD Size                      | 128GB                            |
|                | HDD1 Interface                | N/A                              |
|                | HDD1 Form Factor              | N/A                              |
|                | HDD1 Size                     | N/A                              |
|                | HDD1 RPM                      | N/A                              |
|                | ODD(Type)                     | N/A                              |
|                | ODD Height                    | N/A                              |
|                | ODD Type                      | N/A                              |
|                | M.2 slots (Total/Free)        | 1/0                              |
|                | 2.5" Drive Bays (Total/Free)  | 1/1                              |
|                | 3.5" Drive Bays (Total/Free)  | 1/1                              |
| 音效             | Audio Chipset                 | Realtek ALC897                   |
|                | Audio Type                    | 7.1 Channel HD Audio             |
|                | D-MIC                         | N/A                              |
| Communications | LAN                           | 1x Intel I226-V+1x Intel I219-V  |
|                | WLAN Version                  | Wi-Fi 6E+BT                      |
|                | BT Version                    | 5.3                              |
|                | WLAN                          | INTEL/AX211.NGWG.NV              |
| 連接埠（正面）        | Audio Mic-in                  | 1                                |
|                | Audio Headphone-out           | 1                                |
|                | USB 3.2 Gen 2 (10G) Type C    | 1                                |
|                | USB 3.2 Gen 1 (5G) Type A     | 2                                |
|                | Card Reader                   | 1                                |
|                | USB 4 (40G) Type C            | N/A                              |
|                | Copilot Button                | N/A                              |
|                | USB 2.0 Type A (R)            | 4                                |
| 連接埠（背面）        | RJ45                          | 2x (2.5G/1G)                     |
|                | VGA out                       | 1                                |
|                | HDMI out                      | 1x (v2.1)                        |
|                | DP out                        | 1x (v1.4)                        |
|                | PS/2                          | 1                                |
|                | COM Port                      | 1                                |
|                | Audio jack                    | 3x (Line in / Line out / MIC in) |
|                | USB 3.2 Gen 1 (5G) Type A (R) | 1                                |
|                | Lock type                     | Kensington Lock, Padlock Lock    |

|                              |                                        |                                                       |
|------------------------------|----------------------------------------|-------------------------------------------------------|
| 電源規格                         | Power                                  | 350W                                                  |
|                              | Power Certification                    | 80PLUSE BORNZE                                        |
|                              | Formfactor                             | ATX                                                   |
|                              | Type                                   | POWER SUPPLY                                          |
| Dimension&Weight             | Product Dimension (WxDxH) (mm)         | 168 x 323 x 369                                       |
|                              | Product Dimension (WxDxH) (inch)       | 6.61 x 12.72 x 14.53                                  |
|                              | Inside Carton Dimension (WxDxH) (mm)   | N/A                                                   |
|                              | Inside Carton Dimension (WxDxH) (inch) | N/A                                                   |
|                              | Weight (Net kg)                        | 7.592                                                 |
|                              | Net Weight (lbs)                       | 16.74                                                 |
|                              | Weight (Gross kg)                      | 9.03                                                  |
|                              | Gross Weight (lbs)                     | 19.91                                                 |
|                              | Liter                                  | 18                                                    |
|                              | Pint                                   | 38.04                                                 |
| Mechanical and Environmental | Operating, Storage Temperature         | 0° C ~ 35° C ; -20° C ~ 60° C                         |
|                              | Operating, Storage Humidity            | 0% ~ 85%;0% ~ 90%                                     |
|                              | Regulatory Compliance                  | BSMI, CB/CE, FCC(Class B), RCM(C-Tick), UL(CUL), VCCI |
| 保固                           | Warranty                               | 36months                                              |
| Accessories                  | Keyboard Interface                     | USB                                                   |
|                              | Mouse Interface                        | USB                                                   |
|                              | Power Cord                             | 1                                                     |
|                              | AC Adaptor                             | N/A                                                   |
|                              | Warranty Card                          | N/A                                                   |
|                              | Quick Guide                            | 1                                                     |
|                              | User Manual                            | N/A                                                   |
|                              | VESA Mount kit                         | N/A                                                   |
|                              | Keyboard                               | SG76130XMA                                            |
|                              | Mouse                                  | SM9023M                                               |
|                              | Power Switch                           | N/A                                                   |
| Barcode Info                 | EAN                                    | 4711377439053                                         |
| Model                        | Part No                                | 9S6-B0A741-1429                                       |
|                              | MKT Name                               | PRO DP180 14A                                         |
|                              | MKT Spec                               | PRO DP180 14A-1429TW                                  |
|                              | Color                                  | ID1/Black-Black-Black                                 |
|                              | Model                                  | B0A7                                                  |
| Security                     | TPM module                             | dTPM                                                  |
|                              | Chassis Lock                           | Kensington Lock, Padlock                              |
|                              | Chassis Intrusion                      | Support                                               |