

## PATH TO THE FUTURE

Inspired by the rigorous quality testing in the production of MSI G series, MSI G series' design is full of symbols of sturdiness and durability. Additionally, to provide quality user experience, G series has really simple installation process and a friendly user interface, and will be the best choice for entry level gamers to step into the game world.



Picture and logos

## SELLING POINTS

- 1000R Perfect Curved Screen - Perfectly fits the curvature of the human eye so that you can see the entire screen without any fatigue.
- WQHD High Resolution - Game titles will even look better, displaying more details due to the WQHD resolution.
- Rapid Boost (170 + 1ms) - Experience smooth gaming with a blazing fast refresh rate and response time.
- Night Vision - See every detail clearly in the dark, helping you find and attack enemies before they notice.
- Adjustable Stand - Maximize your productivity and comfort with the adjustable stand.
- HDMI™ CEC Profile Sync - Set up profiles for multiple sets of devices and can automatically detect your settings.
- Frameless design - Ultimate gameplay experience.
- HDR Ready-Provide eye-catching detail through contrast and shadows adjustment.



1. 5-way joystick navigator
2. 1 x Power Jack
3. 1 x DisplayPort (1.2)
4. 1 x HDMI™ (2.0b)
5. 1 x HDMI™ (2.0b)
6. 1 x Earphone out
7. 1 x Kensington Lock

## SPECIFICATION

Barcode Info	EAN	4719072937867
	UPC	824142281444
	UCC14	10824142281441
Model	Part No	9S6-3CC94T-006
	MKT Name	G272CQP
	MKT Spec	G272CQP
	Entity MKT Name	G272CQP
	Color	ID1/Black-Black
Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	596.736(H)x335.664(V)
	Curvature	Curve 1000R
	Panel Type	VA
	Resolution	2560x1440 (WQHD)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync Premium
	HDR (High dynamic range)	HDR Ready
	SDR Brightness (nits)	300
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	90.9~251.1 KHz(H) / 48~170 Hz(V)
	Refresh Rate	170Hz
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	99.2%/85.4%
	NTSC (CIE1931 area percentage/overlap)	85.1%/79.7%
	sRGB (CIE1976 area percentage/overlap)	113.8%/98.1%
	sRGB (CIE1931 area percentage/overlap)	120.1%/99.5%
	Adobe RGB (CIE1976 area percentage/overlap)	97.5%/88.9%
	Adobe RGB (CIE1931 area percentage/overlap)	89%/83.4%
	DCI-P3 (CIE1976 area percentage/overlap)	90.6%/90.4%
	DCI-P3 (CIE1931 area percentage/overlap)	88.6%/88.4%
	Rec.709 (CIE1976 area percentage/overlap)	113.8%/98.1%
	Rec.709 (CIE1931 area percentage/overlap)	120.1%/99.5%
	Rec.2020 (CIE1976 area percentage/overlap)	66%/66%
	Rec.2020 (CIE1931 area percentage/overlap)	63.5%/63.5%
	Display Colors	1.07B
Color bit	10 bits (8 bits + FRC)	
Note_DP	2560 x 1440 (Up to 170Hz)	
Note_HDMI™	2560 x 1440 (Up to 144Hz)	
Note_DVI	N/A	
I/O Ports	HDMI™	2
	HDMI™ version	2.0b
	HDMI™ HDCP version	2.3
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	2.3
	Headphone-out	1
	Lock type	Kensington Lock
Power	Power Type	External Adaptor 20V 3.25A
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	F
	Adapter's KC safety Number	SU10469-13001
	Power Cord Type	C5

In The Box	3.5mm Mic Cable	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
	DisplayPort Cable	1
	HDMI™ Cable	0
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	4
	Power Cord	1
	AC Adaptor	1
	Warranty Card	0
Quick Guide	1	
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Height)	0 ~ 130 mm
	VESA Mounting	100x100mm
	Frameless Design	Yes
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	1000 x 186 x 515
	Outer Carton Dimension (WxDxH) (inch)	39.37 x 7.32 x 20.28
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	607 x 267 x 426
	Product Dimension with Stand (WxDxH) (inch)	23.9 x 10.51 x 16.77
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	607 x 112 x 372
	Product Dimension without Stand (WxDxH) (inch)	23.9 x 4.41 x 14.65
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	470 x 267 x 410
	Stand Dimension (WxDxH) (inch)	18.5 x 10.51 x 16.14
Dimension & Weight	Inside Carton Dimension (WxDxH) (mm)	985 x 171 x 490
	Inside Carton Dimension (WxDxH) (inch)	38.78 x 6.73 x 19.29
	Weight (Net kg)	6.1
	Weight (Gross kg)	8.9
Weight	Weight Without Stand (kg)	4.3
Warranty	Warranty	36M