

PATH TO THE FUTURE




Selling Points

- 1000R Perfect Curved Screen - Perfectly fits the curvature of the human eye so that you can see the entire screen without any fatigue.
- Rapid Boost (165 + 1ms) - Experience smooth gaming with a blazing fast refresh rate and response time, that gives you the upperhand in fast moving games.
- Night Vision: See every detail clearly in the dark, helping you find and attack enemies before they notice.
- AMD FreeSync Premium Technology - Tear free, stutter free, fluid gaming.
- Anti-Flicker and Less Blue Light - game even longer and prevent eye strain and fatigue.
- Frameless design - Ultimate gameplay experience.
- 178° wide view angle.



Picture and logos: Pictures Monitor



1. Headset Hanger
2. Macro Key
3. 5-way joystick navigator
4. Power Button
5. Power Jack
6. 1x Display Port (1.2a)
7. 1x HDMI w/ CEC (2.0b)
8. 1x HDMI (2.0b)
9. 1x USB Type-C Port (DP Alternate Mode)
10. 1xEarphone out
11. 2x USB 2.0 Type A
12. 1x USB 2.0 Type B Upstream Port
13. Kensington Lock



M O N I T O R

MAG ARTYMIS 324CP

M A G A R T Y M I S 3 2 4 C P

Specification

Color	ID1/Black-Black
Screen Size	31.5" (80 cm)
Active Display Area (mm)	698.4 (H) x 392.85 (V)
Curvature	Curve 1000R
Panel Type	VA
Resolution	1920x1080 (FHD)
Aspect Ratio	16:9
Dynamic Refresh Rate technology	FreeSync Premium
HDR (High dynamic range)	HDR Ready
SDR Brightness (nits)	300
Contrast Ratio	3000:1
DCR (Dynamic Contrast Ratio)	100000000:1
Signal Frequency	30~200 KHz(H) / 48~165 Hz(V)
Refresh Rate	165HZ
Response Time (MPRT)	1ms(MPRT)
Response Time (GTG)	4ms
Response Time (Tr + Tf)	N/A
View Angles	178°(H)/178°(V)
NTSC (CIE1976 area percentageoverlap)	101.8%/85.4%
NTSC (CIE1931 area percentageoverlap)	85.2%/79.0%
sRGB (CIE1976 area percentageoverlap)	116.8%/99.4%
sRGB (CIE1931 area percentageoverlap)	120.3%/99.8%
Adobe RGB (CIE1976 area percentageoverlap)	100.1%/90.1%
Adobe RGB (CIE1931 area percentageoverlap)	89.1%/83.3%
DCI-P3 (CIE1976 area percentageoverlap)	93.0%/92.6%
DCI-P3 (CIE1931 area percentageoverlap)	88.7%/88.4%
Rec.709 (CIE1976 area percentageoverlap)	116.8%/99.4%
Rec.709 (CIE1931 area percentageoverlap)	120.3%/99.8%
Surface Treatment	Anti-glare
Display Colors	1.07B
Color bit	10 bits (8 bits + FRC)
Note_DP	1920 x 1080 (Up to 165Hz)
Note_HDMI	1920 x 1080 (Up to 165Hz)
Note_DVI	N/A
HDMI	2
HDMI version	2.0b
HDMI HDCP version	2.2
DisplayPort	1
DisplayPort version	1.2a
DisplayPort HDCP version	2.2
Thunderbolt version	NA
Thunderbolt HDCP version	NA
USB Type C (DisplayPort Alternate)	1
DVI	NA
D-Sub	NA
Mic-in	NA
Mic-in upstream	N/A
Headphone-out	1
Audio Combo	NA
USB 2.0 Type B	1
USB 3.2 Gen 1 Type B	NA
Lock type	Kensington Lock
Power Type	Power Cable
Power Input	100~240V, 50/60Hz
Adapter's KC safety Number	N/A
Power Cord Type	C13
QC Output	NA
QC Output Power	N/A
PD Output	Type C
PD Output Power	5V/3A
Adjustment (Tilt)	-5° ~ 20°
Adjustment (Swivel)	-30° ~ 30°
Adjustment (Height)	0 ~ 100 mm



MONITOR

MAG ARTYMIS 324CP

MAG ARTYMIS 324CP

Adjustment (Pivot)	NA
VESA Mounting	100x100mm
Frameless Design	Yes
Outer Carton Dimension (WxDxH) (mm)	897 x 248 x 575
Outer Carton Dimension (WxDxH) (inch)	35.31 x 9.76 x 22.64
Product Dimension with Stand (WxDxH) (mm)	701.4 x 317.7 x 473.4
Product Dimension with Stand (WxDxH) (inch)	27.61 x 12.51 x 18.64
Product Dimension without Stand (WxDxH) (mm)	701.4 x 141.1 x 428.0
Product Dimension without Stand (WxDxH) (inch)	27.61 x 5.56 x 16.85
Thunderbolt	NA
USB 2.0 Type A	2
USB 2.0 Type C	NA
USB 3.2 Gen 1 Type A	NA
USB 3.2 Gen 1 Type C	NA
USB 3.2 Gen 2x2 Type C	NA
USB 3.2 Gen 2x2 Type A	NA
Card Reader	NA
Stand Dimension (WxDxH) (mm)	81.8 x 77.3 x 380.9
Stand Dimension (WxDxH) (inch)	3.22 x 3.04 x 15
Inside Carton Dimension (WxDxH) (mm)	882 x 233 x 550
Inside Carton Dimension (WxDxH) (inch)	34.72 x 9.17 x 21.65
Weight (Net kg)	8.7
Weight (Gross kg)	11.8
DisplayPort Cable	1
HDMI Cable	1
DVI Cable	0
USB Type A to Type B Cable	1
USB Type C to Type A Cable	0
USB Type C to Type C Cable	0
Thunderbolt Cable	0
VGA Cable	0
3.5mm audio Cable	0
3.5mm combo audio Cable	0
Warranty	36M
Power Cord	1
AC Adaptor	0
Quick Guide	1
Warranty Card	1
EAN	4719072794422