

PATH TO THE FUTURE



Selling Points

- 1000R Perfect Curved Screen - Perfectly fits the curvature of the human eye so that you can see the entire screen without any fatigue.
- UWQHD High Resolution - Game titles will even look better, displaying more details due to the UWQHD resolution.
- Smart Gaming - Pair with AI to Create A New Way of Gaming.
- True Color Sync - With True Color Sync, you can maintain the same color display and avoid color differences between devices.
- Rapid Boost (165Hz + 1ms) - Experience smooth gaming with a blazing fast refresh rate and response time, that gives you the upperhand in fast moving games.
- HDR400 + 10 bits - It has passed the VESA HDR Display 400 Certification, meaning it can provide a display with the most realistic colors.
- Gaming OSD App - Create the ultimate viewing settings for your game.
- CEC Profile - Set up profiles for multiple sets of devices and can automatically detect your settings.
- Mobile Projector-It is specially designed to display mobile phones with an 18:9 PBP screen on computer devices and keep it close to 1 ...



Picture and logos

1. Headset Hanger
2. Macro Key
3. 5-way joystick navigator
4. Power Button
5. 2x HDMI (2.0)
6. 1x Display Port (1.4)
7. 1x USB 3.2 Gen1 Type C
8. 1x Earphone out
9. 2x USB 3.2 Gen1 Type A
10. 1x USB 3.2 Gen1 Type B Upstream Port
11. Kensington Lock



Specification

Display	Screen Size	34" (86.36 cm)
	Active Display Area (mm)	797.22*333.72 mm
	Curvature	Curve 1000R
	Panel Type	VA
	Resolution	3440x1440 (UWQHD)
	Pixel pitch	0.23175(H)X0.23175(V)
	Aspect Ratio	21:9
	Dynamic Refresh Rate technology	FreeSync Premium
	HDR (High dynamic range)	HDR400
	SDR Brightness (nits)	400
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	71.52~245.85 KHz(H) / 48~165 Hz(V)
	Activated Range	48Hz-165Hz
	Refresh Rate	165HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	102.7%/86.3%
	NTSC (CIE1931 area percentage/overlap)	86.2%/79.8%
	sRGB (CIE1976 area percentage/overlap)	117.8%/98.6%
	sRGB (CIE1931 area percentage/overlap)	121.8%/99.6%
	Adobe RGB (CIE1976 area percentage/overlap)	100.9%/90.4%
	Adobe RGB (CIE1931 area percentage/overlap)	90.2%/84%
	DCI-P3 (CIE1976 area percentage/overlap)	93.8%/92.7%
	DCI-P3 (CIE1931 area percentage/overlap)	89.8%/89%
	Rec.709 (CIE1976 area percentage/overlap)	117.8%/98.6%
Rec.709 (CIE1931 area percentage/overlap)	117.8%/98.6%	
Display Colors	1.07B	
Color bit	10 bits (8 bits + FRC)	
Note_DP	3440 x 1440 (Up to 165Hz)	
Note_HDMI™	3440 x 1440 (Up to 100Hz)	
Note_DVI	N/A	
Onboard Graphics	HDMI™	2



MONITOR

MPG ARTYMIS 343CQR

MPG ARTYMIS 343CQR

I/O Ports	HDMI™ version	2.0
	HDMI™ HDCP version	2.2
	DisplayPort	1
	DisplayPort version	1.4
	DisplayPort HDCP version	2.2
	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
	Lock type	Kensington Lock
	USB 3.2 Gen 1 Type B	1
	USB 5Gbps (USB 3.2 Gen 1 Type-A)	2
I/O Ports (Front)	Power Supply Type	Power Cable
	Power Input	100~240V, 50/60Hz
	Adapter's KC safety Number	N/A
	Power Cord Type	C13
In The Box	DisplayPort Cable	1
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	0
	Warranty Card	1
	Quick Guide	1
	Design	Adjustment (Tilt)
Adjustment (Swivel)		-30° ~ 30°
Adjustment (Height)		0 ~ 100 mm
VESA Mounting		100x100mm
Frameless Design		Yes
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	897 x 295 x 515
	Outer Carton Dimension (WxDxH) (inch)	35.31 x 11.61 x 20.28
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	795.3 x 315.6 x 422.5
	Product Dimension with Stand (WxDxH) (inch)	31.31 x 12.43 x 16.63
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	795.3 x 163.1 x 365.5
	Product Dimension without Stand (WxDxH) (inch)	31.31 x 6.42 x 14.39
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	633.5 x 315.6 x 371.1
	Stand Dimension (WxDxH) (inch)	24.94 x 12.43 x 14.61
Dimension & Weight	Inside Carton Dimensions (WxDxH) (mm)	882 x 280 x 490
	Inside Carton Dimensions (WxDxH) (inch)	34.72 x 11.02 x 19.29
	Weight (Net kg)	9.17
	Weight (Gross kg)	12.9
Warranty	Warranty	36M
Model	SKU Number	0
Barcode Info	EAN	4719072744328
	UPC	824142222553
	UCC14	10824142222550