

SPECIFICATION

Model	Part No	9S6-3PB70H-003
	MKT Name	PRO MP161
	MKT Spec	PRO MP161
	SKU Number	9S6-3PB70H-003
	Entity MKT Name	PRO MP161
	Color	ID1/Iron Gray-Iron Gray
Display	Screen Size	15.6" (39.6 cm)
	Active Display Area (mm)	344.16(H)×193.59(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch (mm)	0.17925(H)×0.17925(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	Adaptive-Sync
	Dynamic Refresh Rate Activated Range	48~60Hz
	SDR Brightness (nits)	250
	Contrast Ratio	600:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	104.9~132 KHz(H) / 48~60 Hz(V)
	Refresh Rate	60Hz
	Response Time (GTG)	4ms
	Response Time (Tr + Tf)	25ms
	View Angles	170°(H)/170°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	44%/44%
	NTSC (CIE1931 area percentage/overlap)	45%/45%
	sRGB (CIE1976 area percentage/overlap)	51%/35%
	sRGB (CIE1931 area percentage/overlap)	63%/63%
	Adobe RGB (CIE1976 area percentage/overlap)	43%/43%
	Adobe RGB (CIE1931 area percentage/overlap)	47%/47%
	DCI-P3 (CIE1976 area percentage/overlap)	40%/37%
	DCI-P3 (CIE1931 area percentage/overlap)	46%/46%
	Rec.709 (CIE1976 area percentage/overlap)	51%/35%
	Rec.709 (CIE1931 area percentage/overlap)	63%/63%
	Rec.2020 (CIE1976 area percentage/overlap)	29%/29%
	Rec.2020 (CIE1931 area percentage/overlap)	33%/33%
Display Colors	262K	
Color bit	6 bits	
I/O Ports	HDMI™	1
	HDMI™ version	2.0b
	HDMI™ HDCP version	2.3
	USB Type C (DisplayPort Alternate)	2
	Speaker	2
I/O Ports (Rear)	Card Reader	N/A
Power	Annual Energy Consumption (KWh)	7
	Power Type	USB Cable
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	C
	Adapter's KC safety Number	N/A
	QC Output Power	N/A

In The Box	3.5mm Mic Cable	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
	DisplayPort Cable	0
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	1
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	0
	Power Cord	0
	AC Adaptor	0
	Warranty Card	0
	Quick Guide	1
Design	Adjustment (Tilt)	0° ~ 180°
Dimension & Weight	Inside Carton Dimension (WxDxH) (inch)	N/A
	Weight (Net kg)	0.75kg
	Weight (Gross kg)	N/A
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	362.26 x 232.92 x 17.8
	Product Dimension with Stand (WxDxH) (inch)	14.26 x 9.17 x 0.7
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	134.91 x 39 x 7.5
	Stand Dimension (WxDxH) (inch)	5.31 x 1.54 x 0.3
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	362.26 x 232.92 x 10.8
	Product Dimension without Stand (WxDxH) (inch)	14.26 x 9.17 x 0.43
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (inch)	N/A
Weight	Weight Without Stand (kg)	N/A
Warranty	Warranty	24M
Barcode Info	EAN	4711377022088
	UPC	824142303832
	UCC14	10824142303839