


Be Your Window To The World



Picture and logos

SELLING POINTS

- Windows 11 Home - MSI consiglia Windows 11 Pro per le aziende
- Pannello LED IPS da 23,8" con retroilluminazione (1920 x 1080 FHD) con tecnologie anti-sfarfallio e luce blu ridotta certificate TUV
- Fino a processore Intel® Core™ i7 150U con memoria DDR5
- Touchscreen in-cell a 10 punti (Non touch per Modern AM242P 1M)
- Il supporto regolabile offre un ambiente di lavoro comodo
- La tecnologia Instant Display consente alla serie Modern AM242 di funzionare come monitor senza richiedere l'avvio del sistema.
- dTPM e la webcam FHD integrata con Windows Hello migliorano la privacy dell'utente e proteggono i dati confidenziali
- Il design MSI Storage Rapid Upgrade facilita l'aggiornamento o la manutenzione rapida dello storage da 2,5"
- MSI Cloud Center consente agli utenti di creare un cloud privato e eseguire il backup dei file da dispositivi Android e iOS
- MSI AI Engine rileva automaticamente gli scenari utente e regola le prestazioni, gli effetti sonori e la modalità di visualizzazione di conseguenza
- Test di affidabilità 24/7



1. 2x USB3.2 Gen 2 Type C
2. 2x USB3.2 Gen 2 Type A
3. 1x Mic-in/Headphone-out combo
4. 1x Switchable 2.5" Storage
5. 5-Way Navigator
6. 1x DC-in
7. 1x Kensington Lock
8. 1x HDMI™ in
9. 1x HDMI™ out (supports 4K @60Hz as specified in HDMI™ 2.1)
10. 2x USB 2.0 Type A
11. 1x RJ45 LAN
12. 1x Removable Webcam Cover

SPECIFICATION

Operating Systems	Operating Systems	Windows 11 IoT Enterprise
Model	Part No	9S6-AE0721-2223
	MKT Name	Modern AM242TP 1M
	MKT Spec	Modern AM242TP 1M-2223EU
	Color	ID1/Black-Black-Black
	SKU Number	00-AE0721-2223
Chipset	Chipsets	SoC
Memory	Memory Size	16GB(8GB*2)
	Memory Type	DDR5 SDRAM
	Memory Speed	2800(5600)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	0
Processor	Max Capacity	Max 64GB
	CPU Number	Intel Core 3 Processor 100U
	CPU Clock	1.2GHz
	CPU Cores	6
	TDP	15W
	Max Turbo Frequency	up to 4.70 GHz
	Cache	10 MB Intel® Smart Cache
Display	Threads	8
	View Angles	178°(H)/178°(V)
	Touch Screen	10 Points Projected Capacitive Touch Screen
	Screen Size	23.8" (60cm)
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Refresh Rate	N/A
Discrete Graphics	Response Time (GTG)	14ms
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	UMA
	GPU1 VRAM Size	N/A
Audio	GPU1 VRAM Type	N/A
	Audio Chipset	Realtek ALC256
Storage	Audio Type	2.1 Channel HD Audio
	SSD Interface	PCIe GEN4x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
2.5" Drive Bays (Free)	1	
3.5" Drive Bays(Free)	0	
Communications	LAN	Realtek RTL8111H
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
Input Device	Webcam	internal webcam
	Webcam Resolution	N/A

I/O Ports (Side)	Mic-in/Headphone-out combo	1
	USB 3.2 Gen 2 (10G) Type C	2
	USB 3.2 Gen 2 (10G) Type A	2
I/O Ports (Rear)	USB 2.0 Type A (R)	2
	RJ45	1
	HDMI out	1x (v2.1)
	HDMI in	1
	Lock type	Kensington
Warranty	Warranty	36months
Dimension & Weight	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Holder (WxDxH) (inch)	N/A
	Product Dimension with Stand (WxDxH) (mm)	N/A
	Product Dimension with Stand (WxDxH) (inch)	N/A
	Weight (Net kg)	N/A
	Weight (Net lbs)	N/A
	Weight (Gross kg)	N/A
	Weight (Gross lbs)	N/A
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Stand (WxDxH) (mm)	N/A
	Inside Carton Dimension with Stand (WxDxH) (inch)	N/A
STAND	Adjustment (Tilt)	-5°~20° ±2°
	Adjustment (Swivel)	N/A
	Adjustment (Height)	0~130mm
	Adjustment (Pivot)	N/A
Power	AC Adapter Output	120W
VESA	VESA size	75 x 75 mm
Regulatory Compliance	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
In The Box	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	N/A
	Keyboard Interface	N/A
	Mouse	N/A
Mouse Interface	N/A	
Barcode Info	EAN	4711377410083
Security	TPM module	N/A
	Chassis Lock	N/A