

# Be Your Window To The World



Picture and logos

## SELLING POINTS

- Windows 11 Home - MSI consiglia Windows 11 Pro per il business
- Display IPS Grade da 21,5" con retroilluminazione LED (1920 x 1080 FHD)
- Fino a processori Intel® Core™ i7-14700 Raptor Lake con memoria DDR4
- Le tecnologie MSI Anti-Flicker & Less Blue Light proteggono gli occhi degli utenti
- Webcam integrata con cover per proteggere la privacy
- Touch Screen Capacitivo Proiettato a 10 punti per un'esperienza di apprendimento intuitiva a casa o in ufficio
- MSI Storage Rapid Upgrade Design consente di aggiornare o mantenere rapidamente il tuo storage da 2,5"
- Fino al 75% di latenza in meno con la tecnologia WiFi 6E (opzionale)
- Un All-in-One che può diventare anche un monitor con la tecnologia MSI Instant Display
- Il design dTPM protegge i tuoi dati riservati con chiavi di crittografia
- Doppia LAN: il modo migliore per eseguire il backup dei file / proteggere i dati ed evitare gli hacker (con BIOS esclusivo MSI)
- Immergiti nel suono con DTS Audio Processing
- Silent PRO Cooling System: il modulo termico di livello server garantisce un funzionamento silenzioso e stabile con un ciclo di vita più lungo



1. 1x Card reader
2. 1x USB 3.2 Gen 1 Type A
3. 1x USB 3.2 Gen 1 Type C
4. 1x HDMI-out
5. 1x HDMI-in
6. 1x COM Port
7. 2x USB 3.2 Gen 2 Type A
8. 2x RJ45
9. 2x USB 2.0 Type A
10. 1x Line-in
11. 1x Headphone-out
12. 1x DC-in
13. 1x Kensington Lock
14. 1x 2.5" Rapid Upgrade Slot
15. 1x 5-Way Navigator

## SPECIFICATION

Operating Systems	Operating Systems	Windows 11 Pro
Model	Part No	9S6-AC0152-602
	MKT Name	PRO AP222T 14MA
	MKT Spec	PRO AP222T 14MA-602EU
	Color	ID1/White-White-White
	SKU Number	00-AC0152-602
Chipset	Chipsets	H610
Memory	Memory Size	16GB(8GB*2)
	Memory Type	DDR5 SDRAM
	Memory Speed	2800(5600)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	0
	Max Capacity	Max 64GB
Processor	CPU Number	Intel Core i5 Processor 14400
	CPU Clock	2.5GHz
	CPU Cores	10
	TDP	65W
	Max Turbo Frequency	up to 4.70 GHz
	Cache	20 MB Intel® Smart Cache
	Threads	16
Display	View Angles	178°(H)/178°(V)
	Touch Screen	10 Points Projected Capacitive Touch Screen
	Screen Size	21.5" (55 cm)
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Refresh Rate	75Hz
	Response Time (GTG)	14ms (Typ)
Discrete Graphics	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	UMA
	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
Audio	Audio Chipset	Realtek ALC897
	Audio Type	4 Channel HD Audio
Storage	SSD Interface	PCIe GEN4x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
3.5" Drive Bays(Free)	0	
Communications	LAN	Realtek RTL8111H
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
Input Device	Webcam	internal webcam
	Webcam Resolution	1.0MP (720P)

I/O Ports (Side)	Card Reader	1
	USB 3.2 Gen 1 (5G) Type C	1
	USB 3.2 Gen 1 (5G) Type A	1
I/O Ports (Rear)	USB 2.0 Type A (R)	2
	RJ45	2
	HDMI out	1x (v2.1)
	HDMI in	1
	COM Port	1
	Lock type	Kensington
	USB 3.2 Gen 2 (10G) Type A (R)	2
	Mic-in (R)	1
	Headphone-out (R)	1
	USB 2.0 Type B Upstream (R)	1
	Warranty	Warranty
Dimension & Weight	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Holder (WxDxH) (inch)	N/A
	Product Dimension with Stand (WxDxH) (mm)	499.25 x 209.37 x 372.96
	Product Dimension with Stand (WxDxH) (inch)	19.66 x 8.24 x 14.68
	Weight (Net kg)	5.9
	Weight (Net lbs)	13.01
	Weight (Gross kg)	9.02
	Weight (Gross lbs)	19.89
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Stand (WxDxH) (mm)	582 x 237 x 499
Inside Carton Dimension with Stand (WxDxH) (inch)	22.91 x 9.33 x 19.65	
STAND	Adjustment (Tilt)	-5°~15°
Power	AC Adapter Output	120W
VESA	VESA size	100 x 100 mm
Regulatory Compliance	Regulatory Compliance	BSMI CB/CE FCC(Class B) RCM(C-Tick) UL(CUL) VCCI
In The Box	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	SG761402IA
	Keyboard Interface	USB
	Mouse	SM9023MW
	Mouse Interface	USB
Barcode Info	EAN	4711377404402
Security	TPM module	dTPM
	Chassis Lock	Kensington Lock