

## Be Your Window To The World



Picture and logos

### SELLING POINTS

- Windows 11 Home - MSI consiglia Windows 11 Pro per il business
- Display IPS Grade da 21,5" con retroilluminazione LED (1920 x 1080 FHD)
- Fino a processori Intel® Core™ i7-14700 Raptor Lake con memoria DDR4
- Le tecnologie MSI Anti-Flicker & Less Blue Light proteggono gli occhi degli utenti
- Webcam integrata con cover per proteggere la privacy
- Touch Screen Capacitivo Proiettato a 10 punti per un'esperienza di apprendimento intuitiva a casa o in ufficio
- MSI Storage Rapid Upgrade Design consente di aggiornare o mantenere rapidamente il tuo storage da 2,5"
- Fino al 75% di latenza in meno con la tecnologia WiFi 6E (opzionale)
- Un All-in-One che può diventare anche un monitor con la tecnologia MSI Instant Display
- Il design dTPM protegge i tuoi dati riservati con chiavi di crittografia
- Doppia LAN: il modo migliore per eseguire il backup dei file / proteggere i dati ed evitare gli hacker (con BIOS esclusivo MSI)
- Immergiti nel suono con DTS Audio Processing
- Silent PRO Cooling System: il modulo termico di livello server garantisce un funzionamento silenzioso e stabile con un ciclo di vita più lungo



1. 1x Card reader
2. 1x USB 3.2 Gen 1 Type A
3. 1x USB 3.2 Gen 1 Type C
4. 1x HDMI-out
5. 1x HDMI-in
6. 1x COM Port
7. 2x USB 3.2 Gen 2 Type A
8. 2x RJ45
9. 2x USB 2.0 Type A
10. 1x Line-in
11. 1x Headphone-out
12. 1x DC-in
13. 1x Kensington Lock
14. 1x 2.5" Rapid Upgrade Slot
15. 1x 5-Way Navigator

## SPECIFICATION

Operating Systems	Operating Systems	Windows 11 Pro
Model	Part No	9S6-AC0151-603
	MKT Name	PRO AP222T 14MA
	MKT Spec	PRO AP222T 14MA-603EU
	Color	ID1/Black-Black-Black
	SKU Number	00-AC0151-603
Chipset	Chipsets	H610
Memory	Memory Size	8GB(8GB*1)
	Memory Type	DDR5 SDRAM
	Memory Speed	2800(5600)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	1
Processor	Max Capacity	Max 64GB
	CPU Number	Intel Core i3 Processor 14100
	CPU Clock	3.5GHz
	CPU Cores	4
	TDP	60W
	Max Turbo Frequency	up to 4.70 GHz
	Cache	12 MB Intel® Smart Cache
Display	Threads	8
	View Angles	178°(H)/178°(V)
	Touch Screen	10 Points Projected Capacitive Touch Screen
	Screen Size	21.5" (55 cm)
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Refresh Rate	75Hz
Discrete Graphics	Response Time (GTG)	14ms (Typ)
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	UMA
	GPU1 VRAM Size	N/A
Audio	GPU1 VRAM Type	N/A
	Audio Chipset	Realtek ALC897
Storage	Audio Type	4 Channel HD Audio
	SSD Interface	PCIe GEN4x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
2.5" Drive Bays (Free)	1	
3.5" Drive Bays(Free)	0	
Communications	LAN	Realtek RTL8111H
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
Input Device	Webcam	internal webcam
	Webcam Resolution	1.0MP (720P)

I/O Ports (Side)	Card Reader	1
	USB 3.2 Gen 1 (5G) Type C	1
	USB 3.2 Gen 1 (5G) Type A	1
I/O Ports (Rear)	USB 2.0 Type A (R)	2
	RJ45	2
	HDMI out	1x (v2.1)
	HDMI in	1
	COM Port	1
	Lock type	Kensington
	USB 3.2 Gen 2 (10G) Type A (R)	2
	Mic-in (R)	1
	Headphone-out (R)	1
	USB 2.0 Type B Upstream (R)	1
	Warranty	Warranty
Dimension & Weight	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Holder (WxDxH) (inch)	N/A
	Product Dimension with Stand (WxDxH) (mm)	499.25 x 209.37 x 372.96
	Product Dimension with Stand (WxDxH) (inch)	19.66 x 8.24 x 14.68
	Weight (Net kg)	5.9
	Weight (Net lbs)	13.01
	Weight (Gross kg)	9.02
	Weight (Gross lbs)	19.89
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Stand (WxDxH) (mm)	582 x 237 x 499
Inside Carton Dimension with Stand (WxDxH) (inch)	22.91 x 9.33 x 19.65	
STAND	Adjustment (Tilt)	-5°~15°
Power	AC Adapter Output	120W
VESA	VESA size	100 x 100 mm
Regulatory Compliance	Regulatory Compliance	BSMI CB/CE FCC(Class B) RCM(C-Tick) UL(CUL) VCCI
In The Box	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	SG761412IA
	Keyboard Interface	USB
	Mouse	SM9023M
	Mouse Interface	USB
Barcode Info	EAN	4711377404419
Security	TPM module	dTPM
	Chassis Lock	Kensington Lock