


## Stable Foundation, Durably Built



Picture and logos

## SELLING POINTS

- Supporta processori desktop AMD Ryzen™ serie 9000 / 8000 / 7000
- Supporta memoria DDR5, Dual Channel DDR5 8200+ MT/s (OC)
- Ultra Prestazioni: Sistema di alimentazione a 14+2+1 fasi Duet Rail, doppi connettori di alimentazione CPU a 8 pin, Core Boost, Memory Boost, PCB a 6 strati realizzato con rame spesso 2oz e materiali di livello server
- Frozr Guard: Dissipatore esteso, pad termici MOSFET da 7W/mK, pad termici aggiuntivi per choke e EZ M.2 Shield Frozr II progettati per sistemi ad alte prestazioni e esperienza continua
- EZ DIY: EZ M.2 Shield Frozr II, EZ M.2 Clip II, EZ PCIe Release e EZ Antenna
- Esperienza di gioco ultraveloce: slot PCIe 5.0, Lightning Gen 5 x4 M.2, USB Type-C frontale
- LAN 5G con soluzione Wi-Fi 7: l'ultima soluzione per uso professionale e multimediale, che garantisce rete e trasmissione dati sicure, stabili e ad alta velocità
- Audio Boost 5: Offri alle tue orecchie una qualità audio da studio per un'esperienza di gioco più immersiva



1. Clear CMOS Button
2. USB 10Gbps (Type-A)
3. USB 5Gbps (Type-A)
4. USB 2.0
5. 5G LAN
6. Wi-Fi / Bluetooth
7. Audio Connectors
8. Flash BIOS Button
9. HDMI™
10. USB 10Gbps (Type-C)
11. USB 20Gbps (Type-C)
12. USB 10Gbps (Type-A)
13. Optical S/PDIF Out

**SPECIFICATION**

Chipset	Platform	AMD
	Chipset Marketing Name	B850
CPU SUPPORT	CPU Support	Supports AMD Ryzen™ 9000/ 8000/ 7000 Series Desktop Processors
	Socket	Socket AM5
Memory	Memory Qty	4
	Memory Type	DDR5 UDIMM
Onboard Graphics	HDMI™	1
	DVI	N/A
	D-Sub	N/A
	Onboard Graphics note	*Available only on processors featuring integrated graphics. Graphics specifications may vary depending on the CPU installed.
EXPANSION SLOT	PCI-E x16 slot (Qty)	2
	PCI-E x1 slot (Qty)	1
	PCI slot (Qty)	N/A
	PCI_E1 Gen	PCIe 5.0
	PCI_E1 bandwidth	x16
	PCI_E2 Gen	PCIe 4.0
	PCI_E2 bandwidth	x4
	PCI_E3 Gen	PCIe 3.0
	PCI_E3 bandwidth	x1
	PCI_E4 Gen	N/A
	PCI_E4 bandwidth	N/A
	PCI_E5 Gen	N/A
	PCI_E5 bandwidth	N/A
	PCI_E6 Gen	N/A
PCI_E6 bandwidth	N/A	
Storage	U.2 (Qty)	N/A
	M.2 (Qty)	3
	M.2_1 (Gen3/Gen4/Gen5)	PCIe 5.0 x4
	M.2_1 (SATA mode)	N/A
	M.2_2 (Gen3/Gen4/Gen5)	PCIe 4.0 x4
	M.2_2 (SATA mode)	N/A
	M.2_3 (Gen3/Gen4/Gen5)	PCIe 4.0 x4
	M.2_3 (SATA mode)	N/A
	M.2_4 (Gen3/Gen4/Gen5)	N/A
	M.2_4 (SATA mode)	N/A
	M.2_5 (Gen3/Gen4/Gen5)	N/A
	M.2_5 (SATA mode)	N/A
	M.2_6 (Gen3/Gen4/Gen5)	N/A
	M.2_6 (SATA mode)	N/A
M.2_7 (Gen3/Gen4/Gen5)	N/A	
M.2_7 (SATA mode)	N/A	
SATA 6G (Qty)	4	
Multi-GPU	Supports NVIDIA® SLI™ Technology	N/A
	AMD MULTI-GPU Support	Yes
LAN	LAN Chip	Realtek® 8126VB 5G LAN
WIRELESS / BLUETOOTH	Wi-Fi Module	Wi-Fi 7 Solution
	Bluetooth SPEC	Supports Bluetooth® 5.4**, MLO, 4KQAM
BACK PANEL PORTS	I/O Description	<ol style="list-style-type: none"> <li>1. Clear CMOS Button</li> <li>2. USB 10Gbps Type-A</li> <li>3. USB 5Gbps Type-A</li> <li>4. USB 2.0</li> <li>5. 5G LAN</li> <li>6. Wi-Fi / Bluetooth</li> <li>7. Audio Connectors</li> <li>8. Flash BIOS Button</li> <li>9. HDMI™</li> <li>10. USB 10Gbps Type-C</li> <li>11. USB 20Gbps Type-C</li> <li>12. USB 10Gbps Type-A</li> <li>13. Optical S/PDIF Out</li> </ol>
	PCB Dimension (W × L)	PCB Form Factor

\*2026-06-04 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products.\*