

# Be Your Window To The World



Picture and logos

## SELLING POINTS

- Windows 11 Home – MSI consiglia Windows 11 Pro per le aziende
- Design da 0,51 litri con supporto VESA
- Fino a processore Intel® Core™ Ultra 7 155H con Intel® Boost NPU
- Memoria DDR5 SO-DIMM dual channel
- Due porte Thunderbolt™ 4, doppia LAN 2.5G e supporto dTPM
- Supporto per quadruplo display e design facile da aggiornare
- MSI Power Link: Cubi NUC può essere alimentato da un monitor tramite la tecnologia MSI Power Link
- MSI AI Engine: ottimizza l'esperienza utente senza configurazione manuale
- Power Meter consente il risparmio energetico con un clic, il calcolo delle emissioni di carbonio e la stima dei costi dell'elettricità
- Realizzato con plastiche riciclate PCR; cartone certificato FSC™; riduzione dei rifiuti con polpa modellata riciclata (100% riciclabile); prodotto con il 99% di energia rinnovabile in fabbrica



1. 1x USB 10Gbps Type A
2. 1x USB 10Gbps Type A
3. 1x USB 10Gbps Type C
4. 1x Kensington Lock Slot
5. 1x External Power Switch Slot
6. 1x DC Jack
7. 1x HDMI out (supports 4K @60Hz as specified in HDMI 2.1) which supports the MSI Power Link
8. 2x RJ45 LAN (2.5G)
9. 1x HDMI out (supports 4K @60Hz as specified in HDMI 2.1)
10. 2x RJ45 (2.5G)
11. 1x HDMI out (supports 4K @60Hz as specified in HDMI 2.1)
12. 1x Thunderbolt 4 (DP 1.4 alt-mode up to 4K@60Hz / PD-out 15W)
13. 1x Thunderbolt 4 (DP 1.4 alt-mode up to 4K@60Hz / PD-out 15W)



Cubi NUC AI 1UMG

CUBI NUC AI 1UMG-067BEU

SPECIFICATION

|                   |                              |                                      |
|-------------------|------------------------------|--------------------------------------|
| Operating Systems | Operating Systems            | N/A                                  |
| Processor         | CPU Number                   | Intel Core Ultra 5 processor 125H    |
|                   | CPU Clock                    | 1.2GHz                               |
|                   | CPU Cores                    | 14                                   |
|                   | TDP                          | 28W                                  |
|                   | Cache                        | 18 MB Intel® Smart Cache             |
|                   | Threads                      | 18                                   |
|                   | Max Turbo Frequency          | up to 4.50 GHz                       |
|                   | CPU Cooler                   | Air cooling                          |
|                   | Platform TOPS                | Up to 36                             |
|                   | NPU TOPS                     | Up to 11                             |
| Chipset           | Chipsets                     | Soc                                  |
| Discrete Graphics | GPU1 VRAM Size               | N/A                                  |
|                   | VGA I/O Port                 | N/A                                  |
|                   | GPU1 Vendor                  | N/A                                  |
|                   | GPU1 MKT Name                | N/A                                  |
| Memory            | Memory Size                  | N/A                                  |
|                   | Memory Type                  | N/A                                  |
|                   | Module Type                  | SO-DIMM                              |
|                   | Memory Slot (Total/Free)     | 2/2                                  |
|                   | Max Capacity                 | Max 64GB                             |
| Storage           | SSD Interface                | N/A                                  |
|                   | SSD Form Factor              | N/A                                  |
|                   | SSD Config                   | N/A                                  |
|                   | SSD Size                     | N/A                                  |
|                   | HDD1 Interface               | N/A                                  |
|                   | HDD1 Form Factor             | N/A                                  |
|                   | HDD1 Size                    | N/A                                  |
|                   | HDD1 RPM                     | N/A                                  |
|                   | ODD(Type)                    | N/A                                  |
|                   | ODD Height                   | N/A                                  |
|                   | ODD Type                     | N/A                                  |
|                   | M.2 slots (Total/Free)       | 2/2                                  |
|                   | 2.5" Drive Bays (Total/Free) | 0/                                   |
|                   | 3.5" Drive Bays (Total/Free) | 0/                                   |
| Communications    | LAN                          | 2x Intel I226-V                      |
|                   | WLAN Version                 | Wi-Fi 6E+BT                          |
|                   | BT Version                   | 5.3                                  |
|                   | WLAN                         | INTEL/AX211.NGWG.NV                  |
| I/O Ports (Front) | USB 3.2 Gen 2 (10G) Type C   | 1                                    |
|                   | USB 3.2 Gen 2 (10G) Type A   | 2                                    |
|                   | Copilot Button               | 1                                    |
| I/O Ports (Rear)  | Thunderbolt (R)              | 2x (Thunderbolt 4)                   |
|                   | RJ45                         | 2                                    |
|                   | HDMI out                     | 2x (HDMI v2.1 Support up to 4K@60Hz) |
|                   | Lock type                    | Kensington Lock                      |
| Power             | Power                        | 120W                                 |
|                   | Power Certification          | N/A                                  |
|                   | Formfactor                   | N/A                                  |
|                   | Type                         | ADAPTOR                              |
| VESA              | VESA size                    | 100 x 100 mm                         |

# Cubi NUC AI 1UMG

CUBI NUC AI 1UMG-067BEU

|                       |                                                |                                                  |
|-----------------------|------------------------------------------------|--------------------------------------------------|
| Dimension & Weight    | Product Dimension (WxDxH) (mm)                 | 119.6 x 115.2 x 37.5                             |
|                       | Product Dimension (WxDxH) (inch)               | 4.71 x 4.54 x 1.48                               |
|                       | Inside Carton Dimension (WxDxH) (mm)           | 205 x 220 x 94                                   |
|                       | Inside Carton Dimension (WxDxH) (inch)         | 8.07 x 8.66 x 3.7                                |
|                       | Outer Carton Dimension Standard (WxDxH) (mm)   | N/A                                              |
|                       | Outer Carton Dimension Standard (WxDxH) (inch) | N/A                                              |
|                       | Weight (Net kg)                                | 0.55                                             |
|                       | Net Weight (lbs)                               | 1.21                                             |
|                       | Weight (Gross kg)                              | 1.24                                             |
|                       | Gross Weight (lbs)                             | 2.73                                             |
|                       | Liter                                          | N/A                                              |
|                       | Pint                                           | N/A                                              |
| Regulatory Compliance | Operating, Storage Temperature                 | 0° C ~ 35° C ; -20° C ~ 60° C                    |
|                       | Operating, Storage Humidity                    | 0% ~ 85%;0% ~ 90%                                |
|                       | Regulatory Compliance                          | BSMI<br>CB/CE<br>FCC(Class B)<br>UL(CUL)<br>VCCI |
| Warranty              | Warranty                                       | 36months                                         |
| In The Box            | Keyboard Interface                             | N/A                                              |
|                       | Mouse Interface                                | N/A                                              |
|                       | Power Cord                                     | 1                                                |
|                       | AC Adaptor                                     | 1                                                |
|                       | Warranty Card                                  | N/A                                              |
|                       | Quick Guide                                    | 1                                                |
|                       | User Manual                                    | N/A                                              |
|                       | VESA Mount kit                                 | 1                                                |
|                       | Keyboard                                       | N/A                                              |
|                       | Mouse                                          | N/A                                              |
|                       | Power Switch                                   | N/A                                              |
| Barcode Info          | EAN                                            | 4711377415637                                    |
| Model                 | Part No                                        | 936-B20911-067                                   |
|                       | MKT Name                                       | Cubi NUC AI 1UMG                                 |
|                       | MKT Spec                                       | Cubi NUC AI 1UMG-067BEU                          |
|                       | Color                                          | ID1/Black-Black-Black                            |
|                       | Model                                          | B209                                             |
|                       | Entity MKT Name                                | Cubi NUC AI 1UMG-067BEU-B5125HXX                 |
| Security              | TPM module                                     | dTPM                                             |
|                       | Chassis Lock                                   | Kensington Lock                                  |