


# Be Your Window To The World



Picture and logos

## SELLING POINTS

- Windows 11 Home - MSI consiglia Windows 11 Pro per il business
- Design da 0,55 litri compatibile con montaggio VESA
- Fino a processore Intel® N250
- Memoria DDR5 SO-DIMM e doppia LAN (2.5G e 1G)
- Supporta fino a tre display tramite Type-C
- Il design fanless offre un funzionamento silenzioso, consumi energetici ridotti e resistenza alla polvere (per la serie Cubi NUC TWG S).
- MSI Power Link: Cubi NUC può essere acceso/spento da un monitor tramite la tecnologia MSI Power Link
- MSI AI Engine: ottimizza l'esperienza utente senza configurazione manuale.
- Realizzato con plastiche riciclate PCR; cartone certificato FSC™; riduzione dei rifiuti grazie alla polpa di cellulosa riciclata stampata (100% riciclabile); prodotto con il 99% di energia rinnovabile in fabbrica



1. 1x Mic-in / Headphone-out combo
2. 2x USB 2.0 Type A
3. 2x USB 10Gbps Type A
4. 1x HDMI out (supports 4K @60Hz as specified in HDMI 2.1)
5. 1x HDMI out (supports 4K @60Hz as specified in HDMI 2.1 & supports MSI Power Link)
6. 2x RJ45 LAN (1G & 2.5G)
7. 2x USB 2.0 Type A
8. 1x DC Jack
9. 1x USB 10Gbps Type C (DP 1.4 Alt. mode)
10. 1x External Power Switch Pin Header
11. 1x Kensington Lock Slot



Cubi NUC TWG

CUBI NUC TWG S-006BEU

SPECIFICATION

|                   |                                |                                 |
|-------------------|--------------------------------|---------------------------------|
| Operating Systems | Operating Systems              | N/A                             |
| Processor         | CPU Number                     | Intel Processor N150            |
|                   | CPU Clock                      | 0.8GHz                          |
|                   | CPU Cores                      | N/A                             |
|                   | TDP                            | 6W                              |
|                   | Cache                          | 6 MB Intel® Smart Cache         |
|                   | Threads                        | 4                               |
|                   | Max Turbo Frequency            | up to 3.60 GHz                  |
|                   | CPU Cooler                     | Fanless                         |
| Chipset           | Chipsets                       | Soc                             |
| Discrete Graphics | GPU1 VRAM Size                 | N/A                             |
|                   | VGA I/O Port                   | N/A                             |
|                   | GPU1 Vendor                    | N/A                             |
|                   | GPU1 MKT Name                  | N/A                             |
| Memory            | Memory Size                    | N/A                             |
|                   | Memory Type                    | N/A                             |
|                   | Module Type                    | SO-DIMM                         |
|                   | Memory Slot (Total/Free)       | 1/1                             |
|                   | Max Capacity                   | Max 16GB                        |
| Storage           | SSD Interface                  | N/A                             |
|                   | SSD Form Factor                | N/A                             |
|                   | SSD Config                     | N/A                             |
|                   | SSD Size                       | N/A                             |
|                   | HDD1 Interface                 | N/A                             |
|                   | HDD1 Form Factor               | N/A                             |
|                   | HDD1 Size                      | N/A                             |
|                   | HDD1 RPM                       | N/A                             |
|                   | ODD(Type)                      | N/A                             |
|                   | ODD Height                     | N/A                             |
|                   | ODD Type                       | N/A                             |
|                   | M.2 slots (Total/Free)         | 1/1                             |
|                   | 2.5" Drive Bays (Total/Free)   | 0/                              |
|                   | 3.5" Drive Bays (Total/Free)   | 0/                              |
| Audio             | Audio Chipset                  | Realtek ALC256                  |
|                   | Audio Type                     | 2-Channel High Definition Audio |
| Communications    | LAN                            | N/A                             |
|                   | WLAN Version                   | Wi-Fi 5+BT                      |
|                   | BT Version                     | 5                               |
|                   | WLAN                           | AzureWave/AW-CB515NF            |
| I/O Ports (Front) | USB 2.0 Type A                 | 2                               |
|                   | Mic-in/Headphone-out combo     | 1                               |
|                   | USB 3.2 Gen 2 (10G) Type A     | 2                               |
| I/O Ports (Rear)  | USB 2.0 Type A (R)             | 2                               |
|                   | RJ45                           | 2                               |
|                   | HDMI out                       | 2x (v2.1)                       |
|                   | USB 3.2 Gen 2 (10G) Type C (R) | 1                               |
|                   | Lock type                      | Kensington Lock                 |
| Power             | Power                          | 65W                             |
|                   | Power Certification            | N/A                             |
|                   | Formfactor                     | N/A                             |
|                   | Type                           | ADAPTOR                         |
| VESA              | VESA size                      | 100 x 100 mm                    |

|                       |                                                |                                                                                                      |
|-----------------------|------------------------------------------------|------------------------------------------------------------------------------------------------------|
| Dimension & Weight    | Product Dimension (WxDxH) (mm)                 | 112.6 x 135.6 x 40.1                                                                                 |
|                       | Product Dimension (WxDxH) (inch)               | 4.43 x 5.34 x 1.58                                                                                   |
|                       | Inside Carton Dimension (WxDxH) (mm)           | 207 x 220 x 94                                                                                       |
|                       | Inside Carton Dimension (WxDxH) (inch)         | 8.15 x 8.66 x 3.7                                                                                    |
|                       | Outer Carton Dimension Standard (WxDxH) (mm)   | 221 x 506 x 469                                                                                      |
|                       | Outer Carton Dimension Standard (WxDxH) (inch) | 8.7 x 19.92 x 18.46                                                                                  |
|                       | Weight (Net kg)                                | 0.54                                                                                                 |
|                       | Net Weight (lbs)                               | 1.19                                                                                                 |
|                       | Weight (Gross kg)                              | 1.29                                                                                                 |
|                       | Gross Weight (lbs)                             | 2.84                                                                                                 |
|                       | Liter                                          | 0.55                                                                                                 |
|                       | Pint                                           | 1.16                                                                                                 |
| Regulatory Compliance | Operating, Storage Temperature                 | 0° C ~ 35° C ; -20° C ~ 60° C                                                                        |
|                       | Operating, Storage Humidity                    | 0% ~ 85%;0% ~ 90%                                                                                    |
|                       | Regulatory Compliance                          | BSMI, CB/CE, CEC, ERP lot 3, Energy Star, Epeat Sliver, FCC(Class B), RCM(C-Tick), RH, UL(CUL), VCCI |
| Warranty              | Warranty                                       | 36months                                                                                             |
| In The Box            | Keyboard Interface                             | N/A                                                                                                  |
|                       | Mouse Interface                                | N/A                                                                                                  |
|                       | Power Cord                                     | 2                                                                                                    |
|                       | AC Adaptor                                     | 1                                                                                                    |
|                       | Warranty Card                                  | N/A                                                                                                  |
|                       | Quick Guide                                    | 2                                                                                                    |
|                       | User Manual                                    | N/A                                                                                                  |
|                       | VESA Mount kit                                 | 1                                                                                                    |
|                       | Keyboard                                       | N/A                                                                                                  |
|                       | Mouse                                          | N/A                                                                                                  |
|                       | Power Switch                                   | N/A                                                                                                  |
| Barcode Info          | EAN                                            | 4711377434409                                                                                        |
| Model                 | Part No                                        | 936-B21221-006                                                                                       |
|                       | MKT Name                                       | Cubi NUC TWG S                                                                                       |
|                       | MKT Spec                                       | Cubi NUC TWG S-006BEU                                                                                |
|                       | Color                                          | ID1/Black-Black-Black                                                                                |
|                       | Model                                          | B212                                                                                                 |
| Security              | TPM module                                     | fTPM                                                                                                 |
|                       | Chassis Lock                                   | Kensington Lock                                                                                      |