

Be Your Window To The World

La serie PRO DP21 è progettata per diversi scenari d'utilizzo, grazie alle sue dimensioni compatte (solo 2.3 litri), ai potenti processori Intel Core e alle memorie Dual Channel da 3200MHz.



Picture and logos

SELLING POINTS

- Windows 11 Home - MSI raccomanda Windows 11 Pro per il mondo Business
- Fino al processore Intel® Core™ i7-13700
- Supporto display con risoluzione 4K
- Connettività Wi-Fi 6
- Selezione di porte IO complete
- Porta USB Type-C per una ricarica veloce dei tuoi dispositivi
- Facilmente aggiornabile grazie ad un design studiato ad-hoc
- Massima sicurezza con il modulo TPM
- Software MSI Cloud Center
- Software MSI Center
- Attacco VESA



1. 1x Headphone-out
2. 1x Mic-in
3. 4x USB 2.0 Type A
4. 1x DC jack
5. 1x HDMI™ out (2.0)
6. 1x DisplayPort (1.4)
7. 1x RJ45
8. 1x USB 3.2 Gen 2 Type C / 1x USB 3.2 Gen 2 Type A
9. 2x USB 3.2 Gen 1 Type A
10. 1x Mic-in
11. 1x Line-out
12. 1x Kensington Lock
13. 1x COM port

SPECIFICATION

Operating Systems	Operating Systems	N/A
Processor	CPU Number	Intel Core i5-13400
	CPU Clock	2.5GHz
	CPU Cores	10
	TDP	65W
	Cache	20 MB Intel® Smart Cache
	Threads	16
	Max Turbo Frequency	up to 4.60 GHz
	CPU Cooler	Air cooling 65W
Chipset	Chipsets	H610
Discrete Graphics	GPU1 VRAM Size	N/A
	VGA I/O Port	N/A
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
Memory	Memory Size	8GB(8GB*1)
	Memory Type	DDR4 SDRAM
	Module Type	SO-DIMM
	Memory Slot (Total/Free)	2/1
	Max Capacity	Max 64GB
Storage	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots (Total/Free)	1/0
	2.5" Drive Bays (Total/Free)	2/2
	3.5" Drive Bays (Total/Free)	0/
Audio	Audio Chipset	Realtek ALC897
	Audio Type	5.1 Channel HD Audio
	D-MIC	N/A
Communications	LAN	Realtek RTL8111H
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
	WLAN	INTEL/AX211.NG.WG.NV
I/O Ports (Front)	USB 2.0 Type A	4
	Audio Mic-in	1
	Audio Headphone-out	1
	USB 4 (40G) Type C	N/A
I/O Ports (Rear)	RJ45	1
	HDMI out	1x (v2.0)
	DP out	1x (v1.4)
	COM Port	1
	USB 3.2 Gen 2 (10G) Type C (R)	1
	USB 3.2 Gen 2 (10G) Type A (R)	1
	USB 3.2 Gen 1 (5G) Type A (R)	2
	Lock type	Kensington Lock
	USB 4 (40G) Type C (R)	N/A
	Configurable port	N/A
Power	Power	120W
	Power Certification	N/A
	Formfactor	N/A
	Type	ADAPTOR
VESA	VESA size	100 x 100 mm

Dimension & Weight	Product Dimension (WxDxH) (mm)	204 x 208 x 54.8
	Product Dimension (WxDxH) (inch)	8.03 x 8.19 x 2.16
	Inside Carton Dimension (WxDxH) (mm)	N/A
	Inside Carton Dimension (WxDxH) (inch)	N/A
	Outer Carton Dimension Standard (WxDxH) (mm)	271 x 382 x 122
	Outer Carton Dimension Standard (WxDxH) (inch)	10.67 x 15.04 x 4.8
	Weight (Net kg)	1.27
	Net Weight (lbs)	2.8
	Weight (Gross kg)	2.75
	Gross Weight (lbs)	6.06
	Liter	2.3
	Pint	4.86
Regulatory Compliance	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI
Warranty	Warranty	N/A
In The Box	Keyboard Interface	N/A
	Mouse Interface	N/A
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	3
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	N/A
	Mouse	N/A
	Power Switch	N/A
Barcode Info	EAN	4711377041706
Model	Part No	9S6-B0A421-878
	MKT Name	PRO DP21 13M
	MKT Spec	PRO DP21 13M-488XIT
	Color	ID1/Black-Black-Black
	Model	B0A4
	Entity MKT Name	PRO DP21 13M-488XIT-B5134008GS51XXAH1