


PATH TO THE FUTURE



Picture and logos

SELLING POINTS

- Windows 11 HomeMSI consiglia Windows 11 Pro per l'uso business
- Fino a processore Intel® Core™ Ultra 7
- Disponibile con scheda grafica NVIDIA GeForce RTX™
- Microsoft Copilot migliora istantaneamente la tua produttività
- Memoria DDR5 U-DIMM in dual-channel
- Supporto Thunderbolt™ 4: fino a 40Gbps per trasferimenti ad alta velocità
- Supporto Wi-Fi 7 per una gestione efficiente dei carichi di lavoro AI
- Design con doppia LAN (LAN 2.5G)
- Rilevamento intrusioni del chassis per aiutare a prevenire accessi non autorizzati
- Testato secondo standard di grado militare per garantire durata e prestazioni nel tempo
- Realizzato con plastiche riciclate PCR; imballaggio certificato FSC™; riduzione dei rifiuti grazie a polpa modellata riciclata (100% riciclabile); prodotto utilizzando il 99% di energia rinnovabile in fabbrica



1. 1x ODD (Optional)
2. 1 x Headphone out ; 1 x Mic in
3. 2x USB 5Gbps Type-A
4. 1x USB 10Gbps Type-C
5. 1x Card Reader (Support SD & Micro SD Card)
6. 1x HDMI out
7. 1x Thunderbolt 4
8. 1x HDMI out ; DisplayPort (1.4)
9. 2x USB 2.0 Type-A
10. 1x USB 10Gbps Type A ; 1x RJ45 LAN (2.5G)
11. 2x USB 10Gbps Type A ; 1x RJ45 LAN (2.5G)
12. 3x Audio Jack
13. 1x Graphics Card (*Graphics card varies by model.)
14. 1x COM port
15. 1x Kensington Lock
16. 1x Padlock



PRO DP80 AI A2G

PRO DP80 AI A2G-262EU

SPECIFICATION

Operating Systems	Operating Systems	Windows 11 Pro
Processor	CPU Number	Intel Core Ultra 5 processor 225
	CPU Clock	3.3GHz
	CPU Cores	10
	TDP	65W
	Cache	20 MB Intel® Smart Cache
	Threads	10
	Max Turbo Frequency	up to 4.90 GHz
	CPU Cooler	Air cooling 65W
	Platform TOPS	up to 36 TOPs
	NPU TOPS	up to 13 TOPs
Chipset	Chipsets	B860
Discrete Graphics	GPU1 VRAM Size	N/A
	VGA I/O Port	N/A
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
Memory	Memory Size	16GB(8GB*2)
	Memory Type	DDR5 SDRAM
	Module Type	U-DIMM
	Memory Slot (Total/Free)	4/2
	Max Capacity	Max 128GB
Storage	SSD Interface	PCIe GEN4x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots (Total/Free)	2/1
	2.5" Drive Bays (Total/Free)	1/1
	3.5" Drive Bays (Total/Free)	1/1
Audio	Audio Chipset	Realtek ALC897
	Audio Type	7.1 Channel HD Audio
Communications	LAN	2x Intel I226-V
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
	WLAN	INTEL/AX211.NG.WG.NV
I/O Ports (Front)	Audio Mic-in	1
	Audio Headphone-out	1
	USB 3.2 Gen 2 (10G) Type C	1
	USB 3.2 Gen 1 (5G) Type A	2
	Card Reader	1
I/O Ports (Rear)	USB 2.0 Type A (R)	2
	Thunderbolt (R)	1x (Thunderbolt 4)
	RJ45	2
	HDMI out	2x (v2.1)
	DP out	1x (v1.4)
	COM Port	1
	Audio jack	3x (Line in / Line out / MIC in)
	USB 3.2 Gen 2 (10G) Type A (R)	3
Power	Lock type	Kensington Lock, Padlock Lock
	Power	300W
	Power Certification	80PLUS BRONZE
	Formfactor	TFX
	Type	POWER SUPPLY

Dimension & Weight	Product Dimension (WxDxH) (mm)	95 x 296 x 330
	Product Dimension (WxDxH) (inch)	3.74 x 11.65 x 12.99
	Inside Carton Dimension (WxDxH) (mm)	N/A
	Inside Carton Dimension (WxDxH) (inch)	N/A
	Outer Carton Dimension Standard (WxDxH) (mm)	451 x 234 x 402
	Outer Carton Dimension Standard (WxDxH) (inch)	17.76 x 9.21 x 15.83
	Weight (Net kg)	3.98
	Net Weight (lbs)	8.77
	Weight (Gross kg)	5.83
	Gross Weight (lbs)	12.85
	Liter	8
	Pint	16.91
Regulatory Compliance	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	BSMI, CB/CE, FCC(Class B), UL(CUL), VCCI
Warranty	Warranty	36months
In The Box	Keyboard Interface	N/A
	Mouse Interface	N/A
	Power Cord	1
	AC Adaptor	N/A
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	N/A
	Mouse	N/A
Barcode Info	Power Switch	N/A
	EAN	4711377462884
Model	Part No	9S6-B20811-262
	MKT Name	PRO DP80 AI A2G
	MKT Spec	PRO DP80 AI A2G-262EU
	Color	ID1/Black-Black-Black
	Model	B208
	Entity MKT Name	PRO DP80 AI A2G-262EU-B522516GS51X11PA
Security	TPM module	dTPM
	Chassis Lock	Kensington Lock, Padlock
	Chassis Intrusion	Support