

## All About Gaming

Inspired by the rigorous quality testing in the production of the MSI Gaming series, the MSI design is full of symbols of sturdiness and durability. Additionally, to provide a quality user experience, the MSI gaming series has a straightforward installation process and a friendly user interface and will be the best choice for entry-level gamers to step into the game world.



Picture and logos

## SELLING POINTS

- Rapid IPS: Dotato di un pannello in ossido per offrire una migliore qualità dell'immagine con un tempo di risposta veloce.
- Frequenza di aggiornamento di 180 Hz: Risponde più rapidamente con fotogrammi più fluidi.
- Tempo di risposta di 1 ms GTG: Elimina lo strappo dello schermo e i fotogrammi a scatti.
- Wide Color Gamut: I colori e i dettagli del gioco appariranno più realistici e raffinati.
- Adaptive-sync: Evita strappi o stuttering dello schermo, producendo un gameplay ultra-smooth senza lag.
- Night Vision: Smart black tuner per illuminare la tua giornata evidenziando i dettagli nelle aree scure.
- Design senza cornice: Goditi l'esperienza di gioco definitiva con cornici super sottili.
- Anti-Flicker e Meno luce blu: Gioca ancora più a lungo e preveni affaticamento e stress agli occhi.
- Ampio angolo di visione di 178°: Colori e dettagli rimarranno nitidi a più angolazioni con un angolo di visione ampio 178°.



1. 5-way joystick navigator
2. DC jack
3. 2 x HDMI™ (2.0b)
4. 1 x Display Port (1.2a)
5. Headphone out
6. Kensington lock

## SPECIFICATION

|                 |   |                                |
|-----------------|---|--------------------------------|
| Model           | Part No                                     | 9S6-3BC09M-034                 |
|                 | Color                                       | ID1/Black-Black                |
| Display         | Screen Size                                 | 24.5" (62.2cm)                 |
|                 | Active Display Area (mm)                    | 543.7 (H) X 302.6 (V)          |
|                 | Curvature                                   | Flat                           |
|                 | Panel Type                                  | Rapid IPS                      |
|                 | Resolution                                  | 1920x1080 (FHD)                |
|                 | Pixel pitch (mm)                            | 0.2832(H)x0.2802(V)            |
|                 | Aspect Ratio                                | 16:9                           |
|                 | Dynamic Refresh Rate technology             | Adaptive-Sync                  |
|                 | Dynamic Refresh Rate Activated Range        | 48 ~ 180Hz                     |
|                 | HDR (High dynamic range)                    | N/A                            |
|                 | SDR Brightness (nits)                       | 300                            |
|                 | Contrast Ratio                              | 1000:1                         |
|                 | DCR (Dynamic Contrast Ratio)                | 100000000:1                    |
|                 | Signal Frequency                            | 52.7~198 KHz(H) / 48~180 Hz(V) |
|                 | Refresh Rate                                | 180Hz                          |
|                 | Response Time (MPRT)                        | 1ms(MPRT)                      |
|                 | Response Time (GTG)                         | 1ms                            |
|                 | View Angles                                 | 178°(H)/178°(V)                |
|                 | NTSC (CIE1976 area percentage/overlap)      | 86%/80%                        |
|                 | NTSC (CIE1931 area percentage/overlap)      | 73%/72%                        |
|                 | sRGB (CIE1976 area percentage/overlap)      | 99%/93%                        |
|                 | sRGB (CIE1931 area percentage/overlap)      | 105%/95%                       |
|                 | Adobe RGB (CIE1976 area percentage/overlap) | 84%/82%                        |
|                 | Adobe RGB (CIE1931 area percentage/overlap) | 77%/74%                        |
|                 | DCI-P3 (CIE1976 area percentage/overlap)    | 78%/78%                        |
|                 | DCI-P3 (CIE1931 area percentage/overlap)    | 77%/77%                        |
|                 | Rec.709 (CIE1976 area percentage/overlap)   | 99%/93%                        |
|                 | Rec.709 (CIE1931 area percentage/overlap)   | 105%/95%                       |
|                 | Rec.2020 (CIE1976 area percentage/overlap)  | 56%/56%                        |
|                 | Rec.2020 (CIE1931 area percentage/overlap)  | 54%/54%                        |
|                 | Surface Treatment                           | Anti-glare                     |
|                 | Display Colors                              | 16.7M                          |
| Color bit       | 8 bits                                      |                                |
| I/O Ports       | Headphone-out                               | 1                              |
|                 | Card reader                                 | N/A                            |
|                 | Lock type                                   | Kensington Lock                |
|                 | Speaker                                     | 2                              |
|                 | HDMI  | 2                              |
|                 | HDMI version                                | 2.0b                           |
|                 | HDMI HDCP version                           | 2.3                            |
|                 | DisplayPort                                 | 1                              |
|                 | DisplayPort version                         | 1.2a                           |
|                 | DisplayPort HDCP version                    | 2.3                            |
| Warranty        | Warranty                                    | 36M                            |
| Power           | Power Type                                  | Power Cable                    |
|                 | Power Input                                 | 100~240V, 50/60Hz              |
|                 | On-mode Power Consumption (KWh/1000h)       | 18                             |
|                 | Annual Energy Consumption (KWh)             | 26                             |
|                 | Standby-mode Power Consumption (W)          | 0.5                            |
|                 | Off-mode Power Consumption (W)              | 0.3                            |
|                 | Energy Efficiency Rating                    | E                              |
| Power Cord Type | C13   |                                |

|                              |  |                       |
|------------------------------|--|-----------------------|
| In The Box                   | DisplayPort Cable                            | 0                     |
|                              | HDMI Cable                                   | 1                     |
|                              | DVI Cable                                    | 0                     |
|                              | USB Type A to Type B Cable                   | 0                     |
|                              | USB Type C to Type A Cable                   | 0                     |
|                              | USB Type C to Type C Cable                   | 0                     |
|                              | Thunderbolt Cable                            | 0                     |
|                              | VGA Cable                                    | 0                     |
|                              | 3.5mm audio Cable                            | 0                     |
|                              | 3.5mm combo audio Cable                      | 0                     |
|                              | 3.5mm Mic Cable                              | 0                     |
|                              | Power Cord                                   | 1                     |
|                              | AC Adaptor                                   | 0                     |
|                              | Quick Guide                                  | 1                     |
|                              | Warranty Card                                | 0                     |
| Mouse Bungee Unit            | 0  |                       |
| Design                       | Adjustment (Tilt)                            | -5° ~ 20°             |
|                              | Adjustment (Swivel)                          | -30° ~ 30°            |
|                              | Adjustment (Height)                          | 0 ~ 130 mm            |
|                              | Adjustment (Pivot)                           | -90° ~ 90°            |
|                              | VESA Mounting                                | 100x100mm             |
| Dimension & Weight (product) | Product Dimension with Stand (WxDxH) (mm)    | 557.1 x 227.9 x 381.9 |
|                              | Product Dimension without Stand (WxDxH) (mm) | 557.1 x 66.4 x 326.9  |
|                              | Stand Dimension (WxDxH) (mm)                 | 308.5 x 227.9 x 411.3 |
|                              | Weight (Net kg)                              | 5.3                   |
|                              | Weight Without Stand (kg)                    | 2.87                  |
| Dimension & Weight (box)     | Inside Carton Dimension (WxDxH) (cm)         | 63 x 14.2 x 50.8      |
|                              | Outer Carton Dimension (WxDxH) (cm)          | 64.8 x 16 x 53.8      |
|                              | Weight (Gross kg)                            | 7.8                   |
| Barcode Info                 | EAN  | 4711377142755         |