

MONITOR

G32C4 E2

See beyond the Game. Visualize your victory.

Inspired by the rigorous quality testing in the production of MSI G series, MSI G series' design is full of symbols of sturdiness and durability. Additionally, to provide quality user experience, G series has really simple installation process and a friendly user interface, and will be the best choice for entry level gamers to step into the game world.



Picture and logos

SELLING POINTS

- Curved Gaming display (1500R) The best gameplay immersion.
- 170Hz Refresh Rate Real smooth gaming.
- 1ms response time eliminate screen tearing and choppy frame rates.
- Wide Color Gamut Game colors and details will look more realistic and refined, to push game immersion to its limits.
- AMD FreeSync prevent screen tearing.
- Anti-Flicker and Less Blue Light game even longer and prevent eye strain and fatique.
- Frameless design Ultimate gameplay experience.
- 178° wide view angle.



- 1. 5-way joystick navigator
- 2. 1x DC Jack
- **3.** 2x HDMI[™] 1.4b
- 4. 1x Display Port 1.2a
- **5.** 1x Earphone out
- 6. 1x Kensington lock



M O N I T O R G32C4 E2 G32C4 E2

SPECIFICATION

	EAN	4719072964498
Barcode Info	UPC	824142289327
	UCC14	10824142289324
Model	Part No	9S6-3DA61T-023
	MKT Name	G32C4 E2
	MKT Spec	G32C4 E2
	Color	ID1/Black-Black
	Screen Size	31.5" (80 cm)
	Active Display Area (mm)	698.4(H) x 392.85(V)
	Curvature	Curve 1500R
	Panel Type	VA
	Resolution	1920x1080 (FHD)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync Premium
	HDR (High dynamic range)	N/A
	SDR Brightness (nits)	250
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	56.8~186.8 KHz(H) / 48~170 Hz(V)
	Refresh Rate	170Hz
	Response Time (MPRT)	1ms(MPRT)
Display	Response Time (GTG)	5ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	104%/85%
	NTSC (CIE1931 area percentage/overlap)	86%/79%
	sRGB (CIE1976 area percentage/overlap)	119%/100%
	sRGB (CIE1931 area percentage/overlap)	122%/100%
	Adobe RGB (CIE1976 area percentage/overlap)	102%/90%
	Adobe RGB (CIE1931 area percentage/overlap)	90%/84%
	DCI-P3 (CIE1976 area percentage/overlap)	95%/93%
	DCI-P3 (CIE1931 area percentage/overlap)	90%/89%
	Rec.709 (CIE1976 area percentage/overlap)	119%/100%
	Rec.709 (CIE1931 area percentage/overlap)	122%/100%
	Rec.2020 (CIE1976 area percentage/overlap)	69%/69%
	Rec.2020 (CIE1931 area percentage/overlap)	64%/64%
	Display Colors	16.7M
	Color bit	8 bits
	Note_DP	1920 x 1080 (Up to 170Hz)
	Note_HDMI™	1920 x 1080 (up to 144Hz)
	Note_DVI	N/A
	HDMI™	2
	HDMI™ version	1.4b
	HDMI™ HDCP version	1.4
I/O Ports	DisplayPort	1
I/O POILS	DisplayPort version	1.2a
	DisplayPort HDCP version	1.3
	Headphone-out	1
	Lock type	Kensington Lock
Power	Power Supply Type	External Adaptor 20V 3.25A
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	N/A
	Adapter's KC safety Number	N/A
	Power Cord Type	C5
	QC Output Power	N/A
	PD Output Power	N/A
	The Property of the Control of the C	1 .



$\mathsf{M} \; \mathsf{O} \; \mathsf{N} \; \mathsf{I} \; \mathsf{T} \; \mathsf{O} \; \mathsf{R}$

G32C4 E2

G32C4 E2

In The Box	3.5mm Mic Cable	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
	DisplayPort Cable	1
	HDMI™ Cable	0
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	0
	Quick Guide	1
	Adjustment (Tilt)	-5° ~ 20°
Design	VESA Mounting	100x100mm
2 cs.g	Frameless Design	Yes
	Outer Carton Dimension (WxDxH) (mm)	898 x 210 x 565
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (inch)	35.35 x 8.27 x 22.24
	Product Dimension with Stand (WxDxH) (mm)	709.36 x 225.24 x 509.44
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (inch)	27.93 x 8.87 x 20.06
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	709.36 x 92.04 x 429.3
	Product Dimension without Stand (WxDxH) (inch)	27.93 x 3.62 x 16.9
	Stand Dimension (WxDxH) (mm)	452.77 x 225.24 x 265.5
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (inch)	17.83 x 8.87 x 10.45
	Inside Carton Dimensions (WxDxH) (mm)	883 x 195 x 540
	Inside Carton Dimensions (WxDxH) (inch)	34.76 x 7.68 x 21.26
Dimension & Weight	Weight (Net kg)	6.23
	Weight (Gross kg)	9
Weight	Weight Without Stand (kg)	5.46
Warranty	Warranty	36M