

All About Gaming

Inspired by the rigorous quality testing in the production of the MSI G series, the MSI Optix G series' design is full of symbols of sturdiness and durability. Additionally, to provide a quality user experience, the G series has a really simple installation process and a friendly user interface and will be the best choice for entry-level gamers to step into the game world.



Picture and logos

SELLING POINTS

- Pannello IPS: Ottimizza i colori e la luminosità dello schermo per migliorare la tua esperienza visiva.
- Alta risoluzione UWQHD 3440x1440: I giochi appariranno ancora meglio, mostrando più dettagli.
- Frequenza di aggiornamento a 155Hz: Reagisci più velocemente con frame rate più fluidi.
- Tempo di risposta di 1ms: Elimina lo screen tearing e i frame rate discontinui.
- Ampia gamma cromatica: I colori e i dettagli del gioco saranno più realistici e raffinati.
- Rapporto di aspetto 21:9 dorato: Supporta perfettamente il multitasking con le funzioni PBP/PIP/KVM.
- Night Vision: Sintonizzatore intelligente del nero per illuminare la giornata evidenziando i dettagli nelle aree scure.
- Design senza cornice: Goditi l'esperienza di gioco definitiva con cornici super sottili.
- Anti-sfarfallio e luce blu ridotta: Gioca ancora più a lungo e previeni affaticamento e stanchezza della vista.
- Ampio angolo di visione di 178°: Colori e dettagli rimangono nitidi a più angolazioni grazie all'ampio angolo di visione di 178°.



1. 5-way Joystick Navigator
2. AC Power Jack
3. Headphone Out
4. HDMI™ (2.0b) x 2
5. DisplayPort (1.4a)
6. USD Type-C (DP alt)
7. USB 2.0 Type-B
8. USB 2.0 Type-A x 2



MONITOR
MAG401QR
M A G 4 0 1 Q R

SPECIFICATION

Model	SKU Number	9S6-3EA54H-002
	Entity MKT Name	MAG401QR
	Part No	9S6-3EA54H-012
	Color	ID1/Black-Black
Display	Screen Size	40" (101.6 cm)
	Active Display Area (mm)	926.22(H)x387.72(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	3440x1440 (UWQHD)
	Pixel pitch (mm)	0.2697(H)x0.2697(V)
	Aspect Ratio	21:9
	Dynamic Refresh Rate technology	FreeSync Premium
	Dynamic Refresh Rate Activated Range	48~155Hz
	HDR (High dynamic range)	DisplayHDR 400
	SDR Brightness (nits)	400
	HDR Brightness (Peak nits)	400
	Contrast Ratio	1000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	30~160 KHz(H) / 60~144 Hz(V)
	Refresh Rate	155Hz
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	NTSC (CIE1976 area percentage/overlap)	103%/86%
	NTSC (CIE1931 area percentage/overlap)	88%/81%
	SRGB (CIE1976 area percentage/overlap)	118%/99%
	SRGB (CIE1931 area percentage/overlap)	124%/99%
I/O Ports	Adobe RGB (CIE1976 area percentage/overlap)	101%/90%
	Adobe RGB (CIE1931 area percentage/overlap)	92%/82%
	DCI-P3 (CIE1976 area percentage/overlap)	95%/94%
	DCI-P3 (CIE1931 area percentage/overlap)	91%/91%
	Rec.709 (CIE1976 area percentage/overlap)	118%/99%
	Rec.709 (CIE1931 area percentage/overlap)	124%/99%
	Rec.2020 (CIE1976 area percentage/overlap)	68%/68%
	Rec.2020 (CIE1931 area percentage/overlap)	65%/65%
	Surface Treatment	Anti-glare
	Display Colors	1.07B
	Color bit	10 bits (8 bits + FRC)
	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
	USB 2.0 Type A	2
Warranty	USB 2.0 Type B	1
	Card reader	N/A
	Lock type	Kensington Lock
	HDMI	2
	HDMI version	2.0
	HDMI HDCP version	2.2
	DisplayPort	1
	DisplayPort version	1.4a
	DisplayPort HDCP version	2.2
	Warranty	36M
Power	Power Type	Power Cable
	Power Input	100~240V, 50/60Hz
	On-mode Power Consumption (KWh/1000h)	39
	Annual Energy Consumption (KWh)	39
	Standby-mode Power Consumption (W)	0.5
	Off-mode Power Consumption (W)	0.3
	Energy Efficiency Rating	F
	Power Cord Type	C13



MONITOR
MAG401QR
M A G 4 0 1 Q R

In The Box	DisplayPort Cable	1
	HDMI Cable	0
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	3.5mm Mic Cable	0
	Power Cord	1
	AC Adaptor	0
	Quick Guide	1
	Warranty Card	0
	Mouse Bungee Unit	0
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
Dimension & Weight (product)	Product Dimension with Stand (WxDxH) (mm)	945.22 x 289.63 x 530.29
	Product Dimension without Stand (WxDxH) (mm)	945.22 x 83.32 x 416.12
	Stand Dimension (WxDxH) (mm)	672.42 x 289.63 x 386.56
	Weight (Net kg)	10.3
Dimension & Weight (box)	Weight Without Stand (kg)	8
	Inside Carton Dimension (WxDxH) (cm)	116.7 x 16 x 51.5
	Outer Carton Dimension (WxDxH) (cm)	118.2 x 17.3 x 53.7
Barcode Info	Weight (Gross kg)	12.4
	EAN	4711377080514